

AFX<sup>®</sup>  
next evolution lighting







Relationships are at the heart of everything we have accomplished over 85 years in business and they remain so today. We are passionate about earning our customers' trust and deepening these relationships with every interaction.

As our momentum builds, our AFX family is inspired to continue creating versatile lighting solutions, with performance and design that complement any architectural style. We are extremely grateful to so many for the meaningful relationships we have cultivated.

If by chance you are new to AFX, thumbing through these pages may just be the start of something exciting and beautiful! Thanks in advance for taking the opportunity to get to know us.







# Marney

HOME COLLECTION by AFX

Pendant

p.17

Sconce

p.23

Ceiling

p.151

Vanity

p.213

Fixed Rail

p.271

Outdoor

p.323

Overbed

p.329

Linear

p.367

Undercabinet

p.377

Reference/Index

p.393

p.398-400



Dimmable



American Disability Act



Wet Location



Title 24 / JA8 Compliant



IC Rated



Emergency Battery Back-Up



Motion Sensor



2-in-1 Color Temperature



3-in-1 Color Temperature



4-in-1 Color Temperature



5-in-1 Color Temperature



Energy Star® Qualified



Pendant



Rusnak p.25



Pearl p.26



Twist p.28



Indra p.30



Glo Linear p.33



Glo p.34



Lock p.36



Lock Multi p.39



Kiran p.40



Kiran Multi p.41



William p.42



William Multi p.44



Laney p.47




Laney Multi p.48



Cass p.51



Cass Multi p.52



Cass Linear p.54



Cole p.56



Cole p.59



Cole p.60



Gianna p.62



Gianna Mini p.64



Gianna Multi p.65



Metropolitan p.66

Pendant



Jaxx p.68



Caden p.69



Caden Multi p.70



Stealth p.72



Jamie p.75



Jamie Mini p.76



Jamie Multi p.78



Joanna p.81



Joanna Mini p.82



Grace p.83



Grace Mini p.84



Grace Multi p.85



Noah p.86



Austin p.87



Edge Large p.88



Eli p.90



Eli Multi p.91



Milo p.92



Otis p.92



Gus p.93, 347

Pendant



Leo p.94



Leo Multi p.95



Tyke p.96



Tyke Multi p. 97



Brooklyn p.98



Luna p.99



Luna Multi p.100, 101



Loretto p.102



Loretto Multi p.103



Candace p.104



Candace Multi p.105



Lyric p.106



Reveal p.107



Boon Drum p.108



Boon p.109



Ash Drum p.110



Ash p.111



Echo p.112



Lily Multi p.114



Lily Multi p.115



Lola p.116



Lola Multi p.117



Isla p.118



Isla Multi p.119



Callie p.120



Callie Multi p.121



Cleo p.122



Cleo Multi p.123

Pendant



Roxy p.124



Roxy Multi p.125



Point p.127



Mila p.128



Mila Multi p.129



Spun p.130



Spun Multi p.131



Spun LED p.132



Hermosa LED p.133



Hermosa p.134



Hermosa Multi p.135



View p.136



View Multi p.137



Soho p.138



Soho Multi p.139



Armitage p.140



Armitage Multi p.141



Armitage LED p.142



Haven p.143



Apex p.144



Montclair p.147



Sanibel p.148



Anton p.149



Mae p.150



Cortez p.150

Sconce



William p.153



Laney p.154



Austin p.156



Noah p.157



Joanna p.158



Axel p.159



Rusnak p.160



Gates p.163



Glo p.164



Cole p.165



Cass p.166



Metropolitan p.167



Matrix p.169



Reveal p.169



Brink p.170



Summit p.171



Embers p.172



Pioneer p.173



Pearl p.174



Commons p.175



Delphia p.177



Ash p.177



Zola p.178



Barlow p.181



Louie p.183



Slice p.183



Haven p.184



Ion p.186



Novara p.187



Evanston p.187

Sconce



Sorento p.188



Lambert p.188



Gallery p.190



Bowen p.191



Post p.193



Paulina p.194



Rowen p.196



Naples p.197



Zoe p.198



Storm p.199



Sinclair p.200



Fulton p.201



Aberdeen p.202



Apex p.202



Charlotte p.203



Montrose p.204



Sheridan p.205



Plaza p.206



Nolan p.206



Ventura p.207



Brio p.207



Arlo p.208



Dorset p.208



Century p.209



Ideal p.209



Corsa p.210



Unity p.210



Eclipse p.211



Opus p.211



Radio City p.212

Ceiling



Cass p.215



Orion p.217



Metropolitan p.219



Jamie p.221



Grace p.222



Noah p.223



Austin p.224



Ally p.225



Kayce p.227



Skye p.229



Bailey p.231



Jaxx p.233



Reveal p.235



Maggie p.237



Duncan p.238



Lyric p.239



Tribeca p.240



Boon p.243



Ash p.244



Oscar p.245



Octavia p.247



Alta p.248



Belle p.249



Diamonds p.249



Lambert p.250



Reeves p.251



Clara p.252



Haven p.253

Ceiling



Rivers p.254



Kai p.254



Theo p.255



Archer p.255



Pearson p.256



Sloan p.256



Roscoe p.257



Montclair p.258



Apex p.259



Sanibel p.260



Anton p.261



Cortez p.262



Ashland p.262



Sutton p.263



Lenox p.263



Carlisle p.264



Carlisle Semi-Flush p.264



Cirrus p.265



Ideal p.265



Edge p.266



Edge Large p.267



Edge p.267



Tuck p.268



Slim p.268



Tana p.269



T5L Closet p.269

Vanity



Rusnak p.272



Twist p.274



Indra p.277



Harper p.279



Axel p.280



Glo p.283



Lock p.284



Gates p.287



William p.289



Laney p.290



Dax p.292



Amanda p.295



Pearl p.295



Metropolitan p.296



Barlow p.298



Cass p.299



Noah p.300



Joanna p.301



Ramona p.302



Diamonds p.303



Luca p.304



Zola p.305



Delphia p.306



Lynn p.308



Magnus p.309



Glacier p.310



Annabel p.311

### Vanity



Haven p.312



Novara p.313



Apex p.314



Avanti p.315



Rowen p.316



Fulton p.317



Charlotte p.318



Allen p.319



Sinclair p.319



Arlo p.320



Miller p.320



Hollywood p.321



Algiers p.321



Pacific p.322



Stratus p.322

### Fixed Rail



Gregor p.324



Core p.325



Gramercy p.325



Eva p.326



Metro p.326



Gage p.327



Gage Round p.327



Cantrell p.328



Chappelle p.328

Outdoor



Kylo p.331



Harrison p.332



Sadie p.333



Gale p.334



Gus p.337



Gus p.337



Edmond p.338



Elm p.341



Elm p.341



Cane p.342



Vasari p.343



Rowan p.344



Boon p.345



Dexter p.346



Pasadena p.347



Lasalle p.347



Rivers p.348



Blaine p.348



Elston p.349



Paxton p.350



State p.350



Beaumont Ceiling p.351



Beaumont p.351



Avenue Ceiling p.352



Avenue p.352



Everly Ceiling p.353



Everly p.353



Dakota p.354



Concord p.355



Colton p.356



Watson p.356



Knox p.357



Newport p.357



Stratford p.358

Outdoor



Campton p.358



Lennon p.359



Ventura p.360



Cape p.360



Butler p.361



Patriot p.361



Clark p.361



Dawson p.362



Bristol p.362



LED Wall Pack p.363



LED Wall Pack p.363



LED Wall Pack p.363



LED Porch p.364



LED Wall Pack p.364



LED Wall Pack p.364



LED Flood p.365



LED Utility p.365



LED Security p.366



LED Security p.366



LED Security p.366

Overbed



Curve p.368



Apex p.369



Holly p.369



Scott p.370



Marquette p.371



Allen p.371



Randolph p.372



Algiers p.373



Hayes p.372



### Overbed



Sheridan p.373



Ideal p.374



Cameron p.376



Hinsdale p.376

### Linear



Glo p.379



Bailey p.380



Lugano p.381



Sloane p.382



Zurich p.383



Atlas p.383



LED Cloud p.384



Rigby p.384



Lisle p.385



Shaw p.386



Spring p.386



Pierce p.387



LED Wrap p.388



Wrap Fluorescent p.389



Avalon p.390



Commercial Grade Striplight p.390



Standard Striplight p.391



Vaportite Adjustable CCT p.392



Vaportite Single CCT p.392

### Undercabinet



LED Noble Pro 2 p.394



Koren p.395



Haley p.396



LED T5L 2 p.397



# Marney

HOME COLLECTION by AFX

Introducing the Marney Home Collection, our newest product portfolio designed specifically for the residential market.

This stunning new collection stays true to our signature soft contemporary styling, with added warmth to broaden our appeal in residential spaces.

Featuring the clean lines and simple elegance that have been a trademark of longtime AFX designer, Grant Chappelle, the Marney Home Collection is presented with traditional lamp sources.

Enjoy these exceptional design collections with series named after the amazing family behind AFX!

*M*

# WILLIAM

Classic but still modern, transitional, but still contemporary; The William Collection is a versatile fixture that will elevate the look and feel of your indoor space. Crafted with hand-blown glass, this timeless pendant will make your home as warm as it is comfortable.



WMMS0611MBBK



WMMP06MBSB



WMMP08MBSN



WMMV1511MBSN



WMMP08MBBKLR3



WMMV2411MBBK



# LANEY

Simple and sophisticated meets transitional design. Add a touch of natural beauty and elegance with The Laney Collection. Inspired by classic and timeless designs, the Laney Collection is crafted using hand-blown seeded glass that will elevate any indoor space.



LYNP07MBVG



LYNP07MBSNRND3



LYNS0710MBBK



LYNV1510MBSN



LYNV2410MBVG



See pages marked with 'M' for more information on each of the Marney items offered throughout the catalog.

# JOANNA

The Joanna Collection presents a clean casual charm. Available in either a matte black finish with clear glass to display a warm classic vintage light bulb or plated satin nickel finish with a soft white glass for gentle illumination.



JNNP0523MBBK



JNNV3309MBBK



JNNS0511MBBK



JNNP05MBBK



JNNP0523MBSN



JNNS0511MBSN



JNNP05MBSN



JNNV2209MBSN



# GRACE

Simple elegance best describes the minimalistic graceful lines of the Grace collection with its clean uninterrupted structural elements.



GRCC14CBBK



GRCP07CBBK



GRCP07CBBKLN3



GRCP26CBBK

# JAMIE

The Jamie Collection combines mid-century modern and contemporary design elements to create wonderful unique fixtures each with a melody of intersecting lines and interesting positive and negative space.



JAMP12MBBKRND3



JAMP12MBSB



JAMP25MBSN



JAMC24MBBK



See pages marked with 'M' for more information on each of the Marney items offered throughout the catalog.

# NOAH

The Noah Collection has a warm farmhouse appeal consisting of great informal and charming distressed wood-look elements and light bulbs that are positioned to resemble a casual backyard setting lighting arrangement.



NOAP3010MBDG



NOAS0509MBDG



NOAV2408MBDG



NOAC13MBDG

# AUSTIN

The Austin Collection is inspired by the industrial revolution and consists of hand-made steel framing with an inset mesh screen that captures the warm glow of the vintage exposed light bulb inside.



AUNF14MBBZ



AUNP24MBBZ



AUNS0611MBBZ





PENDANT





# RUSNAK

White acrylic diffuser  
 Arms rotatable to achieve desired alignment  
 64 in. adjustable rigid stem included, expandable up to 9 ft.

HEIGHT	10-1/2" H
DIAMETER	30" DIA.
DELIVERED LUMENS	2825
WATTAGE	36W
VOLTAGE	120V
COLOR TEMP	3000K
CRI	>90
DIMMING	TRIAC/ELV
FINISH	Black, Polished Chrome or Satin Brass


### ORDERING INFORMATION

<b>SERIES</b>	<b>FINISH</b>
RSKP30L30D1	BK Black
	PC Polished Chrome
	SB Satin Brass

Ex: RSKP30L30D1PC

### RELATED PRODUCTS

Sconce, p. 160  
 Vanity, p. 272



PENDANT



# PEARL

White glass diffusers  
 Arms rotatable to achieve desired alignment  
 55 in. adjustable stem

HEIGHT	26" H
DIAMETER	24" DIA.
DELIVERED LUMENS	2723
WATTAGE	40W
VOLTAGE	120V
COLOR TEMP	3000K
CRI	>90
DIMMING	TRIAC/ELV
FINISH	Black, Satin Brass or Satin Nickel


### ORDERING INFORMATION

<b>SERIES</b>	<b>FINISH</b>
PRLP24L30D1	BK Black SB Satin Brass SN Satin Nickel

Ex: PRLP24L30DISB

RELATED PRODUCTS  
 Sconce, p. 174  
 Vanity, p. 295






PENDANT

AFX

27



BK



SB



SN



# TWIST

Durable metal construction  
White acrylic diffuser  
9 ft. adjustable cable


HEIGHT	1-1/2" H
LENGTH	47-1/2" L
WIDTH	2" W
DELIVERED LUMENS	1875
WATTAGE	40W
VOLTAGE	120V
COLOR TEMP	3000K
CRI	>90
DIMMING	TRIAC/ELV
FINISH	Black, Satin Brass or Satin Nickel


### ORDERING INFORMATION

<b>SERIES</b>	<b>FINISH</b>
TWTP48L30D1	BK Black SB Satin Brass SN Satin Nickel

Ex: TWTP48L30D1SN

RELATED PRODUCTS  
Vanity, p. 274





PENDANT

AFX

29



# INDRA

White acrylic diffuser  
5 ft. adjustable stems


HEIGHT	20-1/2" H
DIAMETER	3-3/4" DIA.
DELIVERED LUMENS	1350
WATTAGE	24W
VOLTAGE	120V
COLOR TEMP	2700K/3000K/3500K/4000K/5000K
CRI	>90
DIMMING	TRIAC/ELV
FINISH	Black, Satin Brass or Satin Nickel

### ORDERING INFORMATION

<b>SERIES</b>	<b>FINISH</b>
IDRP04LAJD1	BK Black
	SB Satin Brass
	SN Satin Nickel

Ex: IDRP04LAJD1SB

RELATED PRODUCTS  
Vanity, p. 277







PENDANT

AFX

31



32 AFXinc.com



# GLO LINEAR

Perimeter illumination top and bottom  
White acrylic diffuser  
9 ft. adjustable cable

HEIGHT	1-1/4" H
LENGTH	47-1/4" L
WIDTH	11-3/4" W
DELIVERED LUMENS	2400
WATTAGE	40W
VOLTAGE	120V
COLOR TEMP	3000K
CRI	>90
DIMMING	TRIAC/ELV
FINISH	Black, Satin Brass or Satin Nickel


### ORDERING INFORMATION

<b>SERIES</b>	<b>FINISH</b>
GLOP4812L30D1	BK Black SB Satin Brass SN Satin Nickel


Ex: GLOP4812L30D1BK

### RELATED PRODUCTS

Sconce, p. 164  
Vanity, p. 283  
Linear, p. 379



PENDANT



# GLO

Perimeter illumination top and bottom  
 White acrylic diffuser  
 9 ft. adjustable cable

HEIGHT	1-1/2" H	1-1/2" H
DIAMETER	23-1/2" DIA.	35-1/2" DIA.
DELIVERED LUMENS	1400	1750
WATTAGE	30W	40W
VOLTAGE	120V	
COLOR TEMP	3000K	
CRI	>90	
DIMMING	TRIAC/ELV	
FINISH	Black, Satin Brass or Satin Nickel	



ORDERING INFORMATION

<b>SERIES</b>		<b>FINISH</b>
GLOP24L30D1	24"	BK Black
GLOP36L30D1	36"	SB Satin Brass
		SN Satin Nickel

Ex: GLOP24L30DISN

RELATED PRODUCTS

Sconce, p. 164  
 Vanity, p. 283  
 Linear, p. 379





PENDANT

AFX

35



SN



SB



BK

# LOCK

Perimeter illumination  
White acrylic diffuser  
9 ft. adjustable cord

HEIGHT	9" H
DIAMETER	9" DIA.
DELIVERED LUMENS	1275
WATTAGE	20W
VOLTAGE	120V
COLOR TEMP	3000K
CRI	>90
DIMMING	TRIAC/ELV
FINISH	Black, Satin Brass or Satin Nickel

### ORDERING INFORMATION

<b>SERIES</b>	<b>FINISH</b>
LCKP09L30D1	BK Black
	SB Satin Brass
	SN Satin Nickel

Ex: LCKP09L30D1SB

RELATED PRODUCTS  
Vanity, p. 284





PENDANT

AFX

37





# LOCK MULTI

Perimeter illumination  
White acrylic diffuser  
9 ft. adjustable cord


	LNR3	RND3
HEIGHT	9" H	9" H
DIAMETER	-	23-1/2" DIA.
LENGTH	36" L	-
WIDTH	9" W	-
DELIVERED LUMENS	3825	-
WATTAGE	60W	-
VOLTAGE	120V	-
COLOR TEMP	3000K	-
CRI	>90	-
DIMMING	TRIAC/ELV	-
FINISH	Black, Satin Brass or Satin Nickel	

ORDERING INFORMATION

<b>SERIES</b>	<b>FINISH</b>	<b>CANOPY</b>
LCKP09L30D1	BK Black SB Satin Brass SN Satin Nickel	LNR3 (3) Light Linear RND3 (3) Light Round

Ex: LCKP09L30D1SBRND3

RELATED PRODUCTS  
Vanity, p. 284



PENDANT




# KIRAN

White glass globe  
 Smoke glass outer diffuser  
 9 ft. adjustable cord

HEIGHT	14" H
DIAMETER	4" DIA.
DELIVERED LUMENS	420
WATTAGE	6W
VOLTAGE	120V
COLOR TEMP	3000K
CRI	>90
DIMMING	TRIAC/ELV
FINISH	Black

### ORDERING INFORMATION

**MODEL**  
 KRNP04L30D1BK



∅ DIA.





# KIRAN MULTI


White glass globe  
Smoke glass outer diffuser  
9 ft. adjustable cord

	LNR3	RND3
HEIGHT	14" H	14" H
DIAMETER	-	18" DIA.
LENGTH	36"L	-
WIDTH	5" W	-
DELIVERED LUMENS	1260	
WATTAGE	18W	
VOLTAGE	120V	
COLOR TEMP	3000K	
CRI	>90	
DIMMING	TRIAC/ELV	
FINISH	Black	

ORDERING INFORMATION

<b>SERIES</b>	<b>CANOPY</b>
KRNP04L30D1BK	LNR3 (3) Light Linear RND3 (3) Light Round

Ex: KNRP04L30D1BKLNR3



PENDANT



# WILLIAM

Clear glass diffuser  
 5 ft. adjustable stems included  
 Medium base socket 60W Max\* (lamps not included)

HEIGHT	7-3/4" H	11-1/4" H
DIAMETER	5-1/2" DIA.	7-3/4" DIA.
LIGHT SOURCE	(1) LAMP	(1) LAMP
WATTAGE	60W (MAX)*	
FINISH	Black, Satin Brass or Satin Nickel	

### ORDERING INFORMATION

<b>SERIES</b>	<b>FINISH</b>
WMMP06MB 6"	BK Black
WMMP08MB 8"	SB Satin Brass
	SN Satin Nickel

Ex: WMMP06MBSB

\*Sockets can be labeled for reduced wattage upon request.

### RELATED PRODUCTS

Sconce, p. 153  
 Vanity, p. 289





PENDANT



BKLNLR3



BKLNLR4

# WILLIAM MULTI

Clear glass diffuser  
 5 ft. adjustable stems included  
 Medium base socket 60W Max\* (lamps not included)

	LNR3	LNR4
HEIGHT	11-1/4" H	7-3/4" H
LENGTH	36" L	36" L
WIDTH	7-3/4" W	5-1/2" W
LIGHT SOURCE	(3) LAMPS	(4) LAMPS
WATTAGE	60W (MAX)*	
FINISH	Black, Satin Brass or Satin Nickel	

**ORDERING INFORMATION**


<b>SERIES</b>	<b>FINISH</b>	<b>CANOPY</b>
WMMP08MB 8"	BK Black SB Satin Brass SN Satin Nickel	LNR3 (3) Light Linear

<b>SERIES</b>	<b>FINISH</b>	<b>CANOPY</b>
WMMP06MB 6"	BK Black SB Satin Brass SN Satin Nickel	LNR4 (4) Light Linear

Ex: WMMP06MBSBLNR4

\*Sockets can be labeled for reduced wattage upon request.

**RELATED PRODUCTS**  
 Sconce, p. 153  
 Vanity, p. 289





PENDANT

AFX

45



46

AFXinc.com



# LANEY

Clear seeded glass diffuser  
 Black cord with black or vintage gold finish  
 Clear cord with satin nickel finish  
 9 ft. adjustable cord  
 Medium base socket 60W Max\* (lamps not included)

HEIGHT	6-3/4" H
DIAMETER	6-1/2" DIA.
LIGHT SOURCE	(1) LAMP
WATTAGE	60W (MAX)*
FINISH	Black, Satin Nickel or Vintage Gold

### ORDERING INFORMATION

<b>SERIES</b>	<b>FINISH</b>
LNYP07MB	BK Black
	SN Satin Nickel
	VG Vintage Gold

Ex: LNYP07MBSN

\*Sockets can be labeled for reduced wattage upon request.

### RELATED PRODUCTS

Sconce, p. 154  
 Vanity, p. 290



PENDANT



AFX®



# LANEY MULTI

Clear seeded glass diffuser  
 Black cord with black finish  
 Clear cord with satin nickel finish  
 9 ft. adjustable cord  
 Medium base socket 60W Max\* (lamps not included)

	LNR3	RND3
HEIGHT	6-3/4" H	6-3/4" H
DIAMETER	-	19-3/4" DIA.
LENGTH	36" L	-
WIDTH	6-1/2" W	-
LIGHT SOURCE	(3) LAMPS	(3) LAMPS
WATTAGE	60W (MAX)*	
FINISH	Black or Satin Nickel	


**ORDERING INFORMATION**

<b>SERIES</b>	<b>FINISH</b>	<b>CANOPY</b>
LNYP07MB	BK Black SN Satin Nickel	LNR3 (3) Light Linear RND3 (3) Light Round

Ex: LNYP07MBSNRND3

\*Sockets can be labeled for reduced wattage upon request.

**RELATED PRODUCTS**  
 Sconce, p. 154  
 Vanity, p. 290






PENDANT

AFX

49





# CASS

Four sided illumination  
White acrylic diffuser  
9 ft. adjustable cord

HEIGHT	12" H	24" H	36" H	48" H
DIAMETER	4" DIA.	4" DIA.	4" DIA.	4" DIA.
DELIVERED LUMENS	990	1600	2600	2750
WATTAGE	15W	25W	36W	40W
VOLTAGE	120V			
COLOR TEMP	3000K			
CRI	>90			
DIMMING	TRIAC/ELV			
FINISH	Black, Gold or Satin Nickel			

### ORDERING INFORMATION

SERIES		FINISH	
CSSP12L30D1	12"	BK Black	
CSSP24L30D1	24"	GD Gold	
CSSP36L30D1	36"	SN Satin Nickel	
CSSP48L30D1	48"		

Ex: CSSP24L30D1GD

RELATED PRODUCTS:  
Ceiling, p. 215  
Sconce, p. 166  
Vanity, p. 299



PENDANT



# CASS MULTI

Four sided illumination  
White acrylic diffuser  
9 ft. adjustable cords

	LNR3	RND3	LNR3	RND3	LNR3	RND3
HEIGHT	24" H	24" H	36" H	36" H	48" H	48" H
DIAMETER	-	18" DIA.	-	18" DIA.	-	18" DIA.
LENGTH	36" L	-	36" L	-	36" L	-
WIDTH	5" W	-	5" W	-	5" W	-
DELIVERED LUMENS	4800	4800	7800	7800	8250	8250
WATTAGE	75W	75W	108W	108W	120W	120W
VOLTAGE	120V					
COLOR TEMP	3000K					
CRI	>90					
DIMMING	TRIAC/ELV					
FINISH	Black, Gold or Satin Nickel					


### ORDERING INFORMATION

SERIES	FINISH	CANOPY
CSSP24L30D1 24"	BK Black	LNR3 (3) Light Linear
CSSP36L30D1 36"	SN Satin Nickel	RND3 (3) Light Round
CSSP48L30D1 48"		

Ex: CSSP24L30D1BKLNLR3

### RELATED PRODUCTS

Ceiling, p. 215  
Sconce, p. 166  
Vanity, p. 299





PENDANT

AFX


53



BK



SN



GD



## CASS LINEAR

Four sided illumination  
White acrylic diffuser  
9 ft. adjustable cords

HEIGHT	3-1/4" H
LENGTH	47-1/2" L
WIDTH	4" W
DELIVERED LUMENS	2940
WATTAGE	38W
VOLTAGE	120V
COLOR TEMP	3000K
CRI	>90
DIMMING	TRIAC/ELV
FINISH	Black, Gold or Satin Nickel


### ORDERING INFORMATION

<b>SERIES</b>	<b>FINISH</b>
CSSP0448L30D1	BK Black
	GD Gold
	SN Satin Nickel

Ex: CSSP0448L30D1GD

### RELATED PRODUCTS

Ceiling, p. 215  
Sconce, p. 166  
Vanity, p. 299





PENDANT



# COLE

Three sided illumination  
White acrylic diffuser  
9 ft. adjustable cables


HEIGHT	11" H
LENGTH	39" L
WIDTH	14-1/2" W
DELIVERED LUMENS	2600
WATTAGE	34W
VOLTAGE	120V
COLOR TEMP	3000K
CRI	>90
DIMMING	TRIAC/ELV
FINISH	Black, Gold or Satin Nickel

## ORDERING INFORMATION

<b>SERIES</b>	<b>FINISH</b>
COLP39L30D1	BK Black
	GD Gold
	SN Satin Nickel

Ex: COLP39L30DISN

RELATED PRODUCT  
Sconce, p. 165





PENDANT

AFX

57



58 AFXinc.com



# COLE

Three sided illumination  
White acrylic diffuser  
9 ft. adjustable cables


HEIGHT	15" H
LENGTH	24" L
WIDTH	16" W
DELIVERED LUMENS	2800
WATTAGE	36W
VOLTAGE	120V
COLOR TEMP	3000K
CRI	>90
DIMMING	TRIAC/ELV
FINISH	Black, Gold or Satin Nickel

### ORDERING INFORMATION

<b>SERIES</b>	<b>FINISH</b>
COLP24L30D1	BK Black GD Gold SN Satin Nickel

Ex: COLP24L30D1GD

RELATED PRODUCT  
Sconce, p. 165



PENDANT



# COLE

Three sided illumination  
White acrylic diffuser  
9 ft. adjustable cables

HEIGHT	24" H
LENGTH	6" L
WIDTH	6" W
DELIVERED LUMENS	1700
WATTAGE	22W
VOLTAGE	120V
COLOR TEMP	3000K
CRI	>90
DIMMING	TRIAC/ELV
FINISH	Black, Gold or Satin Nickel

### ORDERING INFORMATION

<b>SERIES</b>	<b>FINISH</b>
COLP06L30D1	BK Black GD Gold SN Satin Nickel

Ex: COLP06L30D1GD

RELATED PRODUCT  
Sconce, p. 165





PENDANT





# GIANNA


Perimeter illumination  
 White acrylic diffuser  
 9 ft. adjustable cord

HEIGHT	28-3/8" H
DIAMETER	24" DIA.
DELIVERED LUMENS	1620
WATTAGE	36W
VOLTAGE	120V
COLOR TEMP	3000K
CRI	>90
DIMMING	TRIAC/ELV
FINISH	Black, Gold or Satin Nickel

### ORDERING INFORMATION

<b>SERIES</b>	<b>FINISH</b>
GNAP27L30D1	BK Black
	GD Gold
	SN Satin Nickel

Ex: GNAP27L30D1SN





PENDANT

AFX

63



# GIANNA MINI


Perimeter illumination  
 White acrylic diffuser  
 9 ft. adjustable cord

HEIGHT	14-7/8" H
DIAMETER	12-5/8" DIA.
DELIVERED LUMENS	1700
WATTAGE	20W
VOLTAGE	120V
COLOR TEMP	3000K
CRI	>90
DIMMING	TRIAC/ELV
FINISH	Black, Gold or Satin Nickel

### ORDERING INFORMATION

<b>SERIES</b>	<b>FINISH</b>
GNAP15L30D1	BK Black
	GD Gold
	SN Satin Nickel

Ex: GNAP15L30D1SN





# GIANNA MULTI


Perimeter illumination  
White acrylic diffuser  
9 ft. adjustable cord

HEIGHT	LNR3 14-7/8" H	RND3 14-7/8" H
DIAMETER	-	27-1/2" DIA.
LENGTH	36" L	-
WIDTH	12-5/8" W	-
DELIVERED LUMENS	5100	-
WATTAGE	60W	-
VOLTAGE	120V	-
COLOR TEMP	3000K	-
CRI	>90	-
DIMMING	TRIAC/ELV	-
FINISH	Black or Satin Nickel	

ORDERING INFORMATION

<b>SERIES</b>	<b>FINISH</b>	<b>CANOPY</b>
GNAP15L30D1	BK Black SN Satin Nickel	LNR3 (3) Light Linear RND3 (3) Light Round

Ex: GNAP15L30D1BK RND3



PENDANT



# METROPOLITAN

White glass diffusers  
36 in. adjustable rigid stem

HEIGHT	21" H
DIAMETER	27" DIA.
DELIVERED LUMENS	2200
WATTAGE	30W
VOLTAGE	120V
COLOR TEMP	3000K
CRI	>90
DIMMING	TRIAC/ELV
FINISH	Black, Satin Brass or Satin Nickel


### ORDERING INFORMATION

<b>SERIES</b>	<b>FINISH</b>
METP27L30D1	BK Black
	SB Satin Brass
	SN Satin Nickel

Ex: METP27L30D1SB

### RELATED PRODUCTS

Ceiling, p. 219  
Sconce, p. 167  
Vanity, p. 296





PENDANT





# JAXX

Illuminated starburst arms  
White acrylic diffuser  
Adjustable rigid stem expandable up to 6 ft.


HEIGHT	11-1/2" H
DIAMETER	24" DIA.
DELIVERED LUMENS	1940
WATTAGE	40W
VOLTAGE	120V
COLOR TEMP	3000K
CRI	>90
DIMMING	TRIAC/ELV
FINISH	Black, Polished Chrome or Satin Brass

## ORDERING INFORMATION

<b>SERIES</b>	<b>FINISH</b>
JAXP24L30D1	BK Black PC Polished Chrome SB Satin Brass

Ex: JAXP24L30D1PC

RELATED PRODUCT:  
Ceiling, p. 233





# CADEN


Luminous acrylic cylinder  
 White acrylic diffuser  
 9 ft. adjustable cord

HEIGHT	24" H	36" H	48" H
DIAMETER	2-1/2" DIA.	2-1/2" DIA.	2-1/2" DIA.
DELIVERED LUMENS	2036	2665	2946
WATTAGE	25W	29W	34W
VOLTAGE	120-277V		
COLOR TEMP	3000K		
CRI	>90		
DIMMING	0-10V (120-277V) & TRIAC/ELV (120V)		
FINISH	Black or Satin Nickel		

ORDERING INFORMATION

<b>SERIES</b>		<b>FINISH</b>
CADP24L30UD	24"	BK Black
CADP36L30UD	36"	SN Satin Nickel
CADP48L30UD	48"	

Ex: CADP24L30UDBK



PENDANT





# CADEN MULTI




Luminous acrylic cylinders  
 White acrylic diffuser  
 9 ft. adjustable cord


HEIGHT	LNR6 48" H	RND6 48" H	RND9 48" H
DIAMETER	-	18" DIA.	24" DIA.
LENGTH	36" L	-	-
WIDTH	5" W	-	-
DELIVERED LUMENS	15294	15294	22941
WATTAGE	176W	176W	264W
VOLTAGE	120-277V		
COLOR TEMP	3000K		
CRI	>90		
DIMMING	0-10V (120-277V) & TRIAC/ELV (120V)		
FINISH	Black or Satin Nickel		

### ORDERING INFORMATION

<b>SERIES</b>	<b>FINISH</b>	<b>CANOPY</b>
CADP99L30UD	BK Black SN Satin Nickel	LNR6 (6) Light Linear RND6 (6) Light Round RND9 (9) Light Round

Ex: CADP99L30UDSNRND9





PENDANT





# STEALTH



White acrylic diffuser  
6 ft. adjustable cable

HEIGHT	2-5/8" H	2-5/8" H
LENGTH	36" L	46" L
WIDTH	5/8" W	5/8" W
DELIVERED LUMENS	1200	1475
WATTAGE	20W	23W
VOLTAGE	120V (D1) or 120-277V (D2)	
COLOR TEMP	Adjustable 3000K/3500K/4000K	
CRI	>90	
DIMMING	TRIAC/ELV (D1) or 0-10V (D2)	
FINISH	Black or Satin Nickel	

### ORDERING INFORMATION

SERIES		FINISH
STHP0136LAJD1	36"	BK Black
STHP0136LAJD2	36"	SN Satin Nickel
STHP0146LAJD1	46"	
STHP0146LAJD2	46"	

Ex: STHP0136LAJD2BK





PENDANT





# JAMIE

Clear glass diffusers  
 6 ft. adjustable chain  
 Medium base socket 60W Max\* (lamps not included)

HEIGHT 24" H  
 DIAMETER 25" DIA.  
 LIGHT SOURCE (4) LAMPS  
 WATTAGE 60W (MAX)\*  
 FINISH Black, Satin Brass or Satin Nickel


### ORDERING INFORMATION

SERIES	FINISH
JAMP25MB	BK Black
	SB Satin Brass
	SN Satin Nickel

Ex: JAMP25MBSB

\*Sockets can be labeled for reduced wattage upon request.

RELATED PRODUCTS  
 Ceiling, p. 221



PENDANT



AFX®



# JAMIE MINI

Clear glass diffuser  
 9 ft. adjustable cord  
 Medium base socket 60W Max\* (lamps not included)

HEIGHT 12-1/2" H  
 DIAMETER 12-1/4" DIA.  
 LIGHT SOURCE (1) LAMP  
 WATTAGE 60W (MAX)\*  
 FINISH Black, Satin Brass or Satin Nickel


### ORDERING INFORMATION


SERIES	FINISH
JAMP12MB	BK Black
	SB Satin Brass
	SN Satin Nickel

Ex: JAMP12MBSB

\*Sockets can be labeled for reduced wattage upon request.

RELATED PRODUCTS  
 Ceiling, p. 221





PENDANT





# JAMIE MULTI

Clear seeded glass diffuser  
9 ft. adjustable cord

	LNR3	RND3
HEIGHT	12-1/2" H	12-1/2" H
DIAMETER	-	26-1/2" DIA.
LENGTH	36"L	-
WIDTH	12-1/4" W	-
LIGHT SOURCE	(3) LAMPS	(3) LAMPS
WATTAGE	60W (MAX)*	
FINISH	Black, Satin Brass or Satin Nickel	


### ORDERING INFORMATION


SERIES	FINISH	CANOPY
JAMP12MB	BK Black SB Satin Brass SN Satin Nickel	LNR3 (3) Light Linear RND3 (3) Light Round

Ex: JAMP12MBSBLNR3

\*Sockets can be labeled for reduced wattage upon request.

RELATED PRODUCTS  
Ceiling, p. 221





PENDANT





# JOANNA

Black finish with clear glass or satin nickel finish with white glass  
 5 ft. adjustable rigid stem  
 Medium base socket 60W Max\* (lamps not included)

LENGTH	23" L
HEIGHT	9" H
DEPTH	5" D
LIGHT SOURCE	(3) LAMPS
WATTAGE	60W (MAX)*
FINISH	Black/Clear Glass or Satin Nickel/White Glass

### ORDERING INFORMATION

<b>SERIES</b>	<b>FINISH</b>
JNNP0523MB	BK Black
	SN Satin Nickel

Ex: JNNP0523MBSN

\*Sockets can be labeled for reduced wattage upon request.

### RELATED PRODUCTS

Sconce, p. 158  
 Vanity, p. 301



PENDANT



AFX®



# JOANNA MINI

Black finish with clear glass or satin nickel finish with white glass  
 5 ft. adjustable rigid stem  
 Medium base socket 60W Max\* (lamp not included)

HEIGHT 7-1/4" H  
 DIAMETER 5" DIA.  
 LIGHT SOURCE (1) LAMP  
 WATTAGE 60W (MAX)\*  
 FINISH Black/Clear Glass or Satin Nickel/White Glass

### ORDERING INFORMATION


SERIES	FINISH
JNNP05MB	BK Black
	SN Satin Nickel

Ex: JNNP05MBSN

\*Sockets can be labeled for reduced wattage upon request.

### RELATED PRODUCTS

Sconce, p. 158  
 Vanity, p. 301





# GRACE

9 ft. adjustable cable  
 Candelabra base socket 40W Max\* (lamps not included)

HEIGHT 7-1/4" H  
 DIAMETER 26" DIA.  
 LIGHT SOURCE (6) LAMPS  
 WATTAGE 40W (MAX)\*  
 FINISH Black

### ORDERING INFORMATION


**MODEL**  
 GRCP26CBBK

\*Sockets can be labeled for reduced wattage upon request.

RELATED PRODUCTS  
 Ceiling, p. 222



PENDANT





# GRACE MINI

4 ft. adjustable rigid stem  
Candelabra base socket 40W Max\* (lamps not included)

HEIGHT	6-3/4" H
DIAMETER	7" DIA.
LIGHT SOURCE	(3) LAMPS
WATTAGE	40W (MAX)*
FINISH	Black

ORDERING INFORMATION

**MODEL**  
GRCP07CBBK

\*Sockets can be labeled for reduced wattage upon request.

RELATED PRODUCTS  
Ceiling, p. 222





# GRACE MULTI

4 ft. adjustable rigid stem  
Candelabra base socket 40W Max\* (lamps not included)



	LNR3
HEIGHT	6-3/4" H
LENGTH	36"L
WIDTH	7" W
LIGHT SOURCE	(3) LAMPS
WATTAGE	40W (MAX)*
FINISH	Black

ORDERING INFORMATION

**MODEL**  
GRCP07CBBKLN3

\*Sockets can be labeled for reduced wattage upon request.

RELATED PRODUCTS  
Ceiling, p. 222



PENDANT





# NOAH

Metal construction with wood grain finish and black accents  
 6 ft. adjustable chain  
 6 in. adjustable cord on each lamp  
 Medium base socket 60W Max\* (lamps not included)

HEIGHT 18" H  
 LENGTH 29-1/2" L  
 WIDTH 2-3/4" W  
 LIGHT SOURCE (5) LAMPS  
 WATTAGE 60W (MAX)\*  
 FINISH Distressed Grey


### ORDERING INFORMATION


**MODEL**  
 NOAP3010MBDG

\*Sockets can be labeled for reduced wattage upon request.

### RELATED PRODUCTS

Ceiling, p. 223  
 Sconce, p. 157  
 Vanity, p. 300





# AUSTIN

Square bar stock frame construction  
 Bronze frame and copper mesh screen  
 55 in. adjustable rigid stem included, expandable up to 9 ft.  
 Medium base socket 60W Max\* (lamps not included)


HEIGHT	10-1/2" H
DIAMETER	24" DIA.
LIGHT SOURCE	(5) LAMPS
WATTAGE	60W (MAX)*
FINISH	Bronze/Copper

ORDERING INFORMATION

**MODEL**  
 AUNP24MBBZ

RELATED PRODUCTS  
 Sconce, p. 156  
 Ceiling, p. 224

\*Sockets can be labeled for reduced wattage upon request.



PENDANT



AFX®



WH  
24"



BK  
16"

## EDGE LARGE

Edge-lit disk light panel  
White acrylic diffuser  
5 ft. adjustable stem, expandable up to 9 ft.

HEIGHT	1" H	1" H
DIAMETER	15-5/8" DIA.	23-5/8" DIA.
DELIVERED LUMENS	2525	3375
WATTAGE	25W	42W
VOLTAGE	120V (D1) or 120-277V (D2)	
COLOR TEMP	3000K/3500K/4000K	
CRI	>90	
DIMMING	TRIAC/ELV (D1) & 0-10V (D2)	
FINISH	Black or White	


### ORDERING INFORMATION

<b>SERIES</b>		<b>FINISH</b>
EGRP16LAJD1	16"	BK Black
EGRP16LAJD2	16"	WH White
EGRP24LAJD1	24"	
EGRP24LAJD2	24"	

Ex: EGRP24LAJDIWH

RELATED PRODUCTS  
Ceiling, p. 266, 267





PENDANT

AFX

89



# ELI

Durable metal construction  
 Clear glass reflector  
 9 ft. adjustable cord

HEIGHT	16" H
DIAMETER	1-1/4" DIA.
DELIVERED LUMENS	500
WATTAGE	9W
VOLTAGE	120-277V
COLOR TEMP	3000K
CRI	>90
DIMMING	0-10V (120-277V) & TRIAC/ELV (120V)
FINISH	Black, Satin Brass or Satin Nickel

### ORDERING INFORMATION

SERIES	FINISH
ELIP01L30UD	BK Black
	SB Satin Brass
	SN Satin Nickel

Ex: ELIP01L30UDSB





# ELI MULTI


Durable metal construction  
Clear glass reflector  
9 ft. adjustable cord

	LNR4	RND6	RND9
HEIGHT	16" H	16" H	16" H
DIAMETER	-	18" DIA.	24" DIA.
LENGTH	36" L	-	-
WIDTH	5" W	-	-
DELIVERED LUMENS	1500	3000	4500
WATTAGE	27W	54W	81W
VOLTAGE	120-277V		
COLOR TEMP	3000K		
CRI	>90		
DIMMING	0-10V (120-277V) & TRIAC/ELV (120V)		
FINISH	Black, Satin Brass or Satin Nickel		

### ORDERING INFORMATION

SERIES	FINISH	CANOPY
ELIP01L30UD	BK Black SB Satin Brass SN Satin Nickel	LNR4 (4) Light Linear RND6 (6) Light Round RND9 (9) Light Round

Ex: ELIP01L30UDSNRND6



PENDANT

# MILO

Metal shade  
 Black with black cord or white with white cord  
 9 ft. adjustable cord  
 Medium base socket 60W Max\* (lamp not included)


HEIGHT 5-7/8" H  
 DIAMETER 10-1/2" DIA.  
 LIGHT SOURCE (1) LAMP  
 WATTAGE 60W (MAX)\*  
 FINISH Black or White

ORDERING INFORMATION

SERIES	FINISH
MLOPIOMB	BK Black
	WH White

Ex: MLOPIOMBBK

\*Sockets can be labeled for reduced wattage upon request.



# OTIS

White glass diffuser  
 Matte black accents with black cord or satin nickel accents with clear cord  
 9 ft. adjustable cord  
 Medium base socket 60W Max\* (lamp not included)

HEIGHT 7" H  
 DIAMETER 11-1/2" DIA.  
 LIGHT SOURCE (1) LAMP  
 WATTAGE 60W (MAX)\*  
 FINISH Black or Satin Nickel

ORDERING INFORMATION

SERIES	FINISH
OTSPIOMB	BK Black
	SN Satin Nickel

Ex: OTSPIOMBBK

\*Sockets can be labeled for reduced wattage upon request.





# GUS


Metal construction  
 Two-tone metal finish  
 Durable powder coat finish for outdoor applications  
 Minimum starting temp -4° F/-20° C  
 9 ft. cord, 4 ft. adjustable rigid stem

HEIGHT	6-3/8" H
DIAMETER	9-1/2" DIA.
DELIVERED LUMENS	600
WATTAGE	12W
VOLTAGE	120V
COLOR TEMP	Adjustable 3000K/4000K/5000K
CRI	>90
DIMMING	TRIAC/ELV
FINISH	Black/Copper

### ORDERING INFORMATION

**MODEL**  
 GUSP10LAJD1BK

**RELATED PRODUCTS**  
 Outdoor, p. 336



PENDANT



# LEO

White glass diffuser  
 Matte black accents with black cord  
 Satin nickel accents with clear cord  
 9 ft. adjustable cord  
 Medium base socket 60W Max\* (lamp not included)


HEIGHT 6-1/2" H  
 DIAMETER 4" DIA.  
 LIGHT SOURCE (1) LAMP  
 WATTAGE 60W (MAX)\*  
 FINISH Black or Satin Nickel

### ORDERING INFORMATION

SERIES	FINISH
LEOP04MB	BK Black SN Satin Nickel

Ex: LEOP04MBBK

\*Sockets can be labeled for reduced wattage upon request.





# LEO MULTI

White glass diffuser  
 Matte black accents with black cord  
 Satin nickel accents with clear cord  
 9 ft. adjustable cord  
 Medium base socket 60W Max\* (lamps not included)


HEIGHT	LNR3 6-1/2" H	LNR4 6-1/2" H	RND3 6-1/2" H	RND6 6-1/2" H
DIAMETER	-	-	18" DIA.	24" DIA.
LENGTH	36" L	36" L	-	-
WIDTH	5" W	5" W	-	-
LIGHT SOURCE	(3) LAMPS	(4) LAMPS	(3) LAMPS	(6) LAMPS
WATTAGE	60W (MAX)*			
FINISH	Black or Satin Nickel			

### ORDERING INFORMATION

SERIES	FINISH	CANOPY
LEOP04MB	BK Black SN Satin Nickel	LNR3 (3) Light Linear LNR4 (4) Light Linear RND3 (3) Light Round RND6 (6) Light Round

Ex: LEOP04MBSNRND3

\*Sockets can be labeled for reduced wattage upon request.



PENDANT



# TYKE

Metal cylinder with glossy white interior  
 Black with black cord  
 Satin brass with clear cord  
 9 ft. adjustable cord  
 Medium base socket 60W Max\* (lamp not included)


HEIGHT 6-1/2"  
 DIAMETER 4" DIA.  
 LIGHT SOURCE (1) LAMP  
 WATTAGE 60W (MAX)\*  
 FINISH Black or Satin Brass

### ORDERING INFORMATION

<b>SERIES</b>	<b>FINISH</b>
TYKP04MB	BK Black SB Satin Brass

Ex: TYKP04MBSB

\*Sockets can be labeled for reduced wattage upon request.





# TYKE MULTI

Metal cylinder with glossy white interior  
 Black with black cord  
 Satin brass with clear cord  
 9 ft. adjustable cord  
 Medium base socket 60W Max\* (lamps not included)


	LNR3	LNR4	RND3	RND6
HEIGHT	6-1/2" H	6-1/2" H	6-1/2" H	6-1/2" H
DIAMETER	-	-	18" DIA.	24" DIA.
LENGTH	36" L	36" L	-	-
WIDTH	5" W	5" W	-	-
LIGHT SOURCE	(3) LAMPS	(4) LAMPS	(3) LAMPS	(6) LAMPS
WATTAGE	60W (MAX)*			
FINISH	Black			

ORDERING INFORMATION

<b>SERIES</b>	<b>FINISH</b>	<b>CANOPY</b>
TYKP04MB	BK Black SB Satin Brass	LNR3 (3) Light Linear LNR4 (4) Light Linear RND3 (3) Light Round RND6 (6) Light Round

Ex: TYKP04MBBKRND3

\*Sockets can be labeled for reduced wattage upon request.



PENDANT



# BROOKLYN

Spun metal construction  
 9 ft. adjustable cord  
 Medium base socket 60W Max\* (lamps not included)


HEIGHT	10" H	14-1/2" H
DIAMETER	9-7/8" DIA.	15-3/4" DIA.
LIGHT SOURCE	(1) LAMP	
WATTAGE	60W (MAX)*	
FINISH	Antique Brass or Silver	


## ORDERING INFORMATION

<b>SERIES</b>	<b>FINISH</b>
BKNP10 10"	QB Antique Brass
BKNP16 16"	SL Silver

Ex: BKNP10SL

\*Sockets can be labeled for reduced wattage upon request.





# LUNA


Edge-lit disk light panel  
White acrylic diffuser  
9 ft. adjustable cord

HEIGHT	12-3/8" H	12-3/8" H
DIAMETER	5-3/8" DIA.	7-7/8" DIA.
DELIVERED LUMENS	755	1037
WATTAGE	12W	15W
VOLTAGE	120V	
COLOR TEMP	3000K	
CRI	>90	
DIMMING	TRIAC/ELV	
FINISH	Black or White	

## ORDERING INFORMATION

<b>SERIES</b>		<b>FINISH</b>
LNAP06L30D1	6"	BK Black
LNAP08L30D1	8"	WH White

Ex: LNAP06L30DIWH



PENDANT



# LUNA MULTI LINEAR


Durable metal construction  
Smooth white acrylic diffuser  
9 ft. adjustable cord

HEIGHT	12-3/8" H
LENGTH	36" L
WIDTH	7-7/8" W
DELIVERED LUMENS	3584
WATTAGE	54W
VOLTAGE	120V
COLOR TEMP	3000K
CRI	>90
DIMMING	TRIAC/ELV
FINISH	Black or White

### ORDERING INFORMATION

<b>SERIES</b>	<b>FINISH</b>	<b>CANOPY</b>
LNAP99L30D1	BK Black WH White	LNR4 (4) Light Linear

Ex: LNAP99L30D1BK LNR4



# LUNA MULTI ROUND


Durable metal construction  
Smooth white acrylic diffuser  
9 ft. adjustable cord

HEIGHT	RND6 12-3/8" H	RND9 12-3/8" H
DIAMETER	18" DIA.	24" DIA.
DELIVERED LUMENS	5376	7641
WATTAGE	81W	117W
VOLTAGE	120V	
COLOR TEMP	3000K	
CRI	>90	
DIMMING	TRIAC/ELV	
FINISH	Black or White	

### ORDERING INFORMATION

SERIES	FINISH	CANOPY
LNAP99L30D1	BK Black WH White	RND6 (6) Light Round RND9 (9) Light round

Ex: LNAP99L30D1BKRND6



PENDANT



# LORETTO

White glass diffuser  
 9 ft. adjustable cord  
 Medium base socket 60W Max\* (lamps not included)

HEIGHT	7" H	11-7/8" H
DIAMETER	7" DIA.	11-7/8" DIA.
LIGHT SOURCE	(1) LAMP	(1) LAMP
WATTAGE	60W (MAX)*	
FINISH	Black, Satin Brass or Satin Nickel	

ORDERING INFORMATION

<b>SERIES</b>	<b>FINISH</b>
L RTP07MB 7"	BK Black
L RTP11MB 11"	SB Satin Brass
	SN Satin Nickel

Ex: LRTP11MBBK

\*Sockets can be labeled for reduced wattage upon request.





# LORETTO MULTI

White glass diffuser  
 9 ft. adjustable cord  
 Medium base socket 60W Max\* (lamps not included)

	LNR3	RND3	RND6
HEIGHT	7" H	7" H	11-7/8" H
DIAMETER	-	18" DIA.	27-1/4" DIA.
LENGTH	36" L	-	-
WIDTH	7" W	-	-
LIGHT SOURCE	(3) LAMPS	(3) LAMPS	(6) LAMPS
WATTAGE	60W (MAX)*		
FINISH	Black, Satin Brass or Satin Nickel		


ORDERING INFORMATION

SERIES	FINISH	CANOPY
L RTP07MB	BK Black SB Satin Brass SN Satin Nickel	LNR3 (3) Light Linear RND3 (3) Light Round

SERIES	FINISH	CANOPY
L RTP99MB	BK Black SB Satin Brass SN Satin Nickel	RND6 (6) Light Round

EX: LRTP07MBSBRND3

\*Sockets can be labeled for reduced wattage upon request.



PENDANT



# CANDACE


Faceted glass  
 9 ft. adjustable cord  
 Medium base socket 60W Max\* (lamps not included)

HEIGHT 12" H  
 DIAMETER 5" DIA.  
 LIGHT SOURCE (1) LAMP  
 WATTAGE 60W (MAX)\*  
 GLASS Clear or White

### ORDERING INFORMATION

**SERIES** | **GLASS**  
 CNDP05MB | CL Clear  
 WH White

Ex: CNDP05MBWH





# CANDACE MULTI

Faceted glass  
 9 ft. adjustable cord  
 Medium base socket 60W Max\* (lamps not included)


	LNR3	RND3
HEIGHT	12" H	12" H
DIAMETER	-	18" DIA.
LENGTH	36" L	-
WIDTH	5" W	-
LIGHT SOURCE	(3) LAMPS	
WATTAGE	60W (MAX)*	
GLASS	Clear or White	

ORDERING INFORMATION


<b>SERIES</b>	<b>GLASS</b>	<b>CANOPY</b>
CNDP05MB	CL Clear WH White	LNR3 (3) Light Linear RND3 (3) Light Round

Ex: CNDP05MBWHRND3

\*Sockets can be labeled for reduced wattage upon request.



PENDANT



# LYRIC

Two-tone metal finish  
 Gold leaf interior effect  
 9 ft. adjustable cord and cable  
 Medium base socket 60W Max\* (lamps not included)


HEIGHT	6" H
DIAMETER	21-5/8" DIA.
LIGHT SOURCE	(3) LAMPS
WATTAGE	60W (MAX)*
FINISH	Black/Gold

### ORDERING INFORMATION

**MODEL**  
 LRCP22MBBKGD

\*Sockets can be labeled for reduced wattage upon request.

**RELATED PRODUCTS**  
 Ceiling, p. 239





# REVEAL


Two-tone metal finish  
 Edge-lit light panel  
 9 ft. adjustable cable

HEIGHT	3-3/8" H
DIAMETER	19-7/8" DIA.
DELIVERED LUMENS	1918
WATTAGE	36W
VOLTAGE	120V
COLOR TEMP	3000K
CRI	>90
DIMMING	TRIAC/ELV
FINISH	Black/Gold

### ORDERING INFORMATION

**MODEL**  
 RVP20L30D1BKGD

**RELATED PRODUCTS**  
 Sconce, p. 169  
 Ceiling, p. 235



PENDANT



# BOON DRUM

Decorative cut metal  
Edge-lit light panel  
Low-profile design  
Powder coat finish  
9 ft. adjustable cable


HEIGHT	8-1/2" H
DIAMETER	20" DIA.
DELIVERED LUMENS	1918
WATTAGE	36W
VOLTAGE	120V
COLOR TEMP	3000K
CRI	>90
DIMMING	TRIAC/ELV
FINISH	Black or White

ORDERING INFORMATION

<b>SERIES</b>	<b>FINISH</b>
BONP2032L30D1	BK Black WH White

Ex: BONP2032L30D1BK

RELATED PRODUCTS  
Ceiling, p. 243  
Outdoor, p. 345.





# BOON

Decorative cut metal  
 Powder coat finish  
 9 ft. adjustable cord

HEIGHT	12" H
DIAMETER	3-1/2" DIA.
DELIVERED LUMENS	300
WATTAGE	12W
VOLTAGE	120-277V
COLOR TEMP	3000K
CRI	>90
DIMMING	0-10V
FINISH	Black or White

### ORDERING INFORMATION

<b>SERIES</b>	<b>FINISH</b>
BONP0407L30D2	BK Black WH White

Ex: BONP0407L30D2BK

RELATED PRODUCTS  
 Ceiling, p. 243  
 Outdoor, p. 345



PENDANT



# ASH DRUM

Perforated metal design  
Edge-lit light panel  
Powder coat finish  
9 ft. adjustable cable


HEIGHT	8-1/2" H
DIAMETER	20" DIA.
SOURCE LUMENS	3000
WATTAGE	36W
VOLTAGE	120V
COLOR TEMP	3000K
CRI	>90
DIMMING	TRIAC/ELV
FINISH	Black/Gold or White

### ORDERING INFORMATION

<b>SERIES</b>	<b>FINISH</b>
ASHP2032L30D1	BK Black/Gold WH White

Ex: ASHP2032L30DIWH

RELATED PRODUCTS  
Sconce, p. 177  
Ceiling, p. 244





# ASH

Perforated metal design  
 Powder coat finish  
 9 ft. adjustable cord

HEIGHT	12" H
DIAMETER	3-1/2" DIA.
SOURCE LUMENS	780
WATTAGE	12W
VOLTAGE	120-277V
COLOR TEMP	3000K
CRI	>90
DIMMING	0-10V (120-277V)
FINISH	Black/Gold or White

### ORDERING INFORMATION

<b>SERIES</b>	<b>FINISH</b>
ASHPO407L30D2	BK Black/Gold WH White

Ex: ASHPO407L30D2WH

RELATED PRODUCTS  
 Sconce, p. 177  
 Ceiling, p. 244



PENDANT



# ECHO

Durable metal construction  
 Powder coat finish  
 Up/down light  
 9 ft. adjustable cord

LENGTH	44-3/4" L
WIDTH	2" W
DEPTH	8" D
SOURCE LUMENS	3000
WATTAGE	37W
VOLTAGE	120-277V
COLOR TEMP	Adjustable 3000K/3500K/4000K
CRI	>90
DIMMING	User selectable adjustment, touch sensor
FINISH	Black/Gold or White

## ORDERING INFORMATION


<b>SERIES</b>	<b>FINISH</b>
ECHP4830LAJMV	BK Black WH White

Ex: ECHP4830LAJMBK



**Touch Sensor Features:**

- Hold for full range dimming
- One touch color temperature change





PENDANT

AFX

113



# LILY MULTI ROUND

Hand-blown frosted ribbed white glass  
 9 ft. adjustable cord  
 Medium base socket 60W Max\* (lamps not included)

HEIGHT	18-1/4" H
DIAMETER	24" DIA.
LIGHT SOURCE	(3) LAMPS
WATTAGE	60W (MAX)*
GLASS	White

ORDERING INFORMATION

**MODEL**  
 LLYP11MBWHRND3

\*Sockets can be labeled for reduced wattage upon request.





# LILY MULTI LINEAR


Hand-blown frosted ribbed white glass  
 9 ft. adjustable cord  
 Medium base socket 60W Max\* (lamps not included)

HEIGHT	18-1/4" H
LENGTH	48" L
WIDTH	11" W
LIGHT SOURCE	(3) LAMPS
WATTAGE	60W (MAX)*
GLASS	White

ORDERING INFORMATION

**MODEL**  
 LLYP11MBWHLNR3

\*Sockets can be labeled for reduced wattage upon request.



PENDANT



# LOLA

Hand-blown frosted ribbed white glass  
 9 ft. adjustable cord  
 Medium base socket 60W Max\* (lamps not included)

HEIGHT	18-1/4" H
DIAMETER	11" DIA.
LIGHT SOURCE	(1) LAMP
WATTAGE	60W (MAX)*
GLASS	White

### ORDERING INFORMATION

**MODEL**  
 LOLPIIWH

\*Sockets can be labeled for reduced wattage upon request.





# LOLA MULTI

Hand-blown frosted ribbed white glass  
 9 ft. adjustable cord  
 Medium base socket 60W Max\* (lamps not included)

HEIGHT	LNR3 18-1/4" H	RND3 18-1/4" H
DIAMETER	-	24" DIA.
LENGTH	48" L	-
WIDTH	11" W	-
LIGHT SOURCE	(3) LAMPS	
WATTAGE	60W (MAX)*	
GLASS	White	

ORDERING INFORMATION

<b>SERIES</b>	<b>CANOPY</b>
LOLP11WH	LNR3 (3) Light Linear RND3 (3) Light Round

Ex: LOLP11WHLNR3

\*Sockets can be labeled for reduced wattage upon request.



PENDANT





# ISLA

Hand-blown frosted ribbed white glass  
 9 ft. adjustable cord  
 Medium base socket 60W Max\* (lamps not included)

HEIGHT	16" H
DIAMETER	11" DIA.
LIGHT SOURCE	(1) LAMP
WATTAGE	60W (MAX)*
GLASS	White

### ORDERING INFORMATION

**MODEL**  
 ISLP11WH

\*Sockets can be labeled for reduced wattage upon request.





# ISLA MULTI

Hand-blown frosted ribbed white glass  
 9 ft. adjustable cord  
 Medium base socket 60W Max\* (lamps not included)

	LNR3	RND3
HEIGHT	16" H	16" H
DIAMETER	-	24" DIA.
LENGTH	48" L	-
WIDTH	11" W	-
LIGHT SOURCE	(3) LAMPS	
WATTAGE	60W (MAX)*	
GLASS	White	

### ORDERING INFORMATION

<b>SERIES</b>	<b>CANOPY</b>
ISLP11WH	LNR3 (3) Light Linear RND3 (3) Light Round

Ex: ISLP11WHLNR3

\*Sockets can be labeled for reduced wattage upon request.



PENDANT





# CALLIE

Hand-blown frosted ribbed white glass  
 9 ft. adjustable cord  
 Medium base socket 60W Max\* (lamps not included)

HEIGHT	8" H	15-1/4" H
DIAMETER	5-1/2" DIA.	9" DIA.
LIGHT SOURCE	(1) LAMP	
WATTAGE	60W (MAX)*	
GLASS	White	

### ORDERING INFORMATION

**MODEL**

- CALP05WH 6"
- CALP09WH 9"

\*Sockets can be labeled for reduced wattage upon request.





LNR3



RND3

# CALLIE MULTI


Hand-blown frosted ribbed white glass  
 9 ft. adjustable cord  
 Medium base socket 60W Max\* (lamps not included)

	LNR3	RND3	RND4	RND5
HEIGHT	8" H	8" H	15-1/2" H	8" H
DIAMETER	-	18" DIA.	18" DIA.	24" DIA.
LENGTH	36" L	-	-	-
WIDTH	5-1/2" W	-	-	-
LIGHT SOURCE	(3) LAMPS	(3) LAMPS	(4) LAMPS	(5) LAMPS
WATTAGE	60W (MAX)*			
GLASS	White			

ORDERING INFORMATION

SERIES	CANOPY
CALP05WH	LNR3 (3) Light Linear
CALP99WH**	RND3 (3) Light Round
	RND4 (4) Light Round**
	RND5 (5) Light Round

\*Sockets can be labeled for reduced wattage upon request.  
 \*\*RXP99 only available with (4) Light Round.



PENDANT





# CLEO

Hand-blown frosted ribbed white glass  
 9 ft. adjustable cord  
 Medium base socket 60W Max\* (lamps not included)

HEIGHT	12-1/2" H
DIAMETER	13-3/4" DIA.
LIGHT SOURCE	(1) LAMP
WATTAGE	60W (MAX)*
GLASS	White

### ORDERING INFORMATION

**MODEL**  
 CLEP13WH

\*Sockets can be labeled for reduced wattage upon request.





# CLEO MULTI

Hand-blown frosted ribbed white glass  
 9 ft. adjustable cord  
 Medium base socket 60W Max\* (lamps not included)


	LNR3	RND3
HEIGHT	12-1/2" H	12-1/2" H
DIAMETER	-	31" DIA.
LENGTH	48" L	-
WIDTH	13-3/4" W	-
LIGHT SOURCE	(3) LAMPS	-
WATTAGE	60W (MAX)*	-
GLASS	White	-

ORDERING INFORMATION

SERIES	CANOPY
CLEPI3WH	LNR3 (3) Light Linear RND3 (3) Light Round

Ex: CLEPI3WHRND3

\*Sockets can be labeled for reduced wattage upon request.



PENDANT



WH  
8"

BK  
12"

# ROXY

Spun metal construction  
9 ft. adjustable cord  
Medium base socket 60W Max\* (lamps not included)

HEIGHT	6-1/4" H	9-7/8" H
DIAMETER	7-7/8" DIA.	11-7/8" DIA.
LIGHT SOURCE	(1) LAMP	
WATTAGE	60W (MAX)*	
FINISH	White or Black	

### ORDERING INFORMATION

<b>SERIES</b>		<b>FINISH</b>
RXYP08	8"	BK Black
RXYP12	12"	WH White

Ex: RXYP12WH

\*Sockets can be labeled for reduced wattage upon request.





# ROXY MULTI

Spun metal construction  
 9 ft. adjustable cord  
 Medium base socket 60W Max\* (lamps not included)


	LNR3	RND3	RND4	RND5
HEIGHT	6-1/4" H	6-1/4" H	9-7/8" H	6-1/4" H
DIAMETER	-	18" DIA.	24" DIA.	24" DIA.
LENGTH	36" L	-	-	-
WIDTH	7-7/8"W	-	-	-
LIGHT SOURCE	(3) LAMPS	(3) LAMPS	(4) LAMPS	(5) LAMPS
WATTAGE	60W (MAX)*			
FINISH	Black or White			

### ORDERING INFORMATION


SERIES	FINISH	CANOPY
RXYP08	BK Black	LNR3 (3) Light Linear
RXYP99**	WH White	RND3 (3) Light Round
		RND4 (4) Light Round**
		RND5 (5) Light Round

Ex: RXYP99BKRND4

\*Sockets can be labeled for reduced wattage upon request.  
 \*\*RXYP99 only available with (4) Light Round.



PENDANT





# POINT


Micro thin cylinder with powder coat finish  
9 ft. adjustable cord

HEIGHT	14" H	18" H
DIAMETER	5-1/2" DIA.	5-1/2" DIA.
SOURCE LUMENS	240	720
WATTAGE	5W	9W
VOLTAGE	120V	
COLOR TEMP	3000K	
CRI	>90	
DIMMING	TRIAC/ELV (3-LIGHT MULTI-LIGHT ONLY*)	
FINISH	Satin Nickel, Polished Chrome, Black, White	

ORDERING INFORMATION

<b>SERIES</b>		<b>FINISH</b>
PNTP0102L30EN	14" (1-Light)	BK Black
PNTP0107L30D1*	18" (3-Light)	PC Polished Chrome
		SN Satin Nickel
		WH White

Ex: PNTP0107L30D1WH



PENDANT



# MILA

Hand-blown ribbed glass with metallic finish  
 9 ft. adjustable cord  
 Medium base socket 60W Max\* (lamps not included)


HEIGHT 12-3/4" H  
 DIAMETER 6" DIA.  
 LIGHT SOURCE (1) LAMP  
 WATTAGE 60W (MAX)\*  
 GLASS Copper or Smoke

## ORDERING INFORMATION

<b>SERIES</b>	<b>GLASS</b>
MLAPI3	CP Copper with Black canopy SM Smoke with Satin Nickel canopy

Ex: MLAPI3CP

\*Sockets can be labeled for reduced wattage upon request.





# MILA MULTI

Hand-blown colored ribbed glass with metallic coating  
 9 ft. adjustable cord  
 Medium base socket 60W Max\* (lamps not included)


	LNR3	RND3
HEIGHT	12-3/4" H	12-3/4" H
DIAMETER	-	18" DIA.
LENGTH	36" L	-
WIDTH	6" W	-
LIGHT SOURCE	(3) LAMPS	-
WATTAGE	60W (MAX)*	-
GLASS	Copper or Smoke	-

**ORDERING INFORMATION**

<b>SERIES</b> MLAPI3	<b>GLASS</b>	<b>CANOPY</b>
	CP Copper with Black canopy SM Smoke with Satin Nickel canopy	LNR3 (3) Light Linear RND3 (3) Light Round

Ex: MLAPI3CPLNR3

\*Sockets can be labeled for reduced wattage upon request.



PENDANT





# SPUN

Hand-blown glass with white pattern molten glass cane  
 Satin nickel canopy and socket  
 9 ft. adjustable cord  
 Medium base socket 60W Max\* (lamps not included)

HEIGHT	16-3/4" H
DIAMETER	5" DIA.
LIGHT SOURCE	(1) LAMP
WATTAGE	60W (MAX)*
FINISH	Satin Nickel
GLASS	Clear, Smoke or Steel Blue

ORDERING INFORMATION

<b>SERIES</b>	<b>GLASS</b>
SPP05MBSN	CL Clear
	SM Smoke
	SB Steel Blue

Ex: SPP05MBSNSM

\*Sockets can be labeled for reduced wattage upon request.





# SPUN MULTI

Hand-blown glass with white pattern molten glass cane  
 Satin nickel canopy and socket  
 9 ft. adjustable cord  
 Medium base socket 60W Max\* (lamps not included)


	LNR3	RND3
HEIGHT	16-3/4" H	16-3/4" H
DIAMETER	-	16-1/8" DIA.
WIDTH	5" W	-
LENGTH	41" L	-
LIGHT SOURCE	(3) LAMPS	
WATTAGE	60W (MAX)*	
FINISH	Satin Nickel	
GLASS	Clear, Smoke or Steel Blue	

ORDERING INFORMATION

<b>SERIES</b>	<b>GLASS</b>	<b>CANOPY</b>
SPP05MBSN	CL Clear SM Smoke SB Steel Blue	LNR3 (3) Light Linear RND3 (3) Light Round

Ex: SPP05MBSNSMLNR3

\*Sockets can be labeled for reduced wattage upon request.



PENDANT



# SPUN LED


Hand-blown glass with white pattern molten glass cane  
 Satin nickel canopy  
 Frosted white inner glass  
 9 ft. adjustable cord

HEIGHT	16-3/4" H
DIAMETER	5" DIA.
SOURCE LUMENS	1000
WATTAGE	10W
VOLTAGE	120V (D1) or 120-277V (D2)
COLOR TEMP	3000K or 4000K
CRI	>90
DIMMING	TRIAC/ELV (D1) & 0-10V (D2)
FINISH	Satin Nickel
GLASS	Clear, Smoke or Steel Blue

ORDERING INFORMATION

<b>SERIES</b>	<b>CCT</b>	<b>DRIVER</b>	<b>FINISH</b>	<b>GLASS</b>
SPP1000L	30 3000K 40 4000K	D1 Voltage (120V TRIAC Dimming) D2 Voltage (120-277V 0-10V Dimming)	SN Satin Nickel	CL Clear SM Smoke SB Steel Blue

Ex: SPP1000L30D2SNSM





# HERMOSA LED

Clear or tinted outer glass  
Satin nickel canopy  
Frosted white inner glass  
9 ft. adjustable cord

HEIGHT	16-3/4" H
DIAMETER	6" DIA.
SOURCE LUMENS	1000
WATTAGE	10W
VOLTAGE	120V (D1) or 120-277V (D2)
COLOR TEMP	3000K or 4000K
CRI	>90
DIMMING	TRIAC/ELV (D1) & 0-10V (D2)
FINISH	Satin Nickel
GLASS	Aqua, Brown, Clear or Clear Swirl

ORDERING INFORMATION

<b>SERIES</b>	<b>CCT</b>	<b>DRIVER</b>	<b>FINISH</b>	<b>GLASS</b>
HRP1000L	30 3000K 40 4000K	D1 Voltage (120V TRIAC Dimming) D2 Voltage (120-277V 0-10V Dimming)	SN Satin Nickel	AQ Aqua BR Brown CL Clear CS Clear Swirl

Ex: HRP1000L40D1SNAQ



PENDANT



# HERMOSA

Clear or tinted glass  
 Satin nickel canopy and socket  
 9 ft. adjustable cord  
 Medium base socket 60W Max\* (lamps not included)


HEIGHT 16-3/4" H  
 DIAMETER 6" DIA.  
 LIGHT SOURCE (1) LAMP  
 WATTAGE 60W (MAX)\*  
 FINISH Satin Nickel  
 GLASS Clear Swirl, Brown, Clear or Aqua

ORDERING INFORMATION

<b>SERIES</b>	<b>GLASS</b>
HRP06MBSN	AQ Aqua BR Brown CL Clear CS Clear Swirl

Ex: HRP06MBSNCS

\*Sockets can be labeled for reduced wattage upon request.





## HERMOSA MULTI

Clear or tinted glass  
Satin nickel canopy and socket  
9 ft. adjustable cord  
Medium base socket 60W Max\* (lamps not included)


	LNR3	RND3
HEIGHT	16-3/4" H	16-3/4" H
DIAMETER	-	17-1/8" DIA.
WIDTH	6" W	-
LENGTH	41" L	-
LIGHT SOURCE	(3) LAMPS	-
WATTAGE	60W (MAX)*	-
FINISH	Satin Nickel	-
GLASS	Clear Swirl, Brown, Clear or Aqua	-

### ORDERING INFORMATION

SERIES	GLASS	CANOPY
HRP06MBSN	AQ Aqua BR Brown CL Clear CS Clear Swirl	LNR3 (3) Light Linear RND3 (3) Light Round

Ex: HRP06MBSNCSLNR3

\*Sockets can be labeled for reduced wattage upon request.



PENDANT

AFX®

135

## VIEW

Clear outer glass with optional frosted inner glass  
Satin nickel canopy and socket  
9 ft. adjustable cord  
Medium base socket 60W Max\* (lamps not included)

HEIGHT	16" H
DIAMETER	4-5/8" DIA.
LIGHT SOURCE	(1) LAMP
WATTAGE	60W (MAX)*
FINISH	Satin Nickel
GLASS	Clear or White

### ORDERING INFORMATION

<b>SERIES</b>	<b>GLASS</b>
VIPO5MBSN	CL Clear
	WH White

Ex: VIPO5MBSNWH

\*Sockets can be labeled for reduced wattage upon request.



## VIEW LED


Clear outer glass with frosted inner glass  
Satin nickel canopy and socket  
9 ft. adjustable cord

HEIGHT	16" H
DIAMETER	4-5/8" DIA.
SOURCE LUMENS	1000
WATTAGE	10W
VOLTAGE	120V (D1) or 120-277V (D2)
COLOR TEMP	3000K or 4000K
CRI	>90
DIMMING	0-10V (120-277V) & TRIAC/ELV (120V)
FINISH	Satin Nickel
GLASS	Clear or White

### ORDERING INFORMATION

<b>SERIES</b>	<b>CCT</b>	<b>DRIVER</b>	<b>FINISH</b>	<b>GLASS</b>
VIPI000L	30 3000K	D1 Voltage (120V TRIAC Dimming)	SN Satin Nickel	WH White
	40 4000K	D2 Voltage (120-277V 0-10V Dimming)		

Ex: VIPI000L40D2SNWH





## VIEW MULTI

Clear outer glass with optional frosted inner glass  
 Satin nickel canopy and socket  
 9 ft. adjustable cord  
 Medium base socket 60W Max\* (lamps not included)


	LNR3	RND3
HEIGHT	16" H	16" H
DIAMETER	-	15-3/4" DIA.
WIDTH	5" W	-
LENGTH	41" L	-
LIGHT SOURCE	(3) LAMPS	-
WATTAGE	60W (MAX)*	-
FINISH	Satin Nickel	-
GLASS	Clear or White	-

### ORDERING INFORMATION

SERIES	GLASS	CANOPY
VIPO5MBSN	CL Clear WH White	LNR3 (3) Light Linear RND3 (3) Light Round

Ex: VIPO5MBSNWHRND3

\*Sockets can be labeled for reduced wattage upon request.



PENDANT

# SOHO

Frosted white glass  
Satin nickel canopy and socket  
9 ft. adjustable cord  
Medium base socket 60W Max\* (lamps not included)

HEIGHT 14" H  
DIAMETER 3-7/8" DIA.  
LIGHT SOURCE (1) LAMP  
WATTAGE 60W (MAX)\*  
FINISH Satin Nickel  
GLASS White

## ORDERING INFORMATION

**MODEL**  
SSP04MBSNWH

\*Sockets can be labeled for reduced wattage upon request.



# SOHO LED


Frosted white glass  
Satin nickel canopy and socket  
9 ft. adjustable cord

HEIGHT 14" H  
DIAMETER 3-7/8" DIA.  
SOURCE LUMENS 1000  
WATTAGE 10W  
VOLTAGE 120V (D1) or 120-277V (D2)  
COLOR TEMP 3000K or 4000K  
CRI >90  
DIMMING 0-10V (120-277V) & TRIAC/ELV (120V)  
FINISH Satin Nickel  
GLASS White

## ORDERING INFORMATION

SERIES	CCT	DRIVER	FINISH	GLASS
SSP1000L	30 3000K 40 4000K	D1 Voltage (120V TRIAC Dimming) D2 Voltage (120-277V 0-10V Dimming)	SN Satin Nickel	WH White

Ex: SSP1000L40D2SNWH





# SOHO MULTI

Frosted white glass  
 Satin nickel canopy and socket  
 9 ft. adjustable cord  
 Medium base socket 60W Max\* (lamps not included)


	LNR3	RND3
HEIGHT	14" H	14" H
DIAMETER	-	15-1/8" DIA.
WIDTH	5" W	-
LENGTH	41" L	-
LIGHT SOURCE	(3) LAMPS	-
WATTAGE	60W (MAX)*	-
FINISH	Satin Nickel	-
GLASS	White	-

ORDERING INFORMATION

SERIES	GLASS	CANOPY
SSP04MBSN	WH White	LNR3 (3) Light Linear RND3 (3) Light Round

Ex: SSP04MBSNWHRND3

\*Sockets can be labeled for reduced wattage upon request.



PENDANT



# ARMITAGE

Clear, crackle or tinted glass  
 Satin nickel canopy and socket  
 9 ft. adjustable cord  
 Medium base socket 60W Max\* (lamps not included)

HEIGHT	8" H
DIAMETER	10" DIA.
LIGHT SOURCE	(1) LAMP
WATTAGE	60W (MAX)*
FINISH	Satin Nickel
GLASS	Aqua, Clear Crackle, Clear or Brown

## ORDERING INFORMATION

<b>SERIES</b>	<b>GLASS</b>
AGPI0MBSN	AQ Aqua
	BR Brown
	CC Clear Crackle
	CL Clear

Ex: AGPI0MBSNBR

\*Sockets can be labeled for reduced wattage upon request.





# ARMITAGE MULTI

Clear, crackle or tinted glass  
 Satin nickel canopy and socket  
 9 ft. adjustable cord  
 Medium base socket 60W Max\* (lamps not included)


	LNR3	RND3
HEIGHT	8" H	8"H
DIAMETER	-	21-1/8" DIA.
WIDTH	10" W	-
LENGTH	41" L	-
LIGHT SOURCE	(3) LAMPS	
WATTAGE	60W (MAX)*	
FINISH	Satin Nickel	
GLASS	Aqua, Clear Crackle, Clear or Brown	

**ORDERING INFORMATION**

<b>SERIES</b>	<b>GLASS</b>	<b>CANOPY</b>
AGP10MBSN	AQ Aqua BR Brown CC Clear Crackle CL Clear	LNR3 (3) Light Linear RND3 (3) Light Round

Ex: AGP10MBSNBRLNR3

\*Sockets can be labeled for reduced wattage upon request.



PENDANT



# ARMITAGE LED


Clear or tinted outer glass  
Satin nickel canopy  
Frosted white inner glass  
9 ft. adjustable cord

HEIGHT	8" H
DIAMETER	10" DIA.
SOURCE LUMENS	500
WATTAGE	6W
VOLTAGE	120V (D1) or 120-277V (D2)
COLOR TEMP	3000K or 4000K
CRI	>90
DIMMING	0-10V (120-277V) & TRIAC/ELV (120V)
FINISH	Satin Nickel
GLASS	Aqua, Clear Crackle, Clear or Brown

ORDERING INFORMATION

<b>SERIES</b>	<b>CCT</b>	<b>DRIVER</b>	<b>FINISH</b>	<b>GLASS</b>
AGP500L	30 3000K 40 4000K	D1 Voltage (120V TRIAC Dimming) D2 Voltage (120-277V 0-10V Dimming)	SN Satin Nickel	AQ Aqua CC Clear Crackle CL Clear BR Brown

Ex: AGP500L30D1SNCL



# HAVEN MEDIUM BASE

Decorative cut metal  
 White acrylic diffuser  
 Medium base socket for use with 100W equivalent LED bulb (25W Max, lamps not included)  
 9 ft. adjustable aircraft cable provided  
 3 ft. adjustable rigid stem included, expandable up to 9 ft.  
 Additional stems sold separately


HEIGHT	5-3/4" H	5-3/4" H	5-3/4" H
DIAMETER	12-5/8" DIA.	16-3/4" DIA.	21" DIA.
LIGHT SOURCE	(2) LAMPS	(3) LAMPS	(3) LAMPS
WATTAGE	25W (MAX)		
FINISH	Black or Satin Nickel		

ORDERING INFORMATION

MODEL		FINISH
HVNP13MB	13"	BK Black
HVNP17MB	17"	SN Satin Nickel
HVNP21MB	21"	

Ex: HVNP17MBBK

RELATED PRODUCTS  
 Sconce, p. 184  
 Ceiling, p. 253  
 Vanity, p. 312



BK  
13"

# HAVEN LED

Decorative cut metal  
 White acrylic diffuser  
 9 ft. adjustable aircraft cable provided  
 3 ft. adjustable rigid stem included, expandable up to 9 ft.  
 Additional stems sold separately


HEIGHT	5-3/4" H	5-3/4" H	5-3/4" H
DIAMETER	12-5/8" DIA.	16-3/4" DIA.	21" DIA.
DELIVERED LUMENS	946	1600	1919
WATTAGE	17W	29W	40W
VOLTAGE	120-277V		
COLOR TEMP	Adjustable 3000K/3500K/4000K		
CRI	>90		
DIMMING	0-10V (120-277V) & TRIAC/ELV (120V)		
FINISH	Black or Satin Nickel		

ORDERING INFORMATION

MODEL		FINISH
HVNP13LAJUD	13"	BK Black
HVNP17LAJUD	17"	SN Satin Nickel
HVNP21LAJUD	21"	

Ex: HVNP17LAJUDSN

RELATED PRODUCTS  
 Sconce, p. 184  
 Ceiling, p. 253  
 Vanity, p. 312



SN  
13"

PENDANT

# APEX MEDIUM BASE

Solid wood accent detail  
 LumaFuse™ laminated fabric/acrylic shade  
 White acrylic diffuser  
 Medium base socket for use with 100W equivalent LED bulb (25W Max, lamps not included)  
 9 ft. adjustable aircraft cable provided  
 3 ft. adjustable rigid stem included, expandable up to 9 ft.  
 Additional stems sold separately

HEIGHT	4-1/4" H	4-1/4" H	4-1/4" H	6" H	7-1/4" H
DIAMETER	14-1/4" DIA.	17" DIA.	21-1/4" DIA.	27-1/4" DIA.	33-3/8" DIA.
LIGHT SOURCE	(2) LAMPS	(3) LAMPS	(3) LAMPS	(3) LAMPS	(4) LAMPS
WATTAGE	25W (MAX)				
WOOD FINISH	Espresso or Weathered Grey				
FABRIC	Jute or Linen White				

ORDERING INFORMATION

SERIES	FINISH	FABRIC
APP1214MB 14"	ES Espresso	-JT Jute
APP1524MB 17"	WG Weathered Grey	-LW Linen White
APP1932MB 21"		
APP2432MB 27"		
APP3044MB 33"		

Ex: APP1524MBWG-LW

RELATED PRODUCTS

Sconce, p. 202  
 Ceiling, p. 259  
 Vanity, p. 314  
 Overbed, p. 369



# APEX LED

Solid wood accent detail  
 LumaFuse™ laminated fabric/acrylic shade  
 White acrylic diffuser  
 9 ft. adjustable aircraft cable provided  
 3 ft. adjustable rigid stem included, expandable up to 9 ft.  
 Additional stems sold separately

HEIGHT	4-1/4" H	4-1/4" H	4-1/4" H	6" H	7-1/4" H
DIAMETER	14-1/4" DIA.	17" DIA.	21-1/4" DIA.	27-1/4" DIA.	33-3/8" DIA.
SOURCE LUMENS	1400	2400	3200	3200	5400
WATTAGE	18W	30W	42W	42W	60W
VOLTAGE	120-277V				
COLOR TEMP	Adjustable 3000K/3500K/4000K				
CRI	>90				
DIMMING	0-10V (120-277V) & TRIAC/ELV (120V)				
WOOD FINISH	Espresso or Weathered Grey				
FABRIC	Jute or Linen White				


ORDERING INFORMATION

SERIES	FINISH	FABRIC
APP1214LAJUD 14"	ES Espresso	-JT Jute
APP1524LAJUD* 17"	WG Weathered Grey	-LW Linen White*
APP1932LAJUD* 21"		
APP2432L5AJUD 27"		
APP3044L5AJUD 33"		

Ex: APP1214LAJUDES-LW

RELATED PRODUCTS


Sconce, p. 202  
 Ceiling, p. 259  
 Vanity, p. 314  
 Overbed, p. 369





PENDANT





148 AFXinc.com

# MONTCLAIR MEDIUM BASE

LumaFuse™ laminated fabric/acrylic shade  
 Stepped smooth white acrylic diffuser  
 Medium base socket for use with 100W equivalent LED bulb (25W Max, lamps not included)  
 9 ft. adjustable aircraft cable provided  
 3 ft. adjustable rigid stem included, expandable up to 9 ft.  
 Additional stems sold separately


HEIGHT	3-3/4" H	4-3/4" H	5-1/2" H	7-1/2" H	9-1/2" H
DIAMETER	12-1/4" DIA.	15" DIA.	19-1/4" DIA.	24" DIA.	30" DIA.
LIGHT SOURCE	(2) LAMPS	(3) LAMPS	(3) LAMPS	(3) LAMPS	(4) LAMPS
WATTAGE	25W (MAX)				
FINISH	Black or Satin Nickel				
FABRIC	Black or Grey				

ORDERING INFORMATION

SERIES	CANOPY	FABRIC
MCP1214MB	12" BK Black	-BK Black
MCP1524MB	15" SN Satin Nickel	-GY Grey
MCP1932MB		
MCP2432MB		
MCP3044MB		

Ex: MCP1214MBBK-GY

RELATED PRODUCTS  
 Ceiling, p. 258



PENDANT

# MONTCLAIR LED

LumaFuse™ laminated fabric/acrylic shade  
 Stepped smooth white acrylic diffuser  
 9 ft. adjustable aircraft cable provided  
 3 ft. adjustable rigid stem included, expandable up to 9 ft.  
 Additional stems sold separately


HEIGHT	3-3/4" H	4-3/4" H	5-1/2" H	7-1/2" H	9-1/2" H
DIAMETER	12-1/4" DIA.	15" DIA.	19-1/4" DIA.	24" DIA.	30" DIA.
SOURCE LUMENS	1400	2400	3200	3200	5400
WATTAGE	18W	30W	42W	42W	60W
VOLTAGE	120-277V				
COLOR TEMP	Adjustable 3000K/3500K/4000K				
CRI	>90				
DIMMING	0-10V (120-277V) & TRIAC/ELV (120V)				
FINISH	Black or Satin Nickel				
FABRIC	Black or Grey				

ORDERING INFORMATION

SERIES	CANOPY	FABRIC
MCP1214LAJUD	12" BK Black	-BK Black
MCP1524LAJUD	15" SN Satin Nickel	-GY Grey
MCP1932LAJUD		
MCP2432LAJUD		
MCP3044LAJUD		

Ex: MCP1932LAJUDSN-BK

RELATED PRODUCTS  
 Ceiling, p. 258



# SANIBEL MEDIUM BASE

LumaFuse™ laminated fabric/acrylic shade  
 Smooth white acrylic diffuser  
 Medium base socket for use with 100W equivalent LED bulb (25W Max, lamps not included)  
 9 ft. adjustable aircraft cable provided  
 3 ft. adjustable rigid stem included, expandable up to 9 ft.  
 Additional stems sold separately

HEIGHT	5-5/8" H	5-5/8" H	5-5/8" H	8-1/2" H
DIAMETER	16" DIA.	18" DIA.	23-1/4" DIA.	32" DIA.
LIGHT SOURCE	(2) LAMPS	(3) LAMPS	(3) LAMPS	(4) LAMPS
WATTAGE	25W (MAX)			
FINISH	Black or Satin Nickel			
FABRIC	Jute or Linen White			

ORDERING INFORMATION

SERIES	FINISH	FABRIC
SAP1614MB	BK Black	-JT Jute
SAP1824MB	SN Satin Nickel	-LW Linen White
SAP2332MB		
SAP3244MB		

Ex: SAP1614BK-LW

RELATED PRODUCTS  
 Ceiling, p. 260



# SANIBEL LED

LumaFuse™ laminated fabric/acrylic shade  
 Smooth white acrylic diffuser  
 9 ft. adjustable aircraft cable provided  
 3 ft. adjustable rigid stem included, expandable up to 9 ft.  
 Additional stems sold separately

HEIGHT	5-5/8" H	5-5/8" H	5-5/8" H	8-1/2" H
DIAMETER	16" DIA.	18" DIA.	23-1/4" DIA.	32" DIA.
SOURCE LUMENS	1400	2400	3200	5400
WATTAGE	18W	30W	42W	60W
VOLTAGE	120-277V			
COLOR TEMP	Adjustable 3000K/3500K/4000K			
CRI	>90			
DIMMING	0-10V (120-277V) & TRIAC/ELV (120V)			
FINISH	Black or Satin Nickel			
FABRIC	Jute or Linen White			

ORDERING INFORMATION

SERIES	FINISH	FABRIC
SAP1614LAJUD	BK Black	-JT Jute
SAP1824LAJUD*	SN Satin Nickel	-LW Linen White*
SAP2332LAJUD*		
SAP3244L5AJUD		

Ex: SAP1824LAJUDSN-JT

RELATED PRODUCTS  
 Ceiling, p. 260



# ANTON MEDIUM BASE

LumaFuse™ laminated fabric/acrylic shade  
 Smooth white acrylic diffuser  
 Medium base socket for use with 100W equivalent LED bulb (25W Max, lamps not included)  
 9 ft. adjustable aircraft cable provided  
 3 ft. adjustable rigid stem included, expandable up to 9 ft.  
 Additional stems sold separately

HEIGHT	4-3/4" H	5-1/2" H	5-1/2" H	7-1/2" H	9-1/2" H
DIAMETER	12" DIA.	15" DIA.	19" DIA.	24" DIA.	30" DIA.
LIGHT SOURCE	(2) LAMPS	(2) LAMPS	(3) LAMPS	(3) LAMPS	(4) LAMPS
WATTAGE	25W (MAX)				
FINISH	Black or Satin Nickel				
FABRIC	Jute or Linen White				

ORDERING INFORMATION

SERIES	FINISH	FABRIC
ANP1214MB 12"	BK Black	-JT Jute
ANP1524MB 15"	SN Satin Nickel	-LW Linen White
ANP1932MB 19"		
ANP2432MB 24"		
ANP3044MB 30"		

Ex: ANP2332MBSN-LW

RELATED PRODUCTS  
 Ceiling, p. 261



# ANTON LED

LumaFuse™ laminated fabric/acrylic shade  
 Smooth white acrylic diffuser  
 9 ft. adjustable aircraft cable provided  
 3 ft. adjustable rigid stem included, expandable up to 9 ft.  
 Additional stems sold separately


HEIGHT	4-3/4" H	5-1/2" H	5-1/2" H	7-1/2" H	9-1/2" H
DIAMETER	12" DIA.	15" DIA.	19" DIA.	24" DIA.	30" DIA.
SOURCE LUMENS	1400	2400	3200	3200	5400
WATTAGE	18W	30W	42W	42W	60W
VOLTAGE	120-277V				
COLOR TEMP	Adjustable 3000K/3500K/4000K				
CRI	>90				
DIMMING	0-10V (120-277V) & TRIAC/ELV (120V)				
FINISH	Black or Satin Nickel				
FABRIC	Jute or Linen White				

ORDERING INFORMATION

SERIES	FINISH	FABRIC
ANP1214LAJUD 12"	BK Black	-JT Jute
ANP1524LAJUD* 15"	SN Satin Nickel	-LW Linen White*
ANP1932LAJUD* 19"		
ANP2432L5AJUD 24"		
ANP3044L5AJUD 30"		

Ex: ANP1524LAJUDSN-LW

RELATED PRODUCTS  
 Ceiling, p. 261



PENDANT

# MAE

White linen side and bottom shade  
 Satin nickel canopy  
 9 ft. adjustable cord  
 Medium base socket 60W Max\* (lamps not included)

HEIGHT 10" H  
 DIAMETER 20" DIA.  
 LIGHT SOURCE (3) LAMPS  
 WATTAGE 60W (MAX)\*  
 FINISH Satin Nickel  
 FABRIC Linen White

## ORDERING INFORMATION

**MODEL**  
 MAEP20MBSNLW

\*Sockets can be labeled for reduced wattage upon request.



# CORTEZ

Sheer organza fabric outer shade  
 White linen inner shade  
 White acrylic diffuser  
 9 ft. adjustable aircraft cable provided  
 3 ft. adjustable rigid stem included, expandable up to 9 ft.  
 Additional stems sold separately

HEIGHT	5" H	6" H
DIAMETER	24" DIA.	30" DIA.
SOURCE LUMENS	3200	4400
WATTAGE	42W	60W
VOLTAGE	120-277V	
COLOR TEMP	Adjustable 3000K/3500K/4000K	
CRI	>90	
DIMMING	0-10V (120-277V) & TRIAC/ELV (120V)	
FINISH	Satin Nickel	
FABRIC	Sheer White Organza	

## ORDERING INFORMATION

**MODEL**  
 CZP2432LAJUDSN-WHWH 24"  
 CZP3044LAJUDSN-WHWH 30"

## RELATED PRODUCTS

Ceiling, p. 262





SCONCE



152

AFXinc.com



# WILLIAM

Clear glass diffuser  
Medium base socket 60W Max\* (lamps not included)

HEIGHT	11-3/4" H
WIDTH	5-1/2" W
DEPTH	6-1/2" D
LIGHT SOURCE	(1) LAMP
WATTAGE	60W (MAX)*
FINISH	Black, Satin Brass or Satin Nickel


### ORDERING INFORMATION

<b>SERIES</b>	<b>FINISH</b>
WMMS0611MB	BK Black
	SB Satin Brass
	SN Satin Nickel

Ex: WMMS0611MSB

\*Sockets can be labeled for reduced wattage upon request.

RELATED PRODUCTS  
Pendant, p. 42, 44  
Vanity, p. 289



SCONCE



AFX®



# LANEY

Clear seeded glass diffuser  
Medium base socket 60W Max\* (lamps not included)

HEIGHT	10-1/4" H
WIDTH	6-1/2" W
DEPTH	8" D
LIGHT SOURCE	(1) LAMP
WATTAGE	60W (MAX)*
FINISH	Black, Satin Nickel or Vintage Gold


### ORDERING INFORMATION

<b>SERIES</b>	<b>FINISH</b>
LNYS0710MB	BK Black
	SN Satin Nickel
	VG Vintage Gold

Ex: LNYS0710MBBK

\*Sockets can be labeled for reduced wattage upon request.

RELATED PRODUCTS  
Pendant, p. 47, 48  
Vanity, p. 290





SCONCE

AFX

155



# AUSTIN

Square tubular frame construction  
 Bronze frame and copper mesh screen  
 Medium base socket 60W Max\* (lamp not included)

HEIGHT	11" H
WIDTH	6" W
DEPTH	3-3/4" D
LIGHT SOURCE	(1) LAMP
WATTAGE	60W (MAX)*
FINISH	Bronze/Copper


### ORDERING INFORMATION

**MODEL**  
 AUNS0611MBBZ

\*Sockets can be labeled for reduced wattage upon request.

### RELATED PRODUCTS

Pendant, p. 87  
 Ceiling, p. 224





# NOAH

Metal construction with wood grain finish and black accents  
 Up or down mounting  
 Medium base socket 60W Max\* (lamp not included)

HEIGHT	9-1/2" H
WIDTH	5-1/2" W
DEPTH	4" D
LIGHT SOURCE	(1) LAMP
WATTAGE	60W (MAX)*
FINISH	Distressed Grey


#### ORDERING INFORMATION

**MODEL**  
 NOAS0509MBDG

\*Sockets can be labeled for reduced wattage upon request.

#### RELATED PRODUCTS

Pendant, p. 86  
 Ceiling, p. 223  
 Vanity, p. 300



SCONCE



AFX®



# JOANNA

Black finish with clear glass or satin nickel finish with white glass  
 Up or down mounting  
 Medium base socket 60W Max\* (lamp not included)

HEIGHT 10-3/4" H  
 WIDTH 5" W  
 DEPTH 6-1/4" D  
 LIGHT SOURCE (1) LAMP  
 WATTAGE 60W (MAX)\*  
 FINISH Black/Clear Glass or Satin Nickel/White Glass

### ORDERING INFORMATION


**SERIES** JNNS0511MB | **FINISH** BK Black  
 SN Satin Nickel

Ex: JNNS0511MBBK

\*Sockets can be labeled for reduced wattage upon request.

### RELATED PRODUCTS

Pendant, p. 81, 82  
 Vanity, p. 301





# AXEL

White cylinder acrylic diffuser  
Vertical or horizontal mounting


HEIGHT	16" H	24-3/4" H	36-3/4" H
WIDTH	4-1/8" W	4-1/8" W	4-1/8" W
DEPTH	4" D	4" D	4" D
DELIVERED LUMENS	1200	1850	2325
WATTAGE	15W	25W	30W
VOLTAGE	120-277V		
COLOR TEMP	2700K/3000K/3500K/4000K/5000K		
CRI	>90		
DIMMING	0-10V (120-277V) & TRIAC/ELV (120V)		
FINISH	Black, Satin Brass or Satin Nickel		

### ORDERING INFORMATION

SERIES	FINISH
AXLS0416LAJUD 16"	BK Black
AXLV2404LAJUD 24"	SB Satin Brass
AXLV3604LAJUD 36"	SN Satin Nickel

Ex: AXLS0416LAJUDSN

RELATED PRODUCTS  
Vanity, p. 280



SCONCE



# RUSNAK

White acrylic diffuser  
Vertical or horizontal mounting


HEIGHT	24" H	36" H
WIDTH	4-3/4" W	4-3/4" W
DEPTH	2-1/4" D	2-1/4" D
DELIVERED LUMENS	1150	1550
WATTAGE	12W	20W
VOLTAGE	120V	
COLOR TEMP	3000K	
CRI	>90	
DIMMING	TRIAC/ELV	
FINISH	Black, Polished Chrome, or Satin Brass	


ORDERING INFORMATION

<b>SERIES</b>		<b>FINISH</b>
RSKS0524L30D1	24"	BK Black
RSKV3605L30D1	36"	PC Polished Chrome
		SB Satin Brass

Ex: RSKS0524L30D1PC


RELATED PRODUCTS  
Pendant, p. 25  
Vanity, p. 272





SCONCE







SN



BK

# GATES

Ornamental metal accents  
White acrylic diffusers


HEIGHT	10" H
WIDTH	5-1/2" W
DEPTH	4" D
DELIVERED LUMENS	430
WATTAGE	7W
VOLTAGE	120V
COLOR TEMP	3000K
CRI	>90
DIMMING	TRIAC/ELV
FINISH	Black, Satin Brass or Satin Nickel

## ORDERING INFORMATION

<b>SERIES</b>	<b>FINISH</b>
GATS0610L30D1	BK Black
	SB Satin Brass
	SN Satin Nickel

Ex: GATS0610L30DISB

RELATED PRODUCTS  
Vanity, p. 287



SB

SCONCE

# GLO

White acrylic diffuser  
Vertical or horizontal mounting

HEIGHT	14-1/4" H	24" H
WIDTH	4-3/4" W	4-3/4" W
DEPTH	2-1/2" D	2-1/2" D
DELIVERED LUMENS	600	1000
WATTAGE	12W	15W
VOLTAGE	120V	
COLOR TEMP	3000K	
CRI	>90	
DIMMING	TRIAC/ELV	
FINISH	Black, Satin Brass or Satin Nickel	


## ORDERING INFORMATION

<b>SERIES</b>		<b>FINISH</b>
GLOS0514L30D1	14"	BK Black
GLOV2405L30D1	24"	SB Satin Brass
		SN Satin Nickel

Ex: GLOS0514L30D1SB

## RELATED PRODUCTS

Pendant, p. 33, 34  
Vanity, p. 283  
Linear, p. 379





# COLE

Extruded aluminum housing  
Perimeter illumination  
Horizontal or vertical mounting


HEIGHT	18" H
WIDTH	5" W
DEPTH	2-1/2" D
DELIVERED LUMENS	1060
WATTAGE	19W
VOLTAGE	120V
COLOR TEMP	3000K
CRI	>90
DIMMING	TRIAC/ELV
FINISH	Black, Gold or Satin Nickel

### ORDERING INFORMATION

<b>SERIES</b>	<b>FINISH</b>
COLS0518L30D1	BK Black
	GD Gold
	SN Satin Nickel

Ex: COLS0518L30D1BK

RELATED PRODUCTS  
Pendant, p. 56, 59, 60



SCONCE



# CASS

Four sided illumination  
White acrylic diffuser  
Vertical or horizontal mounting

LENGTH	16" L	24" L	36" L
WIDTH	4-3/4" W	4-3/4" W	4-3/4" W
DEPTH	3-1/2" D	3-1/2" D	3-1/2" D
DELIVERED LUMENS	950	1700	2475
WATTAGE	18W	24W	38W
VOLTAGE	120V		
COLOR TEMP	3000K		
CRI	>90		
DIMMING	TRIAC/ELV		
FINISH	Black, Gold or Satin Nickel		


## ORDERING INFORMATION

<b>SERIES</b>	<b>FINISH</b>
CSSS0416L30D1 16"	BK Black
CSSV2404L30D1 24"	GD Gold
CSSV3604L30D1 36"	SN Satin Nickel

Ex: CSSS0416L30D1

## RELATED PRODUCTS

Pendant, p. 51, 52, 54  
Ceiling, p. 215  
Vanity, p. 299





# METROPOLITAN

Glass suspended from metal arm  
White glass globe diffuser

HEIGHT	12" H
WIDTH	5" W
DEPTH	7-3/8" D
DELIVERED LUMENS	575
WATTAGE	10W
VOLTAGE	120V
COLOR TEMP	3000K
CRI	>90
DIMMING	TRIAC/ELV
FINISH	Black, Satin Brass or Satin Nickel


**ORDERING INFORMATION**

<b>SERIES</b>	<b>FINISH</b>
METS0512L30D1	BK Black SB Satin Brass SN Satin Nickel

Ex: METS0512L30D1SN

**RELATED PRODUCTS**

Pendant, p. 66  
Ceiling, p. 219  
Vanity, p. 296



SCONCE




# MATRIX

Laser etched clear acrylic diffuser  
Mirrored backplate

HEIGHT	14" H
WIDTH	5" W
DEPTH	3" D
DELIVERED LUMENS	625
WATTAGE	13W
VOLTAGE	120-277V
COLOR TEMP	3000K
CRI	>90
DIMMING	0-10V
FINISH	Black

## ORDERING INFORMATION

**MODEL**  
MTXS0514L30D2BK



# REVEAL


Two-tone metal finish  
Indirect light  
Horizontal or vertical mounting

HEIGHT	16" H
WIDTH	5" W
DEPTH	3-1/2" D
SOURCE LUMENS	1200
WATTAGE	15.5W
VOLTAGE	120V
COLOR TEMP	3000K
CRI	>90
DIMMING	TRIAC/ELV
FINISH	Black/Gold

## ORDERING INFORMATION

**MODEL**  
RVS0416L30D1BKGD


RELATED PRODUCTS  
Pendant, p. 107  
Ceiling, p. 235



SCONCE

AFX®

169



# BRINK


Durable metal construction  
 Back lit illumination  
 Horizontal or vertical mounting

HEIGHT	24" H
WIDTH	4" W
DEPTH	2-3/4" D
SOURCE LUMENS	1600
WATTAGE	20W
VOLTAGE	120-277V
COLOR TEMP	3000K
CRI	>90
DIMMING	0-10V
FINISH	Black or White

### ORDERING INFORMATION

<b>SERIES</b>	<b>FINISH</b>
BRKS0424L30D2	BK Black WH White

Ex: BRKS0424L30D2WH





# SUMMIT


Durable metal construction  
 Powder coated finish  
 Open top and bottom  
 Indirect light with wall wash effect

HEIGHT	14" H
WIDTH	5" W
DEPTH	3" D
SOURCE LUMENS	1300
WATTAGE	20W
VOLTAGE	120V
COLOR TEMP	3000K
CRI	>90
DIMMING	TRIAC/ELV
FINISH	Black/Copper or White/Silver

### ORDERING INFORMATION

<b>SERIES</b>	<b>FINISH</b>
SUMS051413L30D1	BK Black/Copper WH White/Silver

Ex: SUMS051413L30D1BK






# EMBERS

Indirect light with wall wash effect  
 Intricate metal design  
 Polished copper backplate

HEIGHT	19" H
WIDTH	4-1/2" W
DEPTH	2-1/2" D
SOURCE LUMENS	1000
WATTAGE	12W
VOLTAGE	120-277V
COLOR TEMP	3000K
CRI	>90
DIMMING	0-10V
FINISH	Black

### ORDERING INFORMATION

**MODEL**  
 EBR50519L30D2BK





# PIONEER


Backplate with decorative hardware  
 Clear textured glass  
 Medium base socket 60W Max\* (lamps not included)

HEIGHT	16-3/8" H
WIDTH	3-1/2" W
DEPTH	4" D
LIGHT SOURCE	(1) LAMP
WATTAGE	60W (MAX)*
FINISH	Black

### ORDERING INFORMATION

**MODEL**  
 PNR50518MBBK

\*Sockets can be labeled for reduced wattage upon request.



SCONCE



# PEARL

White glass globe diffuser  
 Up or down mounting (1-Light)  
 Vertical or horizontal mounting (2-Light)

HEIGHT	8-1/2" H	17-1/4" H
WIDTH	4-3/8" W	4-3/8" W
DEPTH	4" D	4" D
DELIVERED LUMENS	495	945
WATTAGE	7.5W	13W
VOLTAGE	120V	
COLOR TEMP	3000K	
CRI	>90	
DIMMING	TRIAC/ELV	
FINISH	Black, Satin Brass or Satin Nickel	


### ORDERING INFORMATION


<b>SERIES</b>	<b>FINISH</b>
PRLS0409L30D1 (1-LIGHT)	BK Black
PRLS0418L30D1 (2-LIGHT)	SB Satin Brass
	SN Satin Nickel

Ex: PRLS0409L30DISN

### RELATED PRODUCTS

Pendant, p. 26  
 Vanity, p. 295






# COMMONS

Faceted design  
Cut and folded metal details  
Vertical or horizontal mounting

HEIGHT	7" H	27" H
WIDTH	7" W	7" W
DEPTH	2" D	2" D
DELIVERED LUMENS	266	612
WATTAGE	13W	24W
VOLTAGE	120-277V	
COLOR TEMP	3000K	
CRI	>90	
DIMMING	0-10V	
FINISH	White	

### ORDERING INFORMATION

**MODEL**  
CMNS070708L30D2WH 7"  
CMNS072716L30D2WH 27"



SCONCE



# DELPHIA


Clear glass outer diffuser  
Laser etched inner diffuser  
Up/down light

HEIGHT	7-7/8" H
WIDTH	4-1/4" W
DEPTH	4-3/4" D
DELIVERED LUMENS	463
WATTAGE	9W
VOLTAGE	120V
COLOR TEMP	3000K
CRI	>90
DIMMING	TRIAC/ELV
FINISH	Polished Chrome

ORDERING INFORMATION

**MODEL**  
DPHS0408L30D1PC

RELATED PRODUCTS  
Vanity, p. 306



# ASH


Metal perforated design  
Powder coated finish  
White acrylic diffuser

HEIGHT	13-5/8" H
WIDTH	4-3/4" W
DEPTH	3-3/4" D
SOURCE LUMENS	780
WATTAGE	15W
VOLTAGE	120-277V
COLOR TEMP	3000K
CRI	>90
DIMMING	0-10V
FINISH	Black

ORDERING INFORMATION

**MODEL**  
ASHS0414L30D2BK

RELATED PRODUCTS  
Pendant, p. 110, 111  
Ceiling, p. 244



SCONCE



14"  
SN



24"  
BK



36"  
SN

# ZOLA

Durable metal construction  
White acrylic diffuser  
Vertical or horizontal mounting


HEIGHT	13-3/4" H	24" H	35-1/2" H
WIDTH	4-1/4" W	4-1/4" W	4-1/4" W
DEPTH	1-3/4" D	1-3/4" D	1-3/4" D
DELIVERED LUMENS	1150	1400	2500
WATTAGE	13W	18W	30W
VOLTAGE	120V		
COLOR TEMP	3000K		
CRI	>90		
DIMMING	TRIAC/ELV		
FINISH	Black or Satin Nickel		

## ORDERING INFORMATION

SERIES		FINISH
ZLAV1405L30D1	14"	BK Black
ZLAV2405L30D1	24"	SN Satin Nickel
ZLAV3605L30D1	36"	

Ex: ZLAV3605L30DISN

RELATED PRODUCTS  
Vanity, p. 305





SCONCE

AFX

179





# BARLOW

Durable metal construction  
 White acrylic diffuser  
 Vertical or horizontal mounting  
 For use with a 2" x 4" electrical box  
 Includes optional cover plate for use with a 4" x 4" electrical box (shown on SN\*)


HEIGHT	18" H	24" H	36" H
WIDTH	3" W	3" W	3" W
DEPTH	2" D	2" D	2" D
DELIVERED LUMENS	1037	1125	1634
WATTAGE	20W	22W	30W
VOLTAGE	120V		
COLOR TEMP	3000K		
CRI	>90		
DIMMING	TRIAC/ELV		
FINISH	Black, Polished Chrome, Satin Brass or Satin Nickel		

### ORDERING INFORMATION

SERIES		FINISH
BARV1803L30D1	18"	BK Black
BARV2403L30D1	24"	PC Polished Chrome
BARV3603L30D1	36"	SB Satin Brass
		SN Satin Nickel

Ex: BARV2403L30D1PC

RELATED PRODUCTS  
 Vanity, p. 298



SCONCE



182 AFXinc.com


# LOUIE

Two-tone metal finish  
White acrylic diffuser  
Vertical or horizontal mounting

HEIGHT	13-3/4" H
WIDTH	4-1/8" W
DEPTH	4" D
DELIVERED LUMENS	346
WATTAGE	16W
VOLTAGE	120V
COLOR TEMP	3000K
CRI	>90
DIMMING	TRIAC/ELV
FINISH	Black/Gold

ORDERING INFORMATION

**MODEL**  
LOUS0512L30D1BK




# SLICE

Offset metal cylinder  
White glass diffuser  
Vertical or horizontal mounting

HEIGHT	13" H
WIDTH	4-1/8" W
DEPTH	3-1/2" D
DELIVERED LUMENS	756
WATTAGE	13W
VOLTAGE	120V
COLOR TEMP	3000K
CRI	>90
DIMMING	TRIAC/ELV
FINISH	Black

ORDERING INFORMATION

**MODEL**  
SLCS0512L30D1BK



SCONCE



SB\*

# HAVEN

Decorative cut metal  
White acrylic diffuser  
Vertical or horizontal mounting  
Option: Motion Sensor  
See page 398 for more information

HEIGHT	12-3/4" H
WIDTH	4-3/4" W
DEPTH	3" D
DELIVERED LUMENS	1100
WATTAGE	17W
VOLTAGE	120-277V
COLOR TEMP	Adjustable 3000K/3500K/4000K
CRI	>90
DIMMING	0-10V (120-277V) & TRIAC/ELV (120V)
LIFE RATING	50,000 Hours
FINISH	Black, Satin Brass* or Satin Nickel



SN



BK

## ORDERING INFORMATION


<b>SERIES</b>	<b>FINISH</b>	<b>OPTION</b>
HVNS0513LAJUD	BK Black SB Satin Brass* SN Satin Nickel	BLANK Standard -MS Motion Sensor

\*Minimum order quantity required, consult factory.

Ex: HVNS0513LAJUDSN

## RELATED PRODUCTS

Pendant, p. 143  
Ceiling, p. 253  
Vanity, p. 312





SCONCE

AFX

185




# ION

Layered geometric panels  
 White acrylic diffuser  
 Indirect light for wall wash effect  
 For use with a 2" x 4" electrical box  
 Vertical or horizontal mounting

HEIGHT	20" H
WIDTH	3-1/4" W
DEPTH	2-1/2" D
DELIVERED LUMENS	520
WATTAGE	18W
VOLTAGE	120-277V
COLOR TEMP	3000K
CRI	>90
DIMMING	0-10V
FINISH	Satin Nickel

ORDERING INFORMATION

**MODEL**  
 IONS032015L30D2SN



# NOVARA

Diamond point formed metal  
White acrylic diffuser  
Vertical or horizontal mounting

HEIGHT	13" H
WIDTH	4-1/2" W
DEPTH	3-5/8" D
DELIVERED LUMENS	376
WATTAGE	15.5W
VOLTAGE	120V
COLOR TEMP	3000K
CRI	>90
DIMMING	TRIAC/ELV
FINISH	Satin Brass* or Satin Nickel


ORDERING INFORMATION

<b>SERIES</b>	<b>FINISH</b>
NVS5131200L30D1	SB Satin Brass*
	SN Satin Nickel

\*Minimum order quantity required, consult factory.

Ex: NVS5131200L30D1SN

RELATED PRODUCTS  
Vanity, p. 313



# EVANSTON

Metal accent trim band  
Linen shade  
Option: Motion Sensor  
See page 398 for more information

HEIGHT	12" H
WIDTH	5" W
DEPTH	4" D
DELIVERED LUMENS	842
WATTAGE	17W
VOLTAGE	120-277V
COLOR TEMP	Adjustable 3000K/3500K/4000K
CRI	>90
DIMMING	0-10V (120-277V) & TRIAC/ELV (120V)
LIFE RATING	50,000 Hours
FINISH	Satin Nickel

ORDERING INFORMATION

<b>MODEL</b>	<b>OPTION</b>
EVNS0512LAJUDSN	BLANK Standard
	-MS Motion Sensor



SCONCE

# SORRENTO


Metal backplate and decorative band  
White acrylic diffuser

HEIGHT	18-1/2" H
WIDTH	4-3/4" W
DEPTH	3-1/2" D
SOURCE LUMENS	1400
WATTAGE	17W
VOLTAGE	120-277V
COLOR TEMP	Adjustable 3000K/3500K/4000K
CRI	>90
DIMMING	0-10V (120-277V) & TRIAC/ELV (120V)
FINISH	Oakley Bronze or Satin Nickel

ORDERING INFORMATION

<b>SERIES</b>	<b>FINISH</b>
SORS051914LAJUD	KB Oakley Bronze SN Satin Nickel

Ex: SORS051914LAJUDSN



# LAMBERT

Ornamental metal accents  
White acrylic diffuser  
Option: Motion Sensor  
See page 398 for more information

HEIGHT	13-1/2" H
WIDTH	5-1/2" W
DEPTH	3" D
DELIVERED LUMENS	922
WATTAGE	17W
VOLTAGE	120-277V
COLOR TEMP	Adjustable 3000K/3500K/4000K
CRI	>90
DIMMING	0-10V (120-277V) & TRIAC/ELV (120V)
FINISH	Satin Nickel

ORDERING INFORMATION

<b>MODEL</b>	<b>OPTION</b>
LBTS0614LAJUDSN	BLANK Standard -MS Motion Sensor

RELATED PRODUCTS  
Ceiling, p. 250





SCONCE



# GALLERY


Metal backplate and decorative band  
Clear glass with printed pattern

HEIGHT	14" H
WIDTH	5" W
DEPTH	2-1/2" D
DELIVERED LUMENS	426
WATTAGE	15W
VOLTAGE	120V
COLOR TEMP	3000K
CRI	>90
DIMMING	TRIAC/ELV
FINISH	Satin Brass or Satin Nickel

### ORDERING INFORMATION

<b>SERIES</b>	<b>FINISH</b>
GLYS140512L30D1	SB Satin Brass SN Satin Nickel

Ex: GLYS140512L30D1SB





# BOWEN


Decorative metal accent  
White acrylic diffuser

HEIGHT	14-1/4" H
WIDTH	4-1/2" W
DEPTH	3-3/4" D
DELIVERED LUMENS	808
WATTAGE	15.5W
VOLTAGE	120V
COLOR TEMP	3000K
CRI	>90
DIMMING	TRIAC/ELV
FINISH	Satin Brass or Satin Nickel

### ORDERING INFORMATION

<b>SERIES</b>	<b>FINISH</b>
BWNS051412L30D1	SB Satin Brass SN Satin Nickel

Ex: BWNS051412L30DISN



SN



SB

SCONCE





# POST


Combination metal and painted finish  
Indirect illumination  
For use with a 2" x 4" electrical box  
Vertical or horizontal mounting

HEIGHT	13-1/2" H
WIDTH	3" W
DEPTH	3-1/2" D
DELIVERED LUMENS	425
WATTAGE	15.5W
VOLTAGE	120V
COLOR TEMP	3000K
CRI	>90
DIMMING	TRIAC/ELV
FINISH	Satin Brass/Black, Satin Nickel/Dark Grey, Satin Nickel/White

### ORDERING INFORMATION

<b>SERIES</b>	<b>FINISH</b>
PTS3151200L30D1	SBBK Satin Brass/Black
	SNGY Satin Nickel/Dark Grey
	SNWH Satin Nickel/White

Ex: PTS3151200L30DISNWH



SBBK



SNGY



SNWH

SCONCE



# PAULINA

Cylindrical metal base  
Cream linen shade


HEIGHT	13-1/2" H
WIDTH	4-3/4" W
DEPTH	3-1/2" D
DELIVERED LUMENS	360
WATTAGE	15.5W
VOLTAGE	120V
COLOR TEMP	3000K
CRI	>90
DIMMING	TRIAC/ELV
FINISH	Polished Chrome, Satin Brass* or Satin Nickel*

### ORDERING INFORMATION

<b>SERIES</b>	<b>FINISH</b>
PALS051412L30D1	PC Polished Chrome
	SB Satin Brass*
	SN Satin Nickel*

Ex: PALS051412L30D1PC

\*Minimum order quantity required, consult factory.





SCONCE

AFX

195



## ROWAN

Durable metal construction  
 Powder coated finish  
 Edge-lit diffuser  
 Vertical or horizontal mounting


HEIGHT	18" H	30" H
WIDTH	4" W	4" W
DEPTH	2-1/2" D	2-1/2" D
DELIVERED LUMENS	472	568
WATTAGE	16W	28W
VOLTAGE	120-277V	
COLOR TEMP	3000K	
CRI	>90	
DIMMING	0-10V	
FINISH	Satin Nickel or White	

### ORDERING INFORMATION

SERIES		FINISH
RWNS180414L30D2	18"	SN Satin Nickel
RWNS300424L30D2	30"	WH White

Ex: RWNS180414L30D2WH

RELATED PRODUCTS  
 Outdoor, p. 344






# NAPLES

Metal backplate and decorative band  
White acrylic diffuser

HEIGHT	16" H
WIDTH	5" W
DEPTH	3" D
DELIVERED LUMENS	850
WATTAGE	14W
VOLTAGE	120V
COLOR TEMP	Adjustable 3000K/3500K/4000K
CRI	>90
DIMMING	TRIAC/ELV
FINISH	Satin Nickel

### ORDERING INFORMATION

**MODEL**  
NPLS051610LAJD1SN



SCONCE



# ZOE


Cube design metal housing  
 Indirect light with wall wash effect  
 Painted finish

HEIGHT	5" H
WIDTH	5" W
DEPTH	4" D
DELIVERED LUMENS	400
WATTAGE	9W
VOLTAGE	120-277V
COLOR TEMP	3000K
CRI	>90
FINISH	Black or White

### ORDERING INFORMATION

<b>SERIES</b>	<b>FINISH</b>
ZOS505600L30MV	BK Black WH White

Ex: ZOS505600L30MVBK



BK



WH



BC



SL

# STORM


Indirect light with wall wash effect  
Edge-lit diffuser  
Vertical or horizontal mounting

HEIGHT	14" H
WIDTH	5-1/2" W
DEPTH	2" D
DELIVERED LUMENS	656
WATTAGE	13W
VOLTAGE	120-277V
COLOR TEMP	3000K
CRI	>90
DIMMING	0-10V
FINISH	Black Chrome or Silver

### ORDERING INFORMATION

<b>SERIES</b>	<b>FINISH</b>
STMS061408L30D2	BC Black Chrome SL Silver

Ex: STMS061408L30D2BC



SCONCE





# SINCLAIR

Durable metal construction  
 White acrylic diffuser  
 Closed top and bottom  
 For use with a 2" x 4" electrical box


HEIGHT	10" H	18" H
WIDTH	3-3/4" W	3-3/4" W
DEPTH	3" D	3" D
DELIVERED LUMENS	400	880
WATTAGE	9W	19W
VOLTAGE	120-277V	
COLOR TEMP	Adjustable 3000K/3500K/4000K	
CRI	>90	
DIMMING	0-10V (120-277V) & TRIAC/ELV (120V)	
FINISH	Satin Nickel	

### ORDERING INFORMATION


**MODEL**

SNS041007LAJUDSN	10"
SNS041814LAJUDSN	18"

RELATED PRODUCTS  
 Vanity, p. 319



18"



# FULTON

Fabricated metal housing  
 White glass diffuser  
 Powder coat finish  
 Vertical or horizontal mounting


HEIGHT	13-1/2" H	24" H
WIDTH	4" W	4" W
DEPTH	3-1/2" D	3-1/2" D
DELIVERED LUMENS	488	1164
WATTAGE	15.5W	23W
VOLTAGE	120V	
COLOR TEMP	3000K	
CRI	>90	
DIMMING	TRIAC/ELV	
FINISH	Black or White	

### ORDERING INFORMATION

<b>SERIES</b>		<b>FINISH</b>
FTS4141200L30D1	14"	BK Black
FTS4241800L30D1	24"	WH White

Ex: FTS4141200L30D1WH

RELATED PRODUCTS  
 Vanity, p. 317



24"  
WH



24"  
BK

SCONCE

# ABERDEEN


LumaFuse™ laminated fabric/acrylic shade  
Solid wood backplate and trim

HEIGHT	19" H
WIDTH	5-1/2" W
DEPTH	3" D
SOURCE LUMENS	1400
WATTAGE	17W
VOLTAGE	120-277V
COLOR TEMP	Adjustable 3000K/3500K/4000K
CRI	>90
DIMMING	0-10V (120-277V) & TRIAC/ELV (120V)
FINISH	Espresso or Weathered Grey
FABRIC	Jute or Linen White

ORDERING INFORMATION

<b>SERIES</b>	<b>FINISH</b>	<b>FABRIC</b>
ADS051914LAJUD	ES Espresso WG Weathered Grey	-JT Jute -LW Linen White

Ex: ADS051914LAJUDWG-JT



ES-JT



WG-LW

# APEX

LumaFuse™ laminated fabric/acrylic shade  
Solid wood accent detail  
White acrylic closed top and bottom


HEIGHT	13-1/2" H
WIDTH	5" W
DEPTH	3" D
SOURCE LUMENS	1400
WATTAGE	17W
VOLTAGE	120-277V
COLOR TEMP	Adjustable 3000K/3500K/4000K
CRI	>90
DIMMING	0-10V (120-277V) & TRIAC/ELV (120V)
FINISH	Espresso or Weathered Grey
FABRIC	Jute or Linen White

ORDERING INFORMATION

<b>SERIES</b>	<b>FINISH</b>	<b>FABRIC</b>
APS051314LAJUD	ES Espresso WG Weathered Grey	-JT Jute -LW Linen White

Ex: APS051314LAJUDWG-JT

RELATED PRODUCTS  
Pendant, p. 144  
Ceiling, p. 259  
Vanity, p. 314  
Overbed, p. 369



ES-JT



WG-LW



# CHARLOTTE

Perforated metal ends  
White linen shade


HEIGHT	13-3/4" H
WIDTH	5-1/2" W
DEPTH	3-3/8" D
DELIVERED LUMENS	400
WATTAGE	9W
VOLTAGE	120-277V
COLOR TEMP	Adjustable 3000K/3500K/4000K
CRI	>90
DIMMING	0-10V (120-277V) & TRIAC/ELV (120V)
FINISH	Satin Nickel or Oil-Rubbed Bronze

### ORDERING INFORMATION

<b>SERIES</b>	<b>FINISH</b>
CHS061407LAJUD	SN Satin Nickel RB Oil-Rubbed Bronze

Ex: CHS061407LAJUDRB

RELATED PRODUCTS  
Vanity, p. 318



RB



SN

SCONCE



RB



SN

# MONTROSE


Single or double die-cast metal arm  
Cream linen shade

HEIGHT	18-1/8" H	18-1/8" H
WIDTH	7-1/2" W	12-1/2" W
DEPTH	3-3/4" D	3-3/4" D
DELIVERED LUMENS	350	740
WATTAGE	7W	14W
VOLTAGE	120V	
COLOR TEMP	Adjustable 3000K/3500K/4000K	
CRI	>90	
DIMMING	TRIAC/ELV	
FINISH	Satin Nickel or Oil-Rubbed Bronze	

## ORDERING INFORMATION

<b>SERIES</b>		<b>FINISH</b>
MNS081805LAJD1	8" Single Arm	SN Satin Nickel
MNS131810LAJD1	13" Double Arm	RB Oil-Rubbed Bronze

Ex: MNS081805LAJD1SN





# SHERIDAN

Single or double die-cast metal arm  
 Linen acrylic shade with satin nickel finish  
 White linen shade with champagne finish


HEIGHT	18-1/2" H	18-1/2" H
WIDTH	6-1/8" W	12-5/8" W
DEPTH	3-1/2" D	3-1/2" D
SOURCE LUMENS	700	1400
WATTAGE	9W	17W
VOLTAGE	120-277V	
COLOR TEMP	Adjustable 3000K/3500K/4000K	
CRI	>90	
DIMMING	0-10V (120-277V) & TRIAC/ELV (120V)	
FINISH	Satin Nickel or Champagne	

### ORDERING INFORMATION

SERIES		FINISH/SHADE
SHS061807LAJUD	6" Single Arm	SNLA Satin Nickel/Linen Acrylic
SHS121814LAJUD	13" Double Arm	ACLN Champagne/White Linen

Ex: SHS121814LAJUDACLN

RELATED PRODUCTS  
 Overbed, p. 373



SCONCE

# PLAZA


Decorative metal bands  
Etched glass diffuser  
Medium base socket 60W Max\* (lamps not included)

HEIGHT 11" H  
WIDTH 10" W  
DEPTH 4" D  
LIGHT SOURCE (2) LAMPS  
WATTAGE 60W (MAX)\*  
FINISH Brushed Nickel

ORDERING INFORMATION

**MODEL**  
PLZS11MBBN

\*Sockets can be labeled for reduced wattage upon request.



# NOLAN


Die-cast metal housing with accents  
Clear outer glass  
White acrylic inner diffuser

HEIGHT 12-5/8" H  
WIDTH 6-1/2" W  
DEPTH 3-7/8" D  
SOURCE LUMENS 1400  
WATTAGE 17W  
VOLTAGE 120-277V  
COLOR TEMP Adjustable 3000K/3500K/4000K  
CRI >90  
DIMMING 0-10V (120-277V) & TRIAC/ELV (120V)  
FINISH Satin Nickel or Oakley Bronze

ORDERING INFORMATION

**SERIES** NLS061214LAJUD | **FINISH**  
SN Satin Nickel  
KB Oakley Bronze

Ex: NLS061214LAJUDKB



SN



KB

# VENTURA

Decorative metal bands  
White acrylic diffuser  
Open top and bottom


HEIGHT	9-7/8" H
WIDTH	7-1/8" W
DEPTH	3-1/2" D
SOURCE LUMENS	900
WATTAGE	9W
VOLTAGE	120V
COLOR TEMP	3000K
CRI	>80
FINISH	Brushed Nickel or Oil-Rubbed Bronze

ORDERING INFORMATION

<b>SERIES</b>	<b>FINISH</b>
VNTS071009L30EN	BN Brushed Nickel
	RB Oil-Rubbed Bronze

Ex: VNTS071009L30ENBN

RELATED PRODUCTS  
Outdoor, p. 360



BN



RB

# BRIO


Decorative metal bands  
White acrylic diffuser  
Open top and bottom

HEIGHT	18" H
WIDTH	7-1/4" W
DEPTH	4" D
SOURCE LUMENS	1400
WATTAGE	17W
VOLTAGE	120-277V
COLOR TEMP	Adjustable 3000K/3500K/4000K
CRI	>90
DIMMING	0-10V (120-277V) & TRIAC/ELV (120V)
FINISH	Satin Nickel or Oil-Rubbed Bronze

ORDERING INFORMATION

<b>SERIES</b>	<b>FINISH</b>
BRS071814LAJUD	SN Satin Nickel
	RB Oil-Rubbed Bronze

Ex: BRS071814LAJUDSN



RB



SN

SCONCE

# ARLO


Durable metal construction  
Frosted acrylic diffuser

HEIGHT	5" H
WIDTH	4-5/8" W
DEPTH	3-1/2" D
DELIVERED LUMENS	710
WATTAGE	10W
VOLTAGE	120V (D1) or 120-277V (MV)
COLOR TEMP	3500K
CRI	>90
DIMMING	TRIAC/ELV (D1 ONLY)
FINISH	Satin Nickel

ORDERING INFORMATION

**MODEL**  
ARLS050407L35D1SN\*  
ARLS050407L35MVSN

RELATED PRODUCT  
Vanity, p. 320




# DORSET

Decorative metal accents  
Matte white glass

HEIGHT	11-5/8" H
WIDTH	9" W
DEPTH	4" D
SOURCE LUMENS	1300
WATTAGE	14W
VOLTAGE	120-277V
COLOR TEMP	4000K
CRI	>80
FINISH	Satin Nickel

ORDERING INFORMATION

**MODEL**  
IDSS09111600L41SN




# CENTURY

Die-cast metal accents  
White glass diffuser

HEIGHT	12" H
WIDTH	10-7/8" W
DEPTH	4" D
SOURCE LUMENS	1400
WATTAGE	17W
VOLTAGE	120-277V
COLOR TEMP	Adjustable 3000K/3500K/4000K
CRI	>90
DIMMING	0-10V (120-277V) & TRIAC/ELV (120V)
FINISH	Polished Chrome

ORDERING INFORMATION

**MODEL**  
CES111214LAJUDPC



# IDEAL


Metal ends  
White glass diffuser  
White acrylic bottom

HEIGHT	10" H
WIDTH	8-3/4" W
DEPTH	3-1/2" D
SOURCE LUMENS	1300
WATTAGE	15W
VOLTAGE	120-277V
COLOR TEMP	4000K
CRI	>80
FINISH	Satin Nickel

ORDERING INFORMATION

**MODEL**  
IDS09101600L41SN

RELATED PRODUCT  
Ceiling, p. 265  
Overbed, p. 374



SCONCE

# CORSA


Alabaster glass diffuser  
Medium base socket 60W Max\* (lamp not included)

HEIGHT 9-1/2" H  
WIDTH 10" W  
DEPTH 5" D  
LIGHT SOURCE (1) LAMP  
WATTAGE 60W (MAX)\*  
FINISH Brushed Nickel

## ORDERING INFORMATION

**MODEL**  
COR510MBBN

\*Sockets can be labeled for reduced wattage upon request.




# UNITY

Decorative finials  
Brushed nickel and oil-rubbed bronze finials included  
White glass diffuser

HEIGHT 8-1/4" H  
WIDTH 8" W  
DEPTH 4" D  
SOURCE LUMENS 1200  
WATTAGE 10W  
VOLTAGE 120V  
COLOR TEMP 3000K  
CRI >80  
FINISH Brushed Nickel/Oil-Rubbed Bronze

## ORDERING INFORMATION

**MODEL**  
USS080812L30ENBN




# ECLIPSE

White powder coated metal faceplate  
 Frosted acrylic diffuser  
 Indirect light for wall wash effect  
 Wall or ceiling mount

HEIGHT	2" H
DIAMETER	9" DIA.
DELIVERED LUMENS	988
WATTAGE	16W
VOLTAGE	120-277V
COLOR TEMP	3000K
CRI	>90
DIMMING	0-10V
FINISH	White

ORDERING INFORMATION

**MODEL**  
 ECPS090909L30D2WH



# OPUS

Metal trim band  
 Faux alabaster white glass

HEIGHT	7-1/2" H
WIDTH	15" W
DEPTH	4" D
SOURCE LUMENS	1200
WATTAGE	10.5W
VOLTAGE	120V
COLOR TEMP	3000K
CRI	>80
FINISH	Brushed Nickel

ORDERING INFORMATION

**MODEL**  
 QSSS150712L30ENBN



SCONCE




# RADIO CITY

Metal frame  
White acrylic diffuser

HEIGHT	10-3/4" H
WIDTH	11-1/2" W
DEPTH	3-5/8" D
SOURCE LUMENS	1500
WATTAGE	14W
VOLTAGE	120V
COLOR TEMP	4100K
CRI	>80
FINISH	Textured White

ORDERING INFORMATION

**MODEL**  
RDS1101600L41WH



# RETROFIT KITS

For sconces or ceiling applications  
Easy magnetic mount to back plate  
Linear LED module  
Replaces 18W CFL



LED BOARD	11" L X 1-7/16" W
SOURCE LUMENS	1400
WATTAGE	14W
VOLTAGE	120-277V
COLOR TEMP	Adjustable from 3000K/4000K
CRI	>80
FINISH	White

ORDERING INFORMATION

**MODEL**  
RFKIT13AJ



For sconces or ceiling applications  
Easy magnetic mount to back plate  
Half-round LED module  
Replaces 13W CFL




LED BOARD	6-5/16" L X 2-5/8" W
SOURCE LUMENS	930
WATTAGE	9W
VOLTAGE	120-277V
COLOR TEMP	Adjustable from 3000K/4000K
CRI	>80
FINISH	White

ORDERING INFORMATION

**MODEL**  
RFKIT9AJ






CEILING



214 AFXinc.com



GD  
13"



SN  
17"

# CASS

Three sided illumination  
White acrylic diffuser


DEPTH	5-1/4" D	5-1/4" D
DIAMETER	13" DIA.	17" DIA.
DELIVERED LUMENS	2040	2600
WATTAGE	30W	38W
VOLTAGE	120V	
COLOR TEMP	3000K	
CRI	>90	
DIMMING	TRIAC/ELV	
FINISH	Black, Gold or Satin Nickel	

### ORDERING INFORMATION

SERIES		FINISH
CSSC13L30D1	13"	BK Black
CSSC17L30D1	17"	GD Gold
		SN Satin Nickel


Ex: CSSC17L30D1BK

RELATED PRODUCTS  
Pendant, p. 51, 52, 54  
Sconce, p. 166  
Vanity, p. 299



BK  
13"

CEILING



216

AFXinc.com



BK  
20"



PC  
16"

# ORION


Inner ring illumination  
White acrylic diffuser

DEPTH	3-3/4" D	3-3/4" D
DIAMETER	15-3/4" DIA.	20" DIA.
DELIVERED LUMENS	900	1125
WATTAGE	26W	33W
VOLTAGE	120V	
COLOR TEMP	3000K	
CRI	>90	
DIMMING	TRIAC/ELV	
FINISH	Black, Polished Chrome, or Satin Brass	

### ORDERING INFORMATION

<b>SERIES</b>	<b>FINISH</b>
ORIF16L30D1 16"	BK Black
ORIF20L30D1 20"	PC Polished Chrome
	SB Satin Brass

Ex: ORIF16L30D1SB



SB  
16"

CEILING




218

AFXinc.com



SB



SN

# METROPOLITAN

White glass diffusers

DEPTH	7-3/4" D
DIAMETER	15-1/2" DIA.
DELIVERED LUMENS	1325
WATTAGE	18W
VOLTAGE	120V
COLOR TEMP	3000K
CRI	>90
DIMMING	TRIAC/ELV
FINISH	Black, Satin Brass or Satin Nickel


### ORDERING INFORMATION

<b>SERIES</b>	<b>FINISH</b>
METC15L30D1	BK Black
	SB Satin Brass
	SN Satin Nickel

Ex: METC15L30D1SN

### RELATED PRODUCTS

- Pendant, p. 66
- Sconce, p. 167
- Vanity, p. 296



BK

CEILING



220 AFXinc.com



CEILING

# JAMIE SEMI-FLUSH

Clear glass diffuser  
 Medium base socket 60W Max\* (lamps not included)

DEPTH 8-1/4" D  
 DIAMETER 25" DIA.  
 LIGHT SOURCE (4) LAMPS  
 WATTAGE 60W (MAX)\*  
 FINISH Black, Satin Brass or Satin Nickel


ORDERING INFORMATION

SERIES	FINISH
JAMC24MB	BK Black
	SB Satin Brass
	SN Satin Nickel

Ex: JAMC24MBSB

\*Sockets can be labeled for reduced wattage upon request.

RELATED PRODUCTS  
 Pendant, p. 75, 76



AFX®

221



222

AFXinc.com



## GRACE

Candelabra base socket 40W Max\* (lamps not included)


DEPTH	10" D
DIAMETER	14" DIA.
LIGHT SOURCE	(5) LAMPS
WATTAGE	40W (MAX)*
FINISH	Black

### ORDERING INFORMATION

**MODEL**  
GRCC14CBBK

\*Sockets can be labeled for reduced wattage upon request.

RELATED PRODUCTS  
Pendant, p. 83, 84





# NOAH

Metal construction with wood grain finish and black accents  
Medium base socket 60W Max\* (lamps not included)



DEPTH	11-1/2" D
DIAMETER	13" DIA.
LIGHT SOURCE	(3) LAMPS
WATTAGE	60W (MAX)*
FINISH	Distressed Grey

### ORDERING INFORMATION

**MODEL**  
NOAC13MBDG

\*Sockets can be labeled for reduced wattage upon request.

**RELATED PRODUCTS**  
Pendant, p. 86  
Sconce, p. 157  
Vanity, p. 300



CEILING



## AUSTIN SEMI-FLUSH

Square bar stock frame construction  
Bronze frame and copper mesh screen  
Medium base socket 60W Max\* (lamps not included)

DEPTH	10" D
DIAMETER	14" DIA.
LIGHT SOURCE	(2) LAMP
WATTAGE	60W (MAX)*
FINISH	Bronze/Copper


### ORDERING INFORMATION

**MODEL**  
AUNF14MBBZ

\*Sockets can be labeled for reduced wattage upon request.

### RELATED PRODUCTS

Pendant, p. 87  
Sconce, p. 156





# ALLY

White metal finish  
White acrylic diffuser

DEPTH	4" D	4" D
DIAMETER	16" DIA.	20-1/2" DIA.
DELIVERED LUMENS	1825	2100
WATTAGE	26W	40W
VOLTAGE	120V	
COLOR TEMP	Adjustable 2700K/3000K 3500K/4000K/5000K	
CRI	>90	
DIMMING	TRIAC/ELV	
FINISH	White	
FABRIC	White linen	

## ORDERING INFORMATION


### MODEL

ALYF16LAJD1WH 16"  
ALYF20LAJD1WH\* 20"

\*Minimum order quantity required, consult factory.



CEILING



225



226 AFXinc.com



# KAYCE

Two-tone metal finish  
White acrylic diffuser

DEPTH	4-1/4" D	4-1/4" D	4-3/4" D
DIAMETER	12" DIA.	15" DIA.	19" DIA.
DELIVERED LUMENS	877	1934	2497
WATTAGE	15W	26W	35W
VOLTAGE	120V		
COLOR TEMP	Adjustable 2700K/3000K/3500K/4000K/5000K		
CRI	>90		
DIMMING	TRIAC/ELV		
FINISH	Black/Gold or White/Gold		

### ORDERING INFORMATION

SERIES	FINISH
KYCF12LAJD1 12"	BK Black/Gold
KYCF15LAJD1 15"	WH White/Gold
KYCF19LAJD1 19"	

Ex: KYCF15LAJD1WH



CEILING





BK  
15"



SB  
15"



SN  
15"

# SKYE SEMI-FLUSH

Decorative metal canopy  
White acrylic diffuser

DEPTH	4-1/2" D	4-1/2" D
DIAMETER	15" DIA.	19" DIA.
DELIVERED LUMENS	1535	2110
WATTAGE	28W	35W
VOLTAGE	120V	
COLOR TEMP	Adjustable 3000K/3500K/4000K	
CRI	>90	
DIMMING	TRIAC/ELV	
FINISH	Black, Satin Brass or Satin Nickel	

### ORDERING INFORMATION

<b>SERIES</b>	<b>FINISH</b>
SKYF15LAJD1 15"	BK Black
SKYF19LAJD1 19"	SB Satin Brass
	SN Satin Nickel

Ex: SKYF19LAJD1SN



CEILING



230 AFXinc.com



SN  
24"



BK  
30"

# BAILEY

Wide metal trim band  
White acrylic diffuser  
Options: Emergency Battery Back-Up, Motion Sensor  
or Emergency Battery Back-Up with Motion Sensor  
See pages 398-399 for more information

DEPTH	4" D	4" D
DIAMETER	24" DIA.	30" DIA.
DELIVERED LUMENS	2800	3500
WATTAGE	35W	45W
VOLTAGE	120-277V	
COLOR TEMP	Adjustable 2700K/3000K/3500K/4000K/5000K	
CRI	>90	
DIMMING	0-10V (120-277V) & TRIAC/ELV (120V)	
FINISH	Black or Satin Nickel	

### ORDERING INFORMATION

SERIES	FINISH	OPTIONS
BAYF24LAJUD 24"	BK Black	BLANK Standard
BAYF30LAJUD 30"	SN Satin Nickel	-BB Emergency Battery Back-Up
		-MS Motion Sensor
		-MSBB Emergency Battery Back-Up with Motion Sensor

Ex: BAYF24LAJUDSN

RELATED PRODUCTS  
Linear, p. 380



CEILING



232

AFXinc.com



# JAXX

Illuminated starburst arms  
White acrylic diffuser

DEPTH	9" D	9-1/2" D
DIAMETER	15" DIA.	19-3/4" DIA.
DELIVERED LUMENS	1563	1900
WATTAGE	25W	32W
VOLTAGE	120V	
COLOR TEMP	3000K	
CRI	>90	
DIMMING	TRIAC/ELV	
FINISH	Black, Polished Chrome or Satin Brass	

ORDERING INFORMATION

<b>SERIES</b>	<b>FINISH</b>
JAXF1515L30D1 15"	BK Black
JAXF2020L30D1 20"	PC Polished Chrome
	SB Satin Brass

Ex: JAXF1515L30D1PC

RELATED PRODUCTS  
Pendant, p. 68



CEILING





# REVEAL

Two-tone metal finish  
Edge-lit light panel  
Low profile design

DEPTH	2-3/4" D	3-1/4" D
DIAMETER	12" DIA.	16" DIA.
DELIVERED LUMENS	819	1485
WATTAGE	17.5W	35W
VOLTAGE	120V (D1) or 120-277V (D2)	
COLOR TEMP	3000K	
CRI	>90	
DIMMING	TRIAC/ELV (D1) or 0-10V (D2)	
FINISH	Black/Gold, Black/White or White/Black	

### ORDERING INFORMATION

SERIES	FINISH
RVF121400L30D1 12"	BKGD Black/Gold
RVF121400L30D2 12"	BKWH Black/White
RVF162600L30D1 16"	WHBK White/Black
RVF162600L30D2 16"	

Ex: RVF162600L30D1BKWH

RELATED PRODUCTS  
Pendant, p. 107  
Sconce, p. 169



CEILING



236 AFXinc.com



12"  
SB



15"  
SN

# MAGGIE

Durable metal construction  
Outer perimeter illuminated edge  
Clear bubble acrylic diffuser

DEPTH	3-1/8" D	3-1/8" D
DIAMETER	11-3/4" DIA.	15-3/4" DIA.
DELIVERED LUMENS	1200	2400
WATTAGE	17W	34W
VOLTAGE	120V	
COLOR TEMP	3000K	
CRI	>90	
DIMMING	TRIAC/ELV	
FINISH	Satin Brass or Satin Nickel	

### ORDERING INFORMATION

<b>SERIES</b>	<b>FINISH</b>
MGGF12L30D1 12"	SB Satin Brass
MGGF16L30D1 16"	SN Satin Nickel

Ex: MGGF12L30D1SN



AFX<sup>®</sup>

237



# DUNCAN

Two-tone metal finish  
White acrylic diffuser

DEPTH	4" D	5" D
DIAMETER	15-1/2" DIA.	19-1/2" DIA.
DELIVERED LUMENS	1620	2550
WATTAGE	26W	40W
VOLTAGE	120-277V	
COLOR TEMP	Adjustable 2700K/3000K/3500K/4000K/5000K	
CRI	>90	
DIMMING	0-10V (120-277V) & TRIAC/ELV (120V)	
FINISH	Black/Gold or Black/White	

## ORDERING INFORMATION

<b>SERIES</b>	<b>FINISH</b>
DUNF15LAJUD 15"	BKGD Black/Gold
DUNF20LAJUD 20"	BKWH Black/White

Ex: DUNF20LAJUDBKGD



BKGD  
15"



BKWH  
20"



# LYRIC

Two-tone metal finish  
 Gold leaf interior effect  
 Medium base socket 60W Max\* (lamps not included)

DEPTH 4" D  
 DIAMETER 14" DIA.  
 LIGHT SOURCE (2) LAMPS  
 WATTAGE 60W (MAX)\*  
 FINISH Black/Gold

### ORDERING INFORMATION

**MODEL**  
 LRCF14MBBKGD

\*Sockets can be labeled for reduced wattage upon request.

**RELATED PRODUCTS**  
 Pendant, p. 106



CEILING



# TRIBECA

Durable metal construction  
 Clear ribbed outer glass diffuser  
 White acrylic inner diffuser


DEPTH	3" D	3-3/4" D
DIAMETER	12" DIA.	15-3/4" DIA.
DELIVERED LUMENS	1415	2387
WATTAGE	20W	31W
VOLTAGE	120V	
COLOR TEMP	Adjustable 3000K/3500K/4000K	
CRI	>90	
DIMMING	TRIAC/ELV	
FINISH	Black or Satin Nickel	

ORDERING INFORMATION

<b>SERIES</b>	<b>FINISH</b>
TRBF12LAJD1 12"	BK Black
TRBF15LAJD1 15"	SN Satin Nickel

Ex: TRBF12LAJDIBK





CEILING



242 AFXinc.com



# BOON

Decorative cut metal  
Edge-lit light panel  
Low-profile design  
Powder coat finish

DEPTH	4" D	4-1/2" D
DIAMETER	12" DIA.	16" DIA.
DELIVERED LUMENS	823	1511
WATTAGE	17.5W	31W
VOLTAGE	120V (D1) or 120-277V (D2)	
COLOR TEMP	3000K	
CRI	>90	
DIMMING	TRIAC/ELV (D1) or 0-10V (D2)	
FINISH	Black or White	

ORDERING INFORMATION

<b>SERIES</b>	<b>FINISH</b>
BOF121400L30D1 12"	BK Black
BOF121400L30D2 12"	WH White
BOF162600L30D1 16"	
BOF162600L30D2 16"	

Ex: BOF121400L30D1BK

RELATED PRODUCTS  
Pendant, p. 108, 109  
Outdoor, p. 345



CEILING



# ASH

Metal perforated ring  
Edge-lit light panel  
Low profile design  
Powder coat finish

DEPTH	4" D	4-1/2" D
DIAMETER	12" DIA.	16" DIA.
DELIVERED LUMENS	700	1433
WATTAGE	17.5W	31W
VOLTAGE	120V (D1) or 120-277V (D2)	
COLOR TEMP	3000K	
CRI	>90	
DIMMING	TRIAC/ELV (D1) or 0-10V (D2)	
FINISH	Black/Gold or White	

ORDERING INFORMATION

<b>SERIES</b>		<b>FINISH</b>
ASHF1214L30D1	12"	BK Black/Gold
ASHF1214L30D2	12"	WH White
ASHF1626L30D1	16"	
ASHF1626L30D2	16"	

Ex: ASHF1626L30D2WH

RELATED PRODUCTS  
Pendant, p. 110, 111  
Sconce, p. 177





SN  
11"



BK  
14"

# OSCAR

Metal trim band  
White acrylic diffuser

DEPTH	2-1/2" D	2-1/2" D	3" D
DIAMETER	11" DIA.	13-3/4" DIA.	19" DIA.
DELIVERED LUMENS	1150	1500	2800
WATTAGE	15W	20W	35W
VOLTAGE	120V		
COLOR TEMP	Adjustable 2700K/3000K/3500K/4000K/5000K		
CRI	>90		
DIMMING	TRIAC/ELV		
FINISH	Black or Satin Nickel		

### ORDERING INFORMATION

SERIES	FINISH
OSCF11LAJD1 11"	BK Black
OSCF14LAJD1 14"	SN Satin Nickel
OSCF19LAJD1 19"	

Ex: OSCF14LAJD1BK



CEILING



246 AFXinc.com



# OCTAVIA


Metal trim band  
 White acrylic diffuser  
 Option: Emergency Battery Back-Up (EXCLUDES 12"\*)  
 See page 399 for more information

DEPTH	3" D	3" D	3" D
DIAMETER	11-5/8" DIA.	14" DIA.	19" DIA.
DELIVERED LUMENS	1020	1610	2150
WATTAGE	22W	33W	46W
VOLTAGE	120V		
COLOR TEMP	Adjustable 3000K/3500K/4000K		
CRI	>90		
DIMMING	TRIAC/ELV		
FINISH	Brushed Aluminum, Black or Satin Brass		

### ORDERING INFORMATION

<b>SERIES</b>	<b>FINISH</b>	<b>OPTION</b>
OTVF1218LAJD1 12"	BA Brushed Aluminum	BLANK Standard
OTVF1425LAJD1* 14"	BK Black	-BB Emergency Battery Back-Up
OTVF1932LAJD1* 19"	SB Satin Brass	

Ex: OTVF1425LAJD1BA



CEILING



BKPC  
16"



SNWH  
12"



248

AFXinc.com

# ALTA

Metal housing  
Edge-lit light panel  
Low profile design

DEPTH	2" D	2" D
DIAMETER	12" DIA.	16" DIA.
DELIVERED LUMENS	740	1280
WATTAGE	17.5W	35W
VOLTAGE	120V (D1) or 120-277V (D2)	
COLOR TEMP	3000K	
CRI	>90	
DIMMING	TRIAC/ELV (D1) or 0-10V (D2)	
FINISH	Black/Chrome or Satin Nickel/White	

## ORDERING INFORMATION

SERIES	FINISH
AAF121400L30D1 12"	BKPC Black/Chrome
AAF121400L30D2 12"	SNWH Satin Nickel/White
AAF162600L30D1 16"	
AAF162600L30D2 16"	

Ex: AAF162600L30D1SNWH



# BELLE

Durable metal construction  
Sugar acrylic diffuser

DEPTH	2-3/4" D	2-3/4" D
DIAMETER	16" DIA.	19" DIA.
DELIVERED LUMENS	2050	2440
WATTAGE	23W	28W
VOLTAGE	120V	
COLOR TEMP	Adjustable 3000K/3500K/4000K	
CRI	>90	
DIMMING	TRIAC/ELV	
FINISH	Black/Polished Chrome	



ORDERING INFORMATION

**MODEL**

BLLF16LAJD1BKPC 16"  
BLLF19LAJD1BKPC 19"



# DIAMONDS

Durable metal construction  
Faceted crystal diffuser

DEPTH	2-3/8" D
DIAMETER	13" DIA.
DELIVERED LUMENS	2200
WATTAGE	23W
VOLTAGE	120V
COLOR TEMP	3000K
CRI	>90
DIMMING	TRIAC/ELV
FINISH	Polished Chrome



CEILING

ORDERING INFORMATION

**MODEL**

DMDFI3L30DIPC

RELATED PRODUCTS  
Vanity, p. 303





# LAMBERT

Ornamental metal accents  
 Grey linen fabric side diffuser  
 White bottom acrylic diffuser  
 Options: Emergency Battery Back-Up, Motion Sensor,  
 or Emergency Battery Back-Up with Motion Sensor  
 See pages 398-399 for more information

DEPTH	4" D	4" D
DIAMETER	16" DIA.	20" DIA.
DELIVERED LUMENS	1675	2520
WATTAGE	30W	42W
VOLTAGE	120-277V	
COLOR TEMP	Adjustable 3000K/3500K/4000K	
CRI	>90	
DIMMING	0-10V (120-277V) & TRIAC/ELV (120V)	
FINISH	Satin Nickel	
FABRIC	Grey Linen	




**ORDERING INFORMATION**

<b>MODEL</b>	<b>OPTIONS</b>
LBTF1624LAJUDSNGY 16"	BLANK Standard
LBTF2032LAJUDSNGY 20"	-BB Emergency Battery Back-Up
	-MS Motion Sensor
	-MSBB Emergency Battery Back-Up with Motion Sensor

Ex: LBTF2032LAJUDSNGY-BB

**RELATED PRODUCT**  
 Sconce, p. 188





# REEVES


Ornamental metal accents  
 White linen fabric side diffuser  
 White bottom acrylic diffuser  
 Options: Emergency Battery Back-Up, Motion Sensor,  
 or Emergency Battery Back-Up with Motion Sensor  
 See pages 398-399 for more information

DEPTH	4" D	4" D
DIAMETER	16" DIA.	20-1/4" DIA.
DELIVERED LUMENS	1560	2100
WATTAGE	30W	42W
VOLTAGE	120-277V	
COLOR TEMP	Adjustable 3000K/3500K/4000K	
CRI	>90	
DIMMING	0-10V (120-277V) & TRIAC/ELV (120V)	
FINISH	Satin Nickel	
FABRIC	Linen White	

**ORDERING INFORMATION**

<b>MODEL</b>		<b>OPTIONS</b>
RVEF1624LAJUDSNLW	16"	BLANK Standard
RVEF2032LAJUDSNLW	20"	-BB Emergency Battery Back-Up
		-MS Motion Sensor
		-MSBB Emergency Battery Back-Up with Motion Sensor

Ex: RVEF1624LAJUDSNLW-MS



CEILING



**2 LOOKS IN 1**  
Interchangeable panel side diffusers.  
White acrylic and grey linen included.



# CLARA

Hexagonal metal frame  
Interchangeable fabric included  
White acrylic side diffusers included  
White bottom acrylic diffuser

LENGTH	16" L
WIDTH	13-7/8" W
DEPTH	3-3/4" D
SOURCE LUMENS	1800
WATTAGE	20W
VOLTAGE	120V
COLOR TEMP	Adjustable 3000K/3500K/4000K
CRI	>90
DIMMING	TRIAC/ELV
FINISH	Satin Nickel
FABRIC	Grey Linen

**ORDERING INFORMATION**

**MODEL**  
CLAF1418LAJD1SNGY



# HAVEN MEDIUM BASE

Decorative cut metal  
White acrylic diffuser  
Medium base socket for use with 100W equivalent LED bulb (25W Max, lamps not included)

DEPTH	5-3/4" D	5-3/4" D	5-3/4" D
DIAMETER	12-5/8" DIA.	16-3/4" DIA.	21" DIA.
LIGHT SOURCE	(2) LAMPS	(3) LAMPS	(3) LAMPS
WATTAGE	25W (MAX)		
FINISH	Black, Satin Brass** or Satin Nickel		

ORDERING INFORMATION


SERIES	FINISH
HVNF13MB 13"	BK Black
HVNF17MB 17"	SB Satin Brass**
HVNF21MB 21"	SN Satin Nickel

Ex: HVNF17MBBK

\*\*Minimum order quantity required, consult factory.

RELATED PRODUCTS

Pendant, p. 143  
Sconce, p. 184  
Vanity, p. 312



# HAVEN LED

Decorative cut metal  
White acrylic diffuser  
Options: Emergency Battery Back-Up, Motion Sensor, or Emergency Battery Back-Up with Motion Sensor (EXCLUDES 13")  
See pages 398-399 for more information

DEPTH	5-3/4" D	5-3/4" D	5-3/4" D
DIAMETER	12-5/8" DIA.	16-3/4" DIA.	21" DIA.
DELIVERED LUMENS	946	1600	1919
WATTAGE	17W	29W	40W
VOLTAGE	120-277V		
COLOR TEMP	Adjustable 3000K/3500K/4000K		
CRI	>90		
DIMMING	0-10V (120-277V) & TRIAC/ELV (120V)		
FINISH	Black, Satin Brass** or Satin Nickel		

ORDERING INFORMATION


SERIES	FINISH	OPTIONS
HVNF13LAJUD 13"	BK Black	BLANK Standard
HVNF17LAJUD* 17"	SB Satin Brass**	-BB Emergency Battery Back-Up
HVNF21LAJUD* 21"	SN Satin Nickel	-MS Motion Sensor
		-MSBB Emergency Battery Back-Up with Motion Sensor

Ex: HVNF17LAJUDSN

\*\*Minimum order quantity required, consult factory.

RELATED PRODUCTS

Pendant, p. 143  
Sconce, p. 184  
Vanity, p. 312



-BB  
-MSBB  
Add 1-1/2" depth to fixture

CEILING

## RIVERS

Die-cast metal frame  
Medium base socket 60W Max\* (lamps not included)

DEPTH 5" D  
DIAMETER 13-7/8" DIA.  
LIGHT SOURCE (2) LAMPS  
WATTAGE 60W (MAX)\*  
FINISH Black

### ORDERING INFORMATION

**MODEL**  
RIRF14MBBK

\*Sockets can be labeled for reduced wattage upon request.

RELATED PRODUCTS  
Outdoor, p. 348



## KAI

Geometrical metal frame  
Medium base socket 60W Max\* (lamps not included)

DEPTH 5-3/4" D  
DIAMETER 13" DIA.  
LIGHT SOURCE (2) LAMPS  
WATTAGE 60W (MAX)\*  
FINISH Black

### ORDERING INFORMATION

**MODEL**  
KAIF13MBBK

\*Sockets can be labeled for reduced wattage upon request.



## THEO

Wire spoke metal frame  
Medium base socket 60W Max\* (lamps not included)

DEPTH 4-1/2" D  
DIAMETER 13" DIA.  
LIGHT SOURCE (2) LAMPS  
WATTAGE 60W (MAX)\*  
FINISH Black

### ORDERING INFORMATION

**MODEL**  
THEF13MBBK

\*Sockets can be labeled for reduced wattage upon request.



## ARCHER

Metal trim band frame  
Clear seeded glass  
Medium base socket 60W Max\* (lamps not included)

DEPTH 3-7/8" D  
DIAMETER 13" DIA.  
LIGHT SOURCE (2) LAMPS  
WATTAGE 60W (MAX)\*  
FINISH Black

### ORDERING INFORMATION

**MODEL**  
ACF13BK

\*Sockets can be labeled for reduced wattage upon request.



CEILING

AFX®

255

# PEARSON

Decorative metal crossing accents  
White acrylic diffuser

LENGTH	12" L	16" L
WIDTH	12" W	16" W
DEPTH	3-3/16" D	3-3/16" D
SOURCE LUMENS	1400	2400
WATTAGE	15W	30W
VOLTAGE	120-277V	
COLOR TEMP	Adjustable 2700K/3000K/3500K	
CRI	>90	
DIMMING	0-10V (120-277V) & TRIAC/ELV (120V)	
FINISH	Satin Nickel or White	



WH  
12"




SN  
12"

ORDERING INFORMATION

<b>SERIES</b>		<b>FINISH</b>
PEAF1215LAJUD*	12"	SN Satin Nickel
PEAF1624LAJUD	16"	WH White

Ex: PEAF1215LAJUDWH



# SLOANE

Extruded metal frame  
Edge-lit light panel  
Low profile


LENGTH	15" L
WIDTH	15" W
DEPTH	2" D
DELIVERED LUMENS	1100
WATTAGE	18.5W
VOLTAGE	120V
COLOR TEMP	3000K
CRI	>90
DIMMING	TRIAC/ELV
FINISH	Satin Nickel or White

ORDERING INFORMATION

<b>SERIES</b>	<b>FINISH</b>
SLF12121100L30D1	SN Satin Nickel
	WH White

Ex: SLF12121100L30DISN

RELATED PRODUCTS  
Linear, p. 382



SN



WH



# ROSCOE

Die-cut metal frame  
 Clear seeded glass  
 Medium base socket 60W Max\*  
 (lamps not included)

HEIGHT 4-1/4" D  
 DIAMETER 11" DIA.  
 LIGHT SOURCE (2) LAMPS  
 WATTAGE 60W (MAX)\*  
 FINISH Black or Satin Nickel

### ORDERING INFORMATION

SERIES	FINISH
RSCF11MB	BK Black
	SN Satin Nickel

Ex: RSCF11MBBK

\*Sockets can be labeled for reduced wattage upon request.



# MONTCLAIR MEDIUM BASE

LumaFuse™ laminated fabric/acrylic shade  
 Stepped smooth white acrylic diffuser  
 Medium base socket for use with 100W equivalent LED bulb (25W Max, lamps not included)


DEPTH - FLUSH	3-3/4" D	4-3/4" D	5-1/2" D	7-1/2" D	9-1/2" D
DEPTH - SEMI-FLUSH	9" D	10" D	10-3/4" D	12-3/4" D	14-3/4" D
DIAMETER	12-1/4" DIA.	15" DIA.	19-1/4" DIA.	24" DIA.	30" DIA.
LIGHT SOURCE	(2) LAMPS	(3) LAMPS	(3) LAMPS	(3) LAMPS	(4) LAMPS
WATTAGE	25W (MAX)				
FABRIC	Black or Grey				

ORDERING INFORMATION

SERIES	FABRIC	OPTIONS
MCF1214MB 12"	-BK Black	BLANK Standard Flush Mount
MCF1524MB 15"	-GY Grey	SF Semi-Flush Mount with Satin Nickel Canopy
MCF1932MB 19"		
MCF2432MB 24"		
MCF3044MB 30"		

Ex: MCF1214MB-GYSF

RELATED PRODUCTS  
 Pendant, p. 147



# MONTCLAIR LED

LumaFuse™ laminated fabric/acrylic shade  
 Stepped smooth white acrylic diffuser  
 Options: Emergency Battery Back-Up, Motion Sensor,  
 or Emergency Battery Back-Up with Motion Sensor (EXCLUDES 12"\*)  
 See pages 398-399 for more information


DEPTH - FLUSH	3-3/4" D	4-3/4" D	5-1/2" D	7-1/2" D	9-1/2" D
DEPTH - SEMI-FLUSH	9" D	10" D	10-3/4" D	12-3/4" D	14-3/4" D
DIAMETER	12-1/4" DIA.	15" DIA.	19-1/4" DIA.	24" DIA.	30" DIA.
SOURCE LUMENS	1400	2400	3200	3200	5400
WATTAGE	18W	30W	42W	42W	60W
VOLTAGE	120-277V				
COLOR TEMP	Adjustable 3000K/3500K/4000K				
CRI	>90				
DIMMING	0-10V (120-277V) & TRIAC/ELV (120V)				
FABRIC	Black or Grey				

ORDERING INFORMATION

SERIES	FABRIC	OPTIONS
MCF1214LAJUD 12"	-BK Black	BLANK Standard Flush Mount
MCF1524LAJUD* 15"	-GY Grey	SF Semi-Flush Mount with Satin Nickel Canopy
MCF1932LAJUD* 19"		-BB Emergency Battery Back-Up
MCF2432LAJUD* 24"		-MS Motion Sensor
MCF3044LAJUD* 30"		-MSBB Emergency Battery Back-Up with Motion Sensor

Ex: MCF1214LAJUD-BKSF

RELATED PRODUCTS  
 Pendant, p. 147



# APEX MEDIUM BASE

Solid wood accent detail  
 LumaFuse™ laminated fabric/acrylic shade  
 White acrylic diffuser  
 Medium base socket for use with 100W equivalent LED bulb (25W Max, lamps not included)

DEPTH	4-1/4" D	4-1/4" D	4-1/4" D	6" D	7-1/4" D
DIAMETER	14-1/4" DIA.	17" DIA.	21-1/4" DIA.	27-1/4" DIA.	33-3/8" DIA.
LIGHT SOURCE	(2) LAMPS	(3) LAMPS	(3) LAMPS	(3) LAMPS	(4) LAMPS
WATTAGE	25W (MAX)				
WOOD FINISH	Espresso or Weathered Grey				
FABRIC	Jute or Linen White				

ORDERING INFORMATION

SERIES	FINISH	FABRIC
APF1214MB 14"	ES Espresso	-JT Jute
APF1524MB 17"	WG Weathered Grey	-LW Linen White
APF1932MB 21"		
APF2432MB 27"		
APF3044MB 33"		

Ex: APF1524MBWG-LW

RELATED PRODUCTS

- Pendant, p. 144
- Sconce, p. 202
- Vanity, p. 314
- Overbed, p. 369



# APEX LED

Solid wood accent detail  
 LumaFuse™ laminated fabric/acrylic shade  
 White acrylic diffuser  
 Compatible with residential and commercial dimmers  
 Options: Emergency Battery Back-Up, Motion Sensor  
 or Emergency Battery Back-Up with Motion Sensor (EXCLUDES 14")  
 See pages 398-399 for more information

DEPTH	4-1/4" D	4-1/4" D	4-1/4" D	6" D	7-1/4" D
DIAMETER	14-1/4" DIA.	17" DIA.	21-1/4" DIA.	27-1/4" DIA.	33-3/8" DIA.
SOURCE LUMENS	1400	2400	3200	3200	5400
WATTAGE	18W	30W	42W	42W	60W
VOLTAGE	120-277V				
COLOR TEMP	Adjustable 3000K/3500K/4000K				
CRI	>90				
DIMMING	TRIAC/ELV				
WOOD FINISH	Espresso or Weathered Grey				
FABRIC	Jute or Linen White				


ORDERING INFORMATION

SERIES	FINISH	FABRIC	OPTIONS
APF1214LAJUD 14"	ES Espresso	-JT Jute	BLANK Standard
APF1524LAJUD* 17"	WG Weathered Grey	-LW Linen White**	-BB Emergency Battery Back-Up
APF1932LAJUD* 21"			-MS Motion Sensor
APF2432LAJUD* 27"			-MSBB Emergency Battery Back-Up with Motion Sensor
APF3044LAJUD* 33"			

Ex: APF1214LAJUDES-LW

RELATED PRODUCTS

- Pendant, p. 144
- Sconce, p. 202
- Vanity, p. 314
- Overbed, p. 369



CEILING

# SANIBEL MEDIUM BASE

LumaFuse™ laminated fabric/acrylic shade  
 White acrylic diffuser  
 Medium base socket for use with 100W equivalent LED bulb (25W Max, lamps not included)

DEPTH	5-5/8" D	5-5/8" D	5-5/8" D	8-1/2" D
DIAMETER	16" DIA.	18" DIA.	23-1/4" DIA.	32" DIA.
LIGHT SOURCE	(2) LAMPS	(3) LAMPS	(3) LAMPS	(4) LAMPS
WATTAGE	25W (MAX)			
FABRIC	Jute or Linen White			

ORDERING INFORMATION

SERIES	FABRIC
SAF1614MB 16"	-JT Jute
SAF1824MB 18"	-LW Linen White
SAF2332MB 23"	
SAF3244MB 32"	

Ex: SAF1824MB-JT

RELATED PRODUCTS  
 Pendant, p. 148



# SANIBEL LED

LumaFuse™ laminated fabric/acrylic shade  
 White acrylic diffuser  
 Options: Emergency Battery Back-Up, Motion Sensor  
 or Emergency Battery Back-Up with Motion Sensor (EXCLUDES 16")  
 See pages 398-399 for more information


DEPTH	5-5/8" D	5-5/8" D	5-5/8" D	8-1/2" D
DIAMETER	16" DIA.	18" DIA.	23-1/4" DIA.	32" DIA.
SOURCE LUMENS	1400	2400	3200	5400
WATTAGE	18W	30W	42W	60W
VOLTAGE	120-277V			
COLOR TEMP	Adjustable 3000K/3500K/4000K			
CRI	>90			
DIMMING	0-10V (120-277V) & TRIAC/ELV (120V)			
FABRIC	Jute or Linen White			

ORDERING INFORMATION

SERIES	FABRIC	OPTIONS
SAF1614LAJUD 16"	-JT Jute	BLANK Standard
SAF1824LAJUD* 18"	-LW Linen White**	-BB Emergency Battery Back-Up
SAF2332LAJUD* 23"		-MS Motion Sensor
SAF3244LAJUD* 32"		-MSBB Emergency Battery Back-Up with Motion Sensor

Ex: SAF1824LAJUD-JT

RELATED PRODUCTS  
 Pendant, p. 148



# ANTON MEDIUM BASE

LumaFuse™ laminated fabric/acrylic shade  
 White acrylic diffuser  
 Medium base socket for use with 100W equivalent LED bulb (25W Max, lamps not included)

DEPTH	4-3/4" D	5-1/2" D	5-1/2" D	7-1/2" D	8-1/2" D
DIAMETER	12-1/4" DIA.	15" DIA.	19-1/4" DIA.	24" DIA.	30" DIA.
LIGHT SOURCE	(2) LAMPS	(2) LAMPS	(3) LAMPS	(3) LAMPS	(4) LAMPS
WATTAGE	25W (MAX)				
FABRIC	Jute or Linen White				

ORDERING INFORMATION

SERIES	FABRIC
ANF1214MB 12"	-JT Jute
ANF1524MB 15"	-LW Linen White
ANF1932MB 19"	
ANF2432MB 24"	
ANF3044MB 30"	

Ex: ANF1932MB-LW

RELATED PRODUCTS  
 Pendant, p. 149



-LW  
12"



-JT  
15"

# ANTON

LumaFuse™ laminated fabric/acrylic shade  
 White acrylic diffuser  
 Options: Emergency Battery Back-Up, Motion Sensor  
 or Emergency Battery Back-Up with Motion Sensor (EXCLUDES 12"\*)  
 See pages 398-399 for more information


DEPTH	4-3/4" D	5-1/2" D	5-1/2" D	7-1/2" D	9-1/2" D
DIAMETER	12-1/4" DIA.	15" DIA.	19-1/4" DIA.	24" DIA.	30" DIA.
SOURCE LUMENS	1400	2400	3200	3200	5400
WATTAGE	18W	30W	42W	42W	60W
VOLTAGE	120-277V				
COLOR TEMP	Adjustable 3000K/3500K/4000K				
CRI	>90				
DIMMING	0-10V (120-277V) & TRIAC/ELV (120V)				
FABRIC	Jute or Linen White				

ORDERING INFORMATION

SERIES	FABRIC	OPTIONS
ANF1214LAJUD 12"	-JT Jute	BLANK Standard
ANF1524LAJUD* 15"	-LW Linen White**	-BB Emergency Battery Back-Up
ANF1932LAJUD* 19"		-MS Motion Sensor
ANF2432LAJUD* 24"		-MSBB Emergency Battery Back-Up with Motion Sensor
ANF3044LAJUD* 30"		

Ex: ANF1214LAJUD-LW

RELATED PRODUCTS  
 Pendant, p. 149



-BB  
 -MSBB  
 Add 1-1/2" depth to fixture

CEILING

## CORTEZ SEMI-FLUSH

Sheer organza fabric outer shade  
White linen inner shade  
White acrylic diffuser

DEPTH	7-1/4" D	8" D	9" D
DIAMETER	18" DIA.	24" DIA.	30" DIA.
SOURCE LUMENS	2400	3200	4400
WATTAGE	30W	42W	60W
VOLTAGE	120-277V		
COLOR TEMP	Adjustable 3000K/3500K/4000K		
CRI	>90		
DIMMING	0-10V (120-277V) & TRIAC/ELV (120V)		
FINISH	Satin Nickel		
FABRIC	Sheer White Organza		



18"


### ORDERING INFORMATION

#### MODEL

CZF1824LAJUDSN-WHWH	18"
CZF2432LAJUDSN-WHWH	24"
CZF3040LAJUDSN-WHWH	30"

#### RELATED PRODUCTS

Pendant, p. 150



## ASHLAND

Linen fabric  
White bottom acrylic diffuser  
Option: Emergency Battery Back-Up (EXCLUDES 13"\*)  
See pages 399 for more information

DEPTH	3-1/2" D	3-1/2" D	4-1/2" D
DIAMETER	12-1/2" DIA.	15" DIA.	20" DIA.
DELIVERED LUMENS	1200	1950	2500
WATTAGE	22W	33W	46W
VOLTAGE	120V		
COLOR TEMP	Adjustable 3000K/3500K/4000K		
CRI	>90		
DIMMING	TRIAC/ELV		
FABRIC	Grey Linen		



15"

### ORDERING INFORMATION

#### MODEL

ALDF1318LAJDIGY	13"	<b>OPTION</b>
ALDF1525LAJDIGY*	15"	BLANK Standard
ALDF2032LAJDIGY*	20"	-BB Emergency Battery Back-Up

Ex: ALDF1525LAJDIGY



-BB  
Add 1-1/2" depth to fixture

# SUTTON

Durable metal construction  
 White glass diffuser  
 Option: Motion Sensor (EXCLUDES 15"\*)  
 See pages 398 for more information



DEPTH	4-1/2" D	4-3/4" D
DIAMETER	14-1/2" DIA.	17-1/2" DIA.
SOURCE LUMENS	1400	2400
WATTAGE	18W	30W
VOLTAGE	120-277V	
COLOR TEMP	Adjustable 3000K/3500K/4000K	
CRI	>90	
DIMMING	0-10V (120-277V) & TRIAC/ELV (120V)	
FINISH	Satin Nickel	

ORDERING INFORMATION

MODEL	OPTION
SUF1514LAJUDSN** 15"	BLANK Standard
SUF1824LAJUDSN* 18"	-MS Motion Sensor

Ex: SUF1824LAJUDSN-MS



# LENOX

White acrylic decorative rings  
 White bottom diffuser  
 Option: Emergency Battery Back-Up (EXCLUDES 14"\*)  
 See pages 399 for more information




DEPTH	3-1/2" D	3-1/2" D	3-1/2" D
DIAMETER	13-3/4" DIA.	16-1/2" DIA.	23" DIA.
DELIVERED LUMENS	1360	2000	2560
WATTAGE	22W	33W	46W
VOLTAGE	120V		
COLOR TEMP	Adjustable 3000K/3500K/4000K		
CRI	>90		
DIMMING	TRIAC/ELV		
FINISH	White		

ORDERING INFORMATION

MODEL	OPTION
LENF1418LAJD1WH 14"	BLANK Standard
LENF1725LAJD1WH* 17"	-BB Emergency Battery Back-Up
LENF2332LAJD1WH* 23"	

Ex: LENF1725LAJD1WH-BB



CEILING

# CARLISLE

Metal trim bands  
 White acrylic diffuser  
 Option: Emergency Battery Back-Up (EXCLUDES 12"\*)  
 See pages 398-399 for more information



DEPTH	3-1/2" D	4" D	5" D
DIAMETER	12" DIA.	14" DIA.	24" DIA.
DELIVERED LUMENS	967	1810	2947
WATTAGE	12W	27W	35W
VOLTAGE	120V		
COLOR TEMP (12", 14")	Adjustable 2700K/3000K/3500K/4000K/5000K		
COLOR TEMP (24")	Adjustable 3000K/3500K/4000K		
CRI	>90		
DIMMING	TRIAC/ELV		
FINISH	Satin Nickel		

DEPTH	3-1/2" D	4" D	4" D	3-1/2" D
DIAMETER	12" DIA.	14" DIA.	14" DIA.	18" DIA.
SOURCE LUMENS	1200	1200	2400	2900
WATTAGE	13W	13W	27W	27W
VOLTAGE	120-277V			
COLOR TEMP	3000K			
CRI	>90			
FINISH	Satin Nickel			

ORDERING INFORMATION

**5 CCT MODELS**  
 CAF121200L5AJD1 12" **OPTION**  
 CAF142400L5AJD1\* 14" BLANK Standard  
 -BB Emergency Battery Back-Up




ORDERING INFORMATION

**MODEL**  
 CAF121200L30MV\*\* 12" **OPTION**  
 CAF141200L30MV\* 14" BLANK Standard  
 CAF142400L30MV\* 14" -BB Emergency Battery Back-Up  
 CAF182900L30MV\* 18"



**3 CCT MODELS**  
 CAF243100L5AJD1\* 24"

**OPTION**  
 BLANK Standard  
 -BB Emergency Battery Back-Up



# CARLISLE SEMI-FLUSH

Metal trim bands  
 White acrylic diffuser

DEPTH	8-3/4" D	9-1/4" D	10-1/4" D
DIAMETER	12" DIA.	14" DIA.	24" DIA.
DELIVERED LUMENS	967	1810	2947
WATTAGE	12W	27W	35W
VOLTAGE	120V		
COLOR TEMP (12", 14")	Adjustable 2700K/3000K/3500K/4000K/5000K		
COLOR TEMP (24")	Adjustable 3000K/3500K/4000K		
CRI	>90		
DIMMING	TRIAC/ELV		
FINISH	Satin Nickel		



ORDERING INFORMATION

**5 CCT MODELS**  
 CAC121200LAJD1 12"  
 CAC142400LAJD1 14"



**3 CCT MODELS**  
 CAC243100L5AJD1 24"



# CIRRUS

White acrylic diffuser  
 Option: Emergency Battery Back-Up (EXCLUDES 11"\*)  
 See page 399 for more information



DEPTH	3" D	3" D	3" D
DIAMETER	11" DIA.	14" DIA.	19" DIA.
DELIVERED LUMENS	1258	1600	2236
WATTAGE	17W	27W	35W
VOLTAGE	120V		
COLOR TEMP	Adjustable 2700K/3000K/3500K/4000K/5000K		
CRI	>90		
DIMMING	TRIAC/ELV		
FINISH	White		


DEPTH	3" D	3" D
DIAMETER	14" DIA.	14" DIA.
SOURCE LUMENS	1700	3400
WATTAGE	17W	34W
VOLTAGE	120-277V	
COLOR TEMP	3000K	
CRI	>90	
FINISH	White	

ORDERING INFORMATION

<b>MODEL</b>	<b>OPTION</b>
C2F111600L5AJD1 11"	BLANK Standard
C2F142400L5AJD1* 14"	-BB Emergency Battery Back-Up
C2F193100L5AJD1* 19"	

ORDERING INFORMATION

<b>MODEL</b>	<b>OPTION</b>
C2F141700L30MV* 14"	BLANK Standard
C2F143400L30MV* 14"	-BB Emergency Battery Back-Up



# IDEAL

Metal trim band  
 White acrylic diffuser


LENGTH	32" L
WIDTH	17" W
DEPTH	4" D
SOURCE LUMENS	3700
WATTAGE	32W
VOLTAGE	120-277V
COLOR TEMP	4000K
CRI	>80
FINISH	Satin Nickel



ORDERING INFORMATION

<b>MODEL</b>
PIDF172900L40MVSN

RELATED PRODUCTS  
 Sconce, p. 209  
 Overbed, p. 374



CEILING

# EDGE ROUND - SINGLE CCT

Edge-lit disk light panel  
 White acrylic diffuser  
 Convenient snap-in place installation  
 Option: Emergency Battery Back-Up in white finish (EXCLUDES 6"\*)

DEPTH	3/4" D	3/4" D	3/4" D
DIAMETER	5-3/8" DIA.	8" DIA.	12" DIA.
DELIVERED LUMENS	745	1034	1574
WATTAGE	12W	15W	22W
VOLTAGE	120V		
COLOR TEMP	3000K		
CRI	>90		
DIMMING	TRIAC/ELV		
FINISH	Black, Satin Nickel or White		

ORDERING INFORMATION

SERIES	FINISH
EGRF0609L30D1 6"	BK Black
EGRF0811L30D1* 8"	SN Satin Nickel
EGRF1216L30D1* 12"	WH White*

Ex: EGRF0609L30D1BK  
 RELATED PRODUCTS  
 Pendant, p. 88



# EDGE ROUND - ADJUSTABLE CCT

Edge-lit disk light panel  
 White acrylic diffuser  
 Convenient snap-in place installation  
 Option: Emergency Battery Back-Up in white finish (EXCLUDES 6"\*)

DEPTH	3/4" D	3/4" D	3/4" D
DIAMETER	5-3/8" DIA.	8" DIA.	12" DIA.
DELIVERED LUMENS	745	1034	1574
WATTAGE	12W	15W	22W
VOLTAGE	120V		
COLOR TEMP	Adjustable 3000K/4000K/5000K		
CRI	>90		
DIMMING	TRIAC/ELV		
FINISH	Black, Satin Nickel or White		

ORDERING INFORMATION

SERIES	FINISH
EGRF0609LAJD1 6"	BK Black
EGRF0811LAJD1* 8"	SN Satin Nickel
EGRF1216LAJD1* 12"	WH White*

Ex: EGRF0609L30D1BK  
 RELATED PRODUCTS  
 Pendant, p. 88



SINGLE/ADJUSTABLE ACCESSORIES

<p><b>Retrofit Kit</b></p> <p><b>EGRF-RET04</b> For use in converting 4 in. round ceiling cans</p>	<p><b>Retrofit Kit</b></p> <p><b>EGRF-RET06</b> For use in converting 6 in. round ceiling cans</p>	<p><b>Battery Back-Up</b></p> <p><b>EGRF-BB08 8" Model</b> <b>EGRF-BB12 12" Model</b> Shown installed with fixture (Fixture sold separately)</p>	<p><b>Spacer Pan</b></p> <p><b>EGRF-BB08PAN 8" Model</b> <b>EGRF-BB12PAN 12" Model</b> Shown installed with fixture (Fixture sold separately)</p>
--	--	--	---

# EDGE ROUND - LARGE

Edge-lit disk light panel  
White acrylic diffuser  
Twist and lock installation


DEPTH	1" D	1" D
DIAMETER	15-5/8" DIA.	23-5/8" DIA.
DELIVERED LUMENS	2525	3375
WATTAGE	25W	42W
VOLTAGE	120V (D1) or 120-277V (D2)	
COLOR TEMP	Adjustable 3000K/4000K/5000K	
CRI	>90	
DIMMING	TRIAC/ELV (D1) or 0-10V (D2)	
FINISH	Black or White	

ORDERING INFORMATION

SERIES	FINISH
EGRF1625LAJD1 16"	BK Black
EGRF1625LAJD2 16"	WH White
EGRF2440LAJD1 24"	
EGRF2440LAJD2 24"	

Ex: EGRF1625LAJD1WH

RELATED PRODUCTS  
Pendant, p. 88



BK 16"



WH 24"

# EDGE SQUARE


Edge-lit disk light panel  
White acrylic diffuser  
Convenient snap-in place installation

LENGTH	4-1/2" L	6-1/2" L	9" L
WIDTH	4-1/2" W	6-1/2" W	9" W
DEPTH	3/4" D	3/4" D	3/4" D
DELIVERED LUMENS	559	884	1231
WATTAGE	10W	15W	18W
VOLTAGE	120V		
COLOR TEMP	3000K		
CRI	>90		
DIMMING	TRIAC/ELV		
FINISH	Satin Nickel or White		

ORDERING INFORMATION

SERIES	FINISH
EGSF0407L30D1 4"	SN Satin Nickel
EGSF0611L30D1 6"	WH White
EGSF0913L30D1 9"	

Ex: EGSF0407L30D1WH



SN 9"



WH 9"

CEILING


# TUCK

Low profile recessed down light  
 Extends only .17" from ceiling  
 Spring mounted  
 White acrylic diffuser  
 Direct wire to remote driver  
 IC rated for use in insulated ceilings

DEPTH	1" D	1" D
DIAMETER	5" DIA.	6-7/8" DIA.
DELIVERED LUMENS	600	800
WATTAGE	10W	13W
VOLTAGE	120V	
COLOR TEMP	Adjustable 2700K/3000K/3500K/4000K/5000K	
CRI	>90	
DIMMING	TRIAC/ELV	
FINISH	White	

**ORDERING INFORMATION**

**MODEL**  
 TUCF04LAJD1WH 4" (equivalent to a 4" recessed can)  
 TUCF06LAJD1WH 6" (equivalent to a 6" recessed can)



**ACCESSORIES**  
 Optional Mounting Brackets (order separately)



1060705 (4 in.)



1060706 (6 in.)



Scan for product video



TUCF04LAJD1WH



TUCF06LAJD1WH

# SLIM

Ultra low profile  
 Flat back design  
 Mimics the look of recessed lighting without the need for housings  
 Frosted acrylic diffuser  
 Durable powder coat finish for outdoor applications

DEPTH	4" Equiv. 3/4" D	6" Equiv. 1-1/8" D
DIAMETER	6-3/8" DIA.	7-1/2" DIA.
DELIVERED LUMENS	640	990
WATTAGE	10W	15W
VOLTAGE	120V	
COLOR TEMP	3000K	
CRI	>90	
DIMMING	TRIAC/ELV	
FINISH	White	

**ORDERING INFORMATION**

**MODEL**  
 SLMF04L30D1WH 4" (equivalent to a 4" recessed can)  
 SLMF06L30D1WH 6" (equivalent to a 6" recessed can)



4"



6"

# TANA

All purpose LED closet light with PIR sensor  
 Polycarbonate housing  
 Polycarbonate lens

DEPTH	1" D
DIAMETER	6-7/8" DIA.
DELIVERED LUMENS	800
WATTAGE	13W
VOLTAGE	120V
COLOR TEMP	Adjustable 3000K/4000K/5000K
CRI	>90
FINISH	White

ORDERING INFORMATION

**MODEL**  
 TNAF06LAJENWH



# T5L CLOSET

White steel housing  
 White acrylic diffuser  
 Standard knockouts  
 Available with pull chain or rocker switch


HEIGHT	18" L	18" L
WIDTH	4-1/2" W	4-1/2" W
DEPTH	1-3/8" D	1-3/8" D
SOURCE LUMENS	700	614
WATTAGE	9W	9W
VOLTAGE	120V	120V
COLOR TEMP	3000K	Adjustable 3000K/4000K/5000K
CRI	>90	>90
FINISH	White	White

ORDERING INFORMATION

**MODEL**  
 T5LCLT (on/off rocker switch)  
 T5LCLTP (on/off pull chain switch)



**MODEL - ADJUSTABLE**  
 T5LAJCLT (on/off rocker switch)  
 T5LAJCLTP (on/off pull chain switch)



T5LCLT



T5LCLTP

CEILING

# RETROFIT KITS

For sconces or ceiling applications  
 Easy magnetic mount to back plate  
 Linear LED module  
 Replaces 18W CFL

LED BOARD 11" L X 1-7/16" W  
 SOURCE LUMENS 1400  
 WATTAGE 14W  
 VOLTAGE 120-277V  
 COLOR TEMP Adjustable from 3000K/4000K  
 CRI >80  
 FINISH White

ORDERING INFORMATION

**MODEL**  
 RFKIT13AJ



For sconces or ceiling applications  
 Easy magnetic mount to back plate  
 Half-round LED module  
 Replaces 13W CFL

LED BOARD 6-5/16" L X 2-5/8" W  
 SOURCE LUMENS 930  
 WATTAGE 9W  
 VOLTAGE 120-277V  
 COLOR TEMP Adjustable from 3000K/4000K  
 CRI >80  
 FINISH White

ORDERING INFORMATION

**MODEL**  
 RFKIT9AJ



For ceiling applications  
 Easy magnetic mount to back plate  
 Round LED module  
 Replaces 22W or 32W circline

LED BOARD	6-5/16" DIA.	6-5/16" DIA.
SOURCE LUMENS	1200	1600
WATTAGE	15W	20W
VOLTAGE	120V	
COLOR TEMP	Adjustable from 3000K/4000K	
CRI	>80	
FINISH	White	

ORDERING INFORMATION

**MODEL**  
 RFKIT22AJ 15W  
 RFKIT32AJ 20W



For ceiling applications  
 Easy magnetic mount to back plate  
 Dual half-round LED modular  
 Replaces 26W CFL

LED BOARD X 2 6-7/16" L X 2-5/8" W  
 SOURCE LUMENS 1750  
 WATTAGE 14W  
 VOLTAGE 120-277V  
 COLOR TEMP Adjustable from 3000K/4000K  
 CRI >80  
 FINISH White

ORDERING INFORMATION

**MODEL**  
 RFKIT14AJ





next evolution lighting

VANITY



# RUSNAK

White acrylic diffuser  
Horizontal or vertical mounting


LENGTH	24" L	36" L
HEIGHT	4-3/4" H	4-3/4" H
DEPTH	2-1/4" D	2-1/4" D
DELIVERED LUMENS	1150	1550
WATTAGE	12W	20W
VOLTAGE	120V	
COLOR TEMP	3000K	
CRI	>90	
DIMMING	TRIAC/ELV	
FINISH	Black, Polished Chrome, or Satin Brass	

## ORDERING INFORMATION

SERIES	FINISH
RSKS0524L30D1 24"	BK Black
RSKV3605L30D1 36"	PC Polished Chrome
	SB Satin Brass

Ex: RSKV3605L30D1SB


RELATED PRODUCTS  
Pendant, p. 25  
Sconce, p. 160





VANITY

273



# TWIST

Durable metal construction  
 White acrylic diffuser  
 Horizontal or vertical mounting  
 For use with 2" x 4" electrical box  
 Includes optional cover plate for use with a 4" x 4" electrical box (shown on SB\*)

LENGTH	24" L	35-3/4" L
HEIGHT	3-1/2" H	3-1/2" H
DEPTH	4" D	4" D
DELIVERED LUMENS	1200	2300
WATTAGE	25W	36W
VOLTAGE	120V	
COLOR TEMP	3000K	
CRI	>90	
DIMMING	TRIAC/ELV	
FINISH	Black, Satin Brass or Satin Nickel	

## ORDERING INFORMATION

<b>SERIES</b>	<b>FINISH</b>
TWTV2405L30D1 24"	BK Black
TWTV3605L30D1 36"	SB Satin Brass
	SN Satin Nickel

Ex: TWTV3605L30D1SN

RELATED PRODUCTS  
 Pendant, p. 28





VANITY

AFX

275



276

AFXinc.com



# INDRA

Durable metal construction  
White acrylic diffuser  
Horizontal or vertical mounting

LENGTH	24" L	36" L
HEIGHT	4-1/2" H	4-1/2" H
DEPTH	4" D	4" D
DELIVERED LUMENS	1625	2050
WATTAGE	22W	30W
VOLTAGE	120-277V	
COLOR TEMP	2700K/3000K/3500K/4000K/5000K	
CRI	>90	
DIMMING	0-10V (120-277V) & TRIAC/ELV (120V)	
FINISH	Black, Satin Brass or Satin Nickel	

### ORDERING INFORMATION

SERIES	FINISH
IDRV2405LAJUD 24"	BK Black
IDRV3605LAJUD 36"	SB Satin Brass
	SN Satin Nickel

Ex: IDRV2405LAJUDBK

RELATED PRODUCTS  
Pendant, p. 30




VANITY



278

AFXinc.com



36"  
SN



24"  
BK

# HARPER


Curved metal arms  
White acrylic diffuser  
Horizontal or vertical mounting

LENGTH	24-3/4" L	36-3/8" L
HEIGHT	4-1/2" H	4-1/2" H
DEPTH	3-3/4" D	3-3/4" D
DELIVERED LUMENS	1205	1651
WATTAGE	25W	30W
VOLTAGE	120-277V	
COLOR TEMP	2700K/3000K/3500K/4000K/5000K	
CRI	>90	
DIMMING	0-10V (120-277V) & TRIAC/ELV (120V)	
FINISH	Black, Satin Brass or Satin Nickel	

### ORDERING INFORMATION

<b>SERIES</b>	<b>FINISH</b>
HPRV2405LAJUD 24"	BK Black
HPRV3605LAJUD 36"	SB Satin Brass
	SN Satin Nickel

Ex: HPRV2405LAJUDSN



24"  
SB

VANITY



# AXEL

White cylinder acrylic diffuser  
Horizontal or vertical mounting

LENGTH	16" L	24-3/4" L	36-3/4" L
HEIGHT	4-1/8" H	4-1/8" H	4-1/8" H
DEPTH	4" D	4" D	4" D
DELIVERED LUMENS	1200	1850	2325
WATTAGE	15W	25W	30W
VOLTAGE	120-277V		
COLOR TEMP	2700K/3000K/3500K/4000K/5000K		
CRI	>90		
DIMMING	0-10V (120-277V) & TRIAC/ELV (120V)		
FINISH	Black, Satin Brass or Satin Nickel		


### ORDERING INFORMATION

SERIES	FINISH
AXLS0416LAJUD 16"	BK Black
AXLV2404LAJUD 24"	SB Satin Brass
AXLV3604LAJUD 36"	SN Satin Nickel

Ex: AXLV2404LAJUJDSN

RELATED PRODUCTS  
Sconce, p. 159






VANITY

AFX

281





# GLO

White acrylic diffuser  
Horizontal or vertical mounting

LENGTH	14-1/4" L	24" L
HEIGHT	4-3/4" H	4-3/4" H
DEPTH	2-1/2" D	2-1/2" D
DELIVERED LUMENS	600	1000
WATTAGE	12W	15W
VOLTAGE	120V	
COLOR TEMP	3000K	
CRI	>90	
DIMMING	TRIAC/ELV	
FINISH	Black, Satin Brass or Satin Nickel	


## ORDERING INFORMATION

<b>SERIES</b>		<b>FINISH</b>
GLOS0514L30D1	14"	BK Black
GLOV2405L30D1	24"	SB Satin Brass
		SN Satin Nickel

Ex: GLOV2405L30DISB

## RELATED PRODUCTS

Pendant, p. 33, 34  
Sconce, p. 164  
Linear, p. 379



VANITY



# LOCK

Decorative cross bars  
White acrylic diffuser  
Horizontal or vertical mounting


LENGTH	24" L
HEIGHT	4-3/4" H
DEPTH	4-1/2" D
DELIVERED LUMENS	1215
WATTAGE	16W
VOLTAGE	120V
COLOR TEMP	3000K
CRI	>90
DIMMING	TRIAC/ELV
FINISH	Black, Satin Brass or Satin Nickel

### ORDERING INFORMATION

<b>SERIES</b>	<b>FINISH</b>
LCKV2405L30D1	BK Black
	SB Satin Brass
	SN Satin Nickel

Ex: LCKV2405L30D1BK

RELATED PRODUCTS  
Pendant, p. 36, 39






VANITY

AFX

285



286

AFXinc.com



# GATES

Ornamental metal accents  
White acrylic diffuser  
Horizontal or vertical mounting


LENGTH	24" L
HEIGHT	5-1/2" H
DEPTH	4" D
DELIVERED LUMENS	1100
WATTAGE	20W
VOLTAGE	120V
COLOR TEMP	3000K
CRI	>90
DIMMING	TRIAC/ELV
FINISH	Black, Satin Brass or Satin Nickel

### ORDERING INFORMATION

<b>SERIES</b>	<b>FINISH</b>
GATV2406L30D1	BK Black SB Satin Brass SN Satin Nickel

Ex: GATV2406L30DISN

RELATED PRODUCTS  
Sconce, p. 163



AFX

287



288

AFXinc.com



BK



SB



SN

# WILLIAM

Clear glass diffusers  
Up or down mounting  
Medium base socket 60W Max\* (lamps not included)

LENGTH	14-3/4" L	24" L
HEIGHT	11" H	11" H
DEPTH	6-1/4" D	6-1/4" D
LIGHT SOURCE	(2) LAMPS	(3) LAMPS
WATTAGE	60W (MAX)*	
FINISH	Black, Satin Brass or Satin Nickel	

### ORDERING INFORMATION


SERIES	FINISH
WMMV1511MB (2-LIGHT)	BK Black
WMMV2411MB (3-LIGHT)	SB Satin Brass
	SN Satin Nickel

Ex: WMMV2411MBBK

\*Sockets can be labeled for reduced wattage upon request.

### RELATED PRODUCTS

Pendant, p. 42, 44  
Sconce, p. 153



VANITY



AFX<sup>®</sup>



VG



SN



BK

# LANEY

Hand-blown seeded glass  
Up or down mounting  
Medium base socket 60W Max\* (lamps not included)

LENGTH	15-1/4" L	24" L
HEIGHT	10-1/4" H	10-1/4" H
DEPTH	8" D	8" D
LIGHT SOURCE	(2) LAMPS	(3) LAMPS
WATTAGE	60W (MAX)*	
FINISH	Black, Satin Nickel or Vintage Gold	

### ORDERING INFORMATION


<b>SERIES</b>	<b>FINISH</b>
LNYV1510MB (2-LIGHT)	BK Black
LNYV2410MB (3-LIGHT)	SN Satin Nickel
	VG Vintage Gold

Ex: LNYV1510MBSN

\*Sockets can be labeled for reduced wattage upon request.

### RELATED PRODUCTS

Pendant, p. 47, 48  
Sconce, p. 154






VANITY

AFX

291



# DAX


White cylindrical acrylic diffusers  
Horizontal or vertical mounting

LENGTH	27-1/4" L	36-1/4" L
HEIGHT	4-7/8" H	4-7/8" H
DEPTH	4" D	4" D
DELIVERED LUMENS	2200	2900
WATTAGE	30W	35W
VOLTAGE	120V	
COLOR TEMP	3000K	
CRI	>90	
DIMMING	TRIAC/ELV	
FINISH	Black, Satin Brass or Satin Nickel	

ORDERING INFORMATION

<b>SERIES</b>		<b>FINISH</b>
DAXV2705L30D1	27"	BK Black
DAXV3605L30D1	36"	SB Satin Brass
		SN Satin Nickel

Ex: DAXV2705L30D1SB





VANITY

AFX

293



# AMANDA



Clear glass diffusers  
Medium base socket 60W Max\* (lamps not included)


LENGTH	22" L	30-3/4" L
HEIGHT	10-1/2" H	10-1/2" H
DEPTH	6-1/4" D	6-1/4" D
LIGHT SOURCE	(3) LAMPS	(4) LAMPS
WATTAGE	60W (MAX)*	
FINISH	Polished Chrome or Satin Brass	

ORDERING INFORMATION

<b>SERIES</b>		<b>FINISH</b>
AMDV2210MB	22" (3-LIGHT)	PC Polished Chrome
AMDV3310MB	31" (4-LIGHT)	SB Satin Brass

Ex: AMDV2210MBSB

\*Sockets can be labeled for reduced wattage upon request.



# PEARL

White glass diffusers  
Up or down mounting

LENGTH	24" L	32" L
HEIGHT	7-1/2" H	7-1/2" H
DEPTH	5-1/2" D	5-1/2" D
DELIVERED LUMENS	1185	1565
WATTAGE	14W	21W
VOLTAGE	120V	
COLOR TEMP	3000K	
CRI	>90	
DIMMING	TRIAC/ELV	
FINISH	Black, Satin Brass or Satin Nickel	


ORDERING INFORMATION

<b>SERIES</b>		<b>FINISH</b>
PRLV2408L30D1	24" (3-LIGHT)	BK Black
PRLV3208L30D1	32" (4-LIGHT)	SB Satin Brass
		SN Satin Nickel

Ex: PRLV2408L30DISB

RELATED PRODUCTS

Pendant, p. 26  
Sconce, p. 174



VANITY



# METROPOLITAN

Ornamental metal accents  
White glass diffusers

LENGTH	30" L	38" L
HEIGHT	7-7/8" H	7-7/8" H
DEPTH	7-3/8" D	7-3/8" D
DELIVERED LUMENS	1700	1830
WATTAGE	24W	32W
VOLTAGE	120V	
COLOR TEMP	3000K	
CRI	>90	
DIMMING	TRIAC/ELV	
FINISH	Black, Satin Brass or Satin Nickel	


## ORDERING INFORMATION

<b>SERIES</b>	<b>FINISH</b>
METV3008L30D1 (3-Light)	BK Black
METV3808L30D1 (4-Light)	SB Satin Brass
	SN Satin Nickel

Ex: METV3008L30DISB

## RELATED PRODUCTS

Pendant, p. 66  
Sconce, p. 167  
Ceiling, p. 219





VANITY

AFX

297



# BARLOW

Durable metal construction  
 Frosted acrylic diffuser  
 Horizontal or vertical mounting  
 For use with a 2" x 4" electrical box  
 Includes optional cover plate for use with a 4" x 4" electrical box (shown on SN\*)


LENGTH	18" L	24" L	36" L
HEIGHT	3" H	3" H	3" H
DEPTH	2-1/4" D	2-1/4" D	2-1/4" D
DELIVERED LUMENS	1000	1125	1634
WATTAGE	20W	22W	30W
VOLTAGE	120V		
COLOR TEMP	3000K		
CRI	>90		
DIMMING	TRIAC/ELV		
FINISH	Black, Polished Chrome, Satin Brass or Satin Nickel		

ORDERING INFORMATION

SERIES	FINISH
BARV1803L30D1 18"	BK Black
BARV2403L30D1 24"	PC Polished Chrome
BARV3603L30D1 36"	SB Satin Brass
	SN Satin Nickel

Ex: BARV2403L30DIPC

RELATED PRODUCTS  
 Sconce, p. 181





# CASS

Four sided illumination  
White acrylic diffuser  
Horizontal or vertical mounting



LENGTH	16" L	24" L	36" L
WIDTH	4-3/4" W	4-3/4" W	4-3/4" W
DEPTH	3-1/2" D	3-1/2" D	3-1/2" D
DELIVERED LUMENS	950	1700	2475
WATTAGE	18W	24W	38W
VOLTAGE	120V		
COLOR TEMP	3000K		
CRI	>90		
DIMMING	TRIAC/ELV		
FINISH	Black, Gold or Satin Nickel		

### ORDERING INFORMATION

SERIES	LENGTH	FINISH
CSSS0416L30D1	16"	BK Black
CSSV2404L30D1	24"	GD Gold
CSSV3604L30D1	36"	SN Satin Nickel

Ex: CSSV2404L30DIBK

RELATED PRODUCTS  
Pendant, p. 51, 52, 54  
Sconce, p. 166  
Ceiling, p. 215



VANITY



# NOAH

Metal construction with wood grain finish and black accents  
 Up or down mounting  
 Medium base socket 60W Max\* (lamps not included)

LENGTH	24" L	32" L
HEIGHT	8" H	8" H
DEPTH	5-1/2" D	5-1/2" D
LIGHT SOURCE	(3) LAMPS	(4) LAMPS
WATTAGE	60W (MAX)*	
FINISH	Distressed Grey	


### ORDERING INFORMATION

**MODEL**  
 NOAV2408MBDG (3-LIGHT)  
 NOAV3208MBDG (4-LIGHT)

\*Sockets can be labeled for reduced wattage upon request.

### RELATED PRODUCTS

Pendant, p. 86  
 Sconce, p. 157  
 Ceiling, p. 223



300 AFXinc.com



# JOANNA

Black finish with clear glass or satin nickel finish with white glass  
 Up or down mounting  
 Medium base socket 60W Max\* (lamps not included)

LENGTH	23-1/4" L	32-1/4" L
HEIGHT	9-1/2" H	9-1/2" H
DEPTH	6" D	6" D
LIGHT SOURCE	(3) LAMPS	(4) LAMPS
WATTAGE	60W (MAX)*	
FINISH	Black/Clear Glass or Satin Nickel/White Glass	

### ORDERING INFORMATION


<b>SERIES</b>	<b>FINISH</b>
JNNV2209MB (3-LIGHT)	BK Black
JNNV3309MB (4-LIGHT)	SN Satin Nickel

Ex: JNNV2209MBBK

\*Sockets can be labeled for reduced wattage upon request.

### RELATED PRODUCTS

Pendant, p. 81, 82  
 Sconce, p. 158



AFX®

301

VANITY



# RAMONA

White acrylic diffuser  
 Horizontal or vertical mounting  
 For use with a 2" x 4" electrical box  
 Includes optional cover plate for use with a 4" x 4" electrical box (shown on BK\*)


LENGTH	24" L	36" L
HEIGHT	3" H	3" H
DEPTH	3-1/2" D	3-1/2" D
DELIVERED LUMENS	1500	2200
WATTAGE	20W	30W
VOLTAGE	120V	
COLOR TEMP	3000K	
CRI	>90	
DIMMING	TRIAC/ELV	
FINISH	Black or Satin Nickel	



## ORDERING INFORMATION

<b>SERIES</b>		<b>FINISH</b>
RAMV2403L30D1	24"	BK Black
RAMV3603L30D1	36"	SN Satin Nickel

Ex: RAMV3603L30D1BK





# DIAMONDS



Faceted crystal diffuser

LENGTH	24" L
HEIGHT	5" H
DEPTH	2-1/4" D
DELIVERED LUMENS	2500
WATTAGE	30W
VOLTAGE	120V
COLOR TEMP	3000K
CRI	>90
DIMMING	TRIAC/ELV
FINISH	Polished Chrome

### ORDERING INFORMATION

**MODEL**  
DMDV2405L30DIPC

RELATED PRODUCTS  
Ceiling, p. 249



VANITY



303



# LUCA

Overlapping light bar design  
Sugar acrylic diffuser


LENGTH	24" L	36" L
HEIGHT	4-1/2" H	5-3/4" H
DEPTH	3-1/2" D	3-1/2" D
DELIVERED LUMENS	1600	1950
WATTAGE	29W	31W
VOLTAGE	120V	
COLOR TEMP	3000K	
CRI	>90	
DIMMING	TRIAC/ELV	
FINISH	Polished Chrome	

### ORDERING INFORMATION

**MODEL**  
LCAV2405L30D1PC 24"  
LCAV3606L30D1PC 36"



304 AFXinc.com



# ZOLA

Durable metal construction  
White acrylic diffuser  
Horizontal or vertical mounting


LENGTH	13-3/4" L	24" L	35-1/2" L
HEIGHT	4-1/4" H	4-1/4" H	4-1/4" H
DEPTH	1-3/4" D	1-3/4" D	2" D
DELIVERED LUMENS	1150	1400	2400
WATTAGE	15W	18W	33W
VOLTAGE	120V		
COLOR TEMP	3000K		
CRI	>90		
DIMMING	TRIAC/ELV		
FINISH	Black or Satin Nickel		

### ORDERING INFORMATION

SERIES	FINISH
ZLAV1405L30D1 14"	BK Black
ZLAV2405L30D1 24"	SN Satin Nickel
ZLAV3605L30D1 36"	

Ex: ZLAV2405L30DISN

RELATED PRODUCTS  
Sconce, p. 178



VANITY

AFX 305



# DELPHIA


Clear glass outer diffuser  
 Laser etched inner diffuser  
 Up/down light  
 Up or down mounting

LENGTH	19-3/4" L	27" L
HEIGHT	6-1/2" H	6-1/2" H
DEPTH	4-3/4" D	4-3/4" D
DELIVERED LUMENS	900	1600
WATTAGE	23W	27W
VOLTAGE	120V	
COLOR TEMP	3000K	
CRI	>90	
DIMMING	TRIAC/ELV	
FINISH	Polished Chrome	

ORDERING INFORMATION

**MODEL**  
 DPHV2007L30D1PC 20" (3-LIGHT)  
 DPHV2707L30D1PC 27" (4-LIGHT)

RELATED PRODUCTS  
 Sconce, p. 177





VANITY

AFX

307



# LYNN


Polished chrome with matte black cages  
 Up or down mounting  
 Medium base socket 60W Max\* (lamps not included)

LENGTH	24" L	30" L
HEIGHT	8" H	8" H
DEPTH	6-1/2" D	6-1/2" D
LIGHT SOURCE	(3) LAMPS	(4) LAMPS
WATTAGE	60W (MAX)*	
FINISH	Black/Polished Chrome	

### ORDERING INFORMATION

**MODEL**  
 LYNV2407MBBKPC 24" (3-LAMPS)  
 LYNV3007MBBKPC 30" (4-LAMPS)

\*Sockets can be labeled for reduced wattage upon request.



308 AFXinc.com



# MAGNUS

Durable metal construction  
Medium base socket 60W Max\* (lamps not included)


LENGTH	21" L
HEIGHT	4-3/4" H
DEPTH	4-1/2" D
LIGHT SOURCE	(3) LAMPS
WATTAGE	60W (MAX)*
FINISH	Black or Satin Nickel

### ORDERING INFORMATION

<b>SERIES</b>	<b>FINISH</b>
MGNV2105MB	BK Black
	SN Satin Nickel

Ex: MGNV2105MBBK

\*Sockets can be labeled for reduced wattage upon request.





22"



30"

# GLACIER


Durable metal construction  
Clear ice glass diffusers

LENGTH	22" L	29-3/8" L
HEIGHT	4-1/8" H	4-1/8" H
DEPTH	2-3/16" D	2-3/16" D
DELIVERED LUMENS	2403	3184
WATTAGE	27W	38W
VOLTAGE	120V	
COLOR TEMP	3000K	
CRI	>90	
DIMMING	TRIAC/ELV	
FINISH	Polished Chrome	

### ORDERING INFORMATION

**MODEL**

GLCV220524L30D1PC	22" (3-LIGHT)
GLCV310532L30D1PC	30" (4-LIGHT)



310 AFXinc.com





# ANNABEL


Durable metal construction  
 Faceted glass diffusers  
 Up or down mounting  
 Medium base socket 60W Max\* (lamps not included)


LENGTH 22" L  
 HEIGHT 6-3/4" H  
 DEPTH 6-1/4" D  
 LIGHT SOURCE (3) LAMPS  
 WATTAGE 60W (MAX)\*  
 FINISH Polished Chrome

### ORDERING INFORMATION

**MODEL**  
 ABLV2407MBPC

\*Sockets can be labeled for reduced wattage upon request.





# HAVEN

Decorative cut metal  
White acrylic diffuser

LENGTH	27" L	39" L
HEIGHT	4-1/2" H	4-1/2" H
DEPTH	3-5/8" D	3-5/8" D
DELIVERED LUMENS	1556	2034
WATTAGE	23W	32W
VOLTAGE	120-277V	
COLOR TEMP	Adjustable 3000K/3500K/4000K	
CRI	>90	
DIMMING	0-10V	
FINISH	Satin Nickel, Black, or Satin Brass*	

## ORDERING INFORMATION

<b>SERIES</b>		<b>FINISH</b>
HVNV2705LAJD2	27"	SN Satin Nickel
HVNV3905LAJD2	39"	BK Black
		SB Satin Brass*


Ex: HVNV3905LAJD2BK

\*Minimum order quantity required, consult factory.

## RELATED PRODUCTS

- Pendant, p. 143
- Sconce, p. 184
- Ceiling, p. 253





# NOVARA

Diamond point formed metal  
White acrylic diffuser  
Horizontal or vertical mounting


LENGTH	25" L	37" L	49" L
HEIGHT	4-1/2" H	4-1/2" H	4-1/2" H
DEPTH	3-5/8" D	3-5/8" D	3-5/8" D
DELIVERED LUMENS	680	1116	1625
WATTAGE	31W	46.5W	62W
VOLTAGE	120V		
COLOR TEMP	3000K		
CRI	>90		
DIMMING	TRIAC/ELV		
FINISH	Satin Brass or Satin Nickel		

### ORDERING INFORMATION

SERIES	LENGTH	FINISH
NVV5252400L30D1	25"	SB Satin Brass
NVV5373600L30D1	37"	SN Satin Nickel
NVV5494800L30D1	49"	

.Ex: NVV5373600L30D1SN

RELATED PRODUCTS  
Sconce, p. 187



25"  
SN



49"  
SB

VANITY



50"  
ES-JT



50"  
WG-LW



# APEX

Solid wood accent detail  
LumaFuse™ laminated fabric/acrylic shade  
White acrylic bottom and top diffuser  
Horizontal or vertical mounting

LENGTH	26-1/2" L	38-1/2" L	50-1/2" L
HEIGHT	4-1/4" H	4-1/4" H	4-1/4" H
DEPTH	4" D	4" D	4" D
SOURCE LUMENS	2000	3000	4000
WATTAGE	26W	35W	49W
VOLTAGE	120-277V		
COLOR TEMP	Adjustable 3000K/3500K/4000K		
CRI	>90		
DIMMING	0-10V		
FINISH	Espresso or Weathered Grey		
FABRIC	Jute or Linen White		

## ORDERING INFORMATION


SERIES	FINISH	FABRIC
APV270520LAJD2 27"	ES Espresso	-JT Jute
APV390530LAJD2 39"	WG Weathered Grey	-LW Linen White
APV510540LAJD2 51"		

Ex: APV390530LAJD2ES-LW

## RELATED PRODUCTS

Pendant, p. 144  
Sconce, p. 202  
Ceiling, p. 259  
Overbed, p. 369





# AVANTI

Plated metal end caps  
 White acrylic diffuser  
 Horizontal or vertical mounting

LENGTH	27-1/2" L	39-1/2" L	51-1/2" L
HEIGHT	5" H	5" H	5" H
DEPTH	2" D	2" D	2" D
SOURCE LUMENS	2000	3000	4000
WATTAGE	26W	35W	49W
VOLTAGE	120V		
COLOR TEMP	3000K		
CRI	>90		
DIMMING	TRIAC/ELV		
FINISH	Satin Nickel		

### ORDERING INFORMATION

- MODEL**  
 ATV240520L30D1SNWH 28"  
 ATV360530L30D1SNWH 40"  
 ATV480540L30D1SNWH 52"



VANITY



# ROWAN

Durable metal construction  
 Powder coat finish  
 White acrylic diffuser  
 Horizontal or vertical mounting


HEIGHT	18" H	30" H
WIDTH	4" W	4" W
DEPTH	2-1/2" D	2-1/2" D
DELIVERED LUMENS	472	568
WATTAGE	16W	28W
VOLTAGE	120-277V	
COLOR TEMP	3000K	
CRI	>90	
DIMMING	0-10V	
FINISH	Satin Nickel or White	

### ORDERING INFORMATION

<b>SERIES</b>		<b>FINISH</b>
RWNS180414L30D2	18"	SN Satin Nickel
RWNS300424L30D2	30"	WH White

Ex: RWNS300424L30D2SN

RELATED PRODUCTS  
 Outdoor, p. 344





# FULTON

Fabricated metal housing  
 White glass diffuser  
 Powder coat finish  
 Horizontal or vertical mounting



HEIGHT	13-1/2" H	24" H
WIDTH	4" W	4" W
DEPTH	3-1/2" D	3-1/2" D
DELIVERED LUMENS	488	1164
WATTAGE	15.5W	23W
VOLTAGE	120V	
COLOR TEMP	3000K	
CRI	>90	
DIMMING	TRIAC/ELV	
FINISH	Black or White	

ORDERING INFORMATION

<b>SERIES</b>	<b>FINISH</b>
FTS4141200L30D1 14"	BK Black
FTS4241800L30D1 24"	WH White

Ex: FTS4141200L30D1WH

RELATED PRODUCTS  
 Sconce, p. 201



24"  
WH



24"  
BK

VANITY





# CHARLOTTE

Perforated metal ends  
 White acrylic diffuser  
 Horizontal or vertical mounting

LENGTH	29-1/4" L	41-1/4" L
HEIGHT	4-1/2" H	4-1/2" H
DEPTH	3-3/8" D	3-3/8" D
SOURCE LUMENS	2000	3000
WATTAGE	26W	35W
VOLTAGE	120-277V	
COLOR TEMP	Adjustable 3000K/3500K/4000K	
CRI	>90	
DIMMING	0-10V	
FINISH	Satin Nickel or Oil-Rubbed Bronze	

ORDERING INFORMATION

<b>SERIES</b>	<b>FINISH</b>
CHV290520LAJD2 29"	SN Satin Nickel
CHV410530LAJD2 41"	RB Oil-Rubbed Bronze

Ex: CHV410530LAJD2RB

RELATED PRODUCTS  
 Sconce, p. 203





42"  
SN

# ALLEN

Metal trim ends  
Linen white acrylic diffuser  
White acrylic bottom diffuser  
Horizontal or vertical mounting



42"  
RB

LENGTH	29-1/2" L	41-1/2" L	53-1/2" L
HEIGHT	4-1/2" H	4-1/2" H	4-1/2" H
DEPTH	3-3/4" D	3-3/4" D	3-3/4" D
SOURCE LUMENS	2000	3000	4000
WATTAGE	26W	35W	49W
VOLTAGE	120-277V		
COLOR TEMP	Adjustable 3000K/3500K/4000K		
CRI	>90		
DIMMING	0-10V		
FINISH	Satin Nickel or Oil-Rubbed Bronze		

ORDERING INFORMATION

SERIES	FINISH
ALNV280520LAJD2 30"	SN Satin Nickel
ALNV400530LAJD2 42"	RB Oil-Rubbed Bronze
ALNV540540LAJD2 54"	

Ex: ALNV280520LAJD2SN

RELATED PRODUCTS  
Overbed, p. 371



# SINCLAIR

Durable metal construction  
White acrylic diffuser  
Horizontal or vertical mounting



39"

LENGTH	27" L	39" L	50-1/4" L
HEIGHT	4-5/8" H	4-5/8" H	4-5/8" H
DEPTH	3" D	3" D	3" D
DELIVERED LUMENS	1539	1847	2924
WATTAGE	26W	35W	49W
VOLTAGE	120-277V		
COLOR TEMP	Adjustable 3000K/3500K/4000K		
CRI	>90		
DIMMING	0-10V		
FINISH	Satin Nickel		

ORDERING INFORMATION

MODEL	
SNV240520LAJD2SN	27"
SNV360530LAJD2SN	39"
SNV480540LAJD2SN	50"

RELATED PRODUCTS  
Sconce, p. 200





VANITY

# ARLO

Durable metal construction  
Frosted acrylic diffusers

LENGTH	25" L	33" L
HEIGHT	4" H	4" H
DEPTH	3-3/4" D	3-3/4" D
DELIVERED LUMENS	2200	2850
WATTAGE	30W	40W
VOLTAGE	120V (D1) or 120-277V (MV)	
COLOR TEMP	3500K	
CRI	>90	
DIMMING	TRIAC/ELV (D1 ONLY)	
FINISH	Satin Nickel	




ORDERING INFORMATION

**MODEL**

- ARLV250418L35D1SN\* 25" (3-Light)
- ARLV250418L35MVSN 25" (3-Light)
- ARLV330424L35D1SN\* 33" (4-Light)
- ARLV330424L35MVSN 33" (4-Light)

RELATED PRODUCT  
Sconce, p. 208



# MILLER

Durable metal construction  
White acrylic diffuser

LENGTH	24-3/8" L	35-3/4" L
HEIGHT	4-1/2" H	4-1/2" H
DEPTH	4-1/4" D	4-1/4" D
DELIVERED LUMENS	1580	2168
WATTAGE	17W	25W
VOLTAGE	120V	
COLOR TEMP	Adjustable 3000K/3500K/4000K	
CRI	>90	
DIMMING	TRIAC/ELV	
FINISH	Black or Satin Nickel	




ORDERING INFORMATION

**SERIES**

- MLRV2605LAJD1 24" BK Black
- MLRV3805LAJD1 36" SN Satin Nickel

Ex: MLRV2605LAJD1BK



# ALGIERS

Metal ends  
 Linen acrylic front diffuser  
 White acrylic top and bottom diffuser  
 Horizontal or vertical mounting

LENGTH	25-1/4" L	37-1/4" L	49-1/4" L
HEIGHT	5" H	5" H	5" H
DEPTH	4" D	4" D	4-7/8" D
DELIVERED LUMENS	1833	2333	3955
WATTAGE	25W	36W	49W
VOLTAGE	120-277V		
COLOR TEMP	Adjustable 3000K/3500K/4000K		
CRI	>90		
DIMMING	0-10V		
FINISH	Oakley Bronze or Satin Nickel		



37"  
KB



25"  
SN

ORDERING INFORMATION

<b>SERIES</b>	<b>FINISH</b>
ALV250520LAJD2* 25"	KB Oakley Bronze
ALV370530LAJD2* 37"	SN Satin Nickel
ALV490540LAJD2 49"	

Ex: ALV250520LAJD2SN

RELATED PRODUCTS  
 Overbed, p. 373



# HOLLYWOOD


Durable metal construction  
 White diffusers  
 Horizontal or vertical mounting

	3-LIGHT	4-LIGHT
LENGTH	24" L	24" L
HEIGHT	4-3/4" H	4-3/4" H
DEPTH	4" D	4" D
DELIVERED LUMENS	1600	2100
WATTAGE	18.5W	28W
VOLTAGE	120V	
COLOR TEMP	3000K	
CRI	>80	
FINISH	Satin Nickel	




ORDERING INFORMATION

<b>MODEL</b>	
HLWV240417L30ENSN	24" (3-LIGHT)
HLWV240422L30ENSN	24" (4-LIGHT)



VANITY



36"

# PACIFIC

Metal ends  
White acrylic diffuser  
Horizontal or vertical mounting

LENGTH	24" L	36" L	48" L
HEIGHT	6" H	6" H	6" H
DEPTH	3-1/8" D	3-1/8" D	3-1/8" D
DELIVERED LUMENS	1392	2086	2892
WATTAGE	17W	25W	34W
VOLTAGE	120V		
COLOR TEMP	3000K		
CRI	>80		
FINISH	Satin Nickel		

### ORDERING INFORMATION

#### MODEL

PCV241700L30SN 24"

PCV362500L30SN 36"

PCV483400L30SN 48"



39"

# STRATUS

White acrylic diffuser  
Fully enclosed housing  
Horizontal or vertical mounting

LENGTH	26-3/4" L	38-3/4" L
HEIGHT	4-5/8" H	4-5/8" H
DEPTH	4" D	4" D
SOURCE LUMENS	2000	3000
WATTAGE	26W	35W
VOLTAGE	120-277V	
COLOR TEMP	Adjustable 3000K/3500K/4000K	
CRI	>90	
DIMMING	0-10V	
FINISH	White	

### ORDERING INFORMATION

#### MODEL

V8PN260420LAJD2WH 27"

V8PN380430LAJD2WH 39"





next evolution lighting

FIXED RAIL



# GREGOR


Heads swivel and pivot  
 Solid acrylic diffuser  
 Ceiling or wall mount

LENGTH	29-3/4" L
WIDTH	4-3/4" W
HEIGHT	6-3/4" H
DELIVERED LUMENS	1800
WATTAGE	24W
VOLTAGE	120V
COLOR TEMP	3000K
CRI	>90
DIMMING	TRIAC/ELV
FINISH	Black



## ORDERING INFORMATION

**MODEL**  
 GRGF4450L30D1BK





# CORE


Heads swivel and pivot  
Ceiling or wall mount

LENGTH	36-3/8" L	55-1/2" L
WIDTH	5-3/8" W	5-1/4" W
HEIGHT	6-1/2" H	7-1/2" H
DELIVERED LUMENS	1800	2600
WATTAGE	26W	40W
VOLTAGE	120V	
COLOR TEMP	3000K	
CRI	>90	
DIMMING	TRIAC/ELV	
FINISH	Black or Satin Nickel*	

ORDERING INFORMATION

<b>SERIES</b>		<b>FINISH</b>
CRRF4450L30	36"	BK Black
CRRF6450L30	55"	SN Satin Nickel*

Ex: CRRF4450L30SN




# GRAMERCY

Two-tone finish  
Heads swivel and pivot  
Ceiling or wall mount

LENGTH	36-1/2" L
WIDTH	5-3/8" W
HEIGHT	8" H
DELIVERED LUMENS	1800
WATTAGE	26W
VOLTAGE	120V
COLOR TEMP	3000K
CRI	>90
DIMMING	TRIAC/ELV
FINISH	Satin Nickel

ORDERING INFORMATION

<b>MODEL</b>
GRAF4450L30WH



FIXED RAIL



# EVA

Frosted acrylic diffuser  
 Heads swivel and pivot  
 Ceiling or wall mount

LENGTH	29-5/8" L
WIDTH	4-5/8" W
HEIGHT	6-1/2" H
DELIVERED LUMENS	1924
WATTAGE	30W
VOLTAGE	120V
COLOR TEMP	3000K
CRI	>90
DIMMING	TRIAC/ELV
FINISH	Polished Chrome

ORDERING INFORMATION

**MODEL**  
 EVAFO618L30D1PC




# METRO

Frosted glass diffusers  
 Heads swivel and pivot  
 Ceiling or wall mount

LENGTH	36-5/8" L
WIDTH	5-15/16" W
HEIGHT	6-13/16" H
DELIVERED LUMENS	1800
WATTAGE	26W
VOLTAGE	120V
COLOR TEMP	3000K
CRI	>90
DIMMING	TRIAC/ELV
FINISH	Satin Nickel

ORDERING INFORMATION

**MODEL**  
 MTRF4450L30SN






# GAGE

Solid clear acrylic diffuser with frosted front lens  
 Heads swivel and pivot  
 Ceiling or wall mount

LENGTH	29-5/8" L
WIDTH	4-5/8" W
HEIGHT	6" H
DELIVERED LUMENS	1662
WATTAGE	27W
VOLTAGE	120V
COLOR TEMP	3000K
CRI	>90
DIMMING	TRIAC/ELV
FINISH	Polished Chrome

ORDERING INFORMATION

**MODEL**  
 GGEF0618L30D1PC




# GAGE ROUND

Solid clear acrylic diffuser with frosted front lens  
 Heads swivel and pivot

HEIGHT	6" H
DIAMETER	15-7/8" DIA.
DELIVERED LUMENS	1277
WATTAGE	21W
VOLTAGE	120V
COLOR TEMP	3000K
CRI	>90
DIMMING	TRIAC/ELV
FINISH	Polished Chrome

ORDERING INFORMATION

**MODEL**  
 GGEF1313L30D1PC



FIXED RAIL




## CANTRELL

Heads swivel and pivot  
Ceiling or wall mount

LENGTH	36-5/8" L
WIDTH	5-1/4" W
HEIGHT	5-5/8" H
DELIVERED LUMENS	1800
WATTAGE	26W
VOLTAGE	120V
COLOR TEMP	3000K
CRI	>90
DIMMING	TRIAC/ELV
FINISH	Satin Nickel

### ORDERING INFORMATION

**MODEL**  
CARF4450L30SN



## CHAPPELLE

Heads swivel and pivot  
Ceiling or wall mount

LENGTH	36-5/8" L
WIDTH	5-1/4" W
HEIGHT	7" H
DELIVERED LUMENS	1800
WATTAGE	26W
VOLTAGE	120V
COLOR TEMP	3000K
CRI	>90
DIMMING	TRIAC/ELV
FINISH	Satin Nickel

### ORDERING INFORMATION

**MODEL**  
CHRF4450L30SN





OUTDOOR



330 AFXinc.com




# KYLO

Die-cast aluminum construction  
 Two-tone black/copper finish  
 Durable powder coat finish for outdoor applications  
 Minimum starting temp -4° F/-20° C


HEIGHT	4-3/4" H	7-3/4" H
WIDTH	4-3/4" W	7-3/4" W
DEPTH	2-3/4" D	3-1/2" D
DELIVERED LUMENS	500	600
WATTAGE	9W	12W
VOLTAGE	120V	
COLOR TEMP	Adjustable 2700K/3000K/3500K/4000K/5000K	
CRI	>90	
FINISH	Black/Copper	


### ORDERING INFORMATION

**MODEL**  
 KYLW0305LAJENBK 5"  
 KYLW0408LAJENBK 8"



OUTDOOR






# HARRISON

Metal construction  
 Durable powder coat finish for outdoor applications  
 Minimum starting temp -4° F/-20° C

HEIGHT	12" H	18" H
WIDTH	4-1/2" W	4-1/2" W
DEPTH	3" D	3" D
DELIVERED LUMENS	450	900
WATTAGE	12W	24W
VOLTAGE	120V	
COLOR TEMP	3000K	
CRI	>90	
DIMMING	TRIAC/ELV	
FINISH	Black/Copper	

### ORDERING INFORMATION

**MODEL**  
 HARW0512L30D1BK 12"  
 HARW0518L30D1BK 18"



332 | AFXInc.com




# SADIE

Metal construction  
 Durable powder coat finish for outdoor applications  
 Minimum starting temp -4° F/-20° C

HEIGHT	12" H	18" H
WIDTH	5" W	5" W
DEPTH	2-1/4" D	2-3/4" D
DELIVERED LUMENS	450	900
WATTAGE	12W	24W
VOLTAGE	120V	
COLOR TEMP	3000K	
CRI	>90	
DIMMING	TRIAC/ELV	
FINISH	Black or Textured Grey	

### ORDERING INFORMATION

<b>SERIES</b>	<b>FINISH</b>
SADW0512L30D1 12"	BK Black
SADW0518L30D1 18"	TG Textured Grey



333



BK  
18"



TG  
24"



BK  
36"

# GALE

Durable metal construction  
 White frosted glass diffuser  
 Durable powder coat finish for outdoor applications  
 Vertical or horizontal mounting  
 Minimum starting temp -4° F/-20° C  
 Option: Emergency battery back-up (EXCLUDES 18"\*)


HEIGHT	18" H	24" H	36" H
WIDTH	4-1/2" W	4-1/2" W	4-1/2" W
DEPTH	2-1/2" D	2-1/2" D	2-1/2" D
DELIVERED LUMENS	1425	1650	2400
WATTAGE	25W	29W	35W
VOLTAGE	120-277V		
COLOR TEMP	3000K		
CRI	>90		
DIMMING	0-10V (120-277V) & TRIAC/ELV (120V)		
FINISH	Black or Textured Grey		

## ORDERING INFORMATION

SERIES	FINISH	OPTION
GLEW0518L30UD 18"	BK Black	BLANK Standard
GLEW0524L30UD* 24"	TG Textured Grey	-BB Emergency Battery Back-Up
GLEW0536L30UD* 36"		

Ex: GLEW0524L30UDBK






OUTDOOR



335



336 AFXinc.com


# GUS SCONCE

Metal construction  
 Two-tone metal finish  
 Durable powder coat finish for outdoor applications  
 Minimum starting temp -4° F/-20° C

HEIGHT	9-3/4" H	12" H
WIDTH	9-1/2" W	14" W
DEPTH	9-3/4" D	14-1/2" D
DELIVERED LUMENS	630	950
WATTAGE	12W	20W
VOLTAGE	120V	
COLOR TEMP	Adjustable 3000K/4000K/5000K	
CRI	>90	
FINISH	Black/Copper	

ORDERING INFORMATION

**MODEL**  
 GUSW1010LAJENBK 10"  
 GUSW1411LAJENBK 14"




# GUS PENDANT

Metal construction  
 Two-tone metal finish  
 Durable powder coat finish for outdoor applications  
 Minimum starting temp -4° F/-20° C  
 9 ft. cord, 4 ft. adjustable rigid stem

HEIGHT	6-3/8" H
DIAMETER	9-1/2" DIA.
DELIVERED LUMENS	600
WATTAGE	12W
VOLTAGE	120V
COLOR TEMP	Adjustable 3000K/4000K/5000K
CRI	>90
DIMMING	TRIAC/ELV
FINISH	Black/Copper

ORDERING INFORMATION

**MODEL**  
 GUSP10LAJD1BK



OUTDOOR



8"



12"

# EDMUND


Die-cast aluminum construction  
 Solid acrylic diffuser  
 Up and down-light available  
 Durable powder coat finish for outdoor applications  
 Minimum starting temp -4° F/-20° C


	1-LIGHT	2-LIGHT
HEIGHT	8" H	11-7/8" H
WIDTH	3-1/2" W	3-1/2" W
DEPTH	6-1/4" D	6-1/4" D
DELIVERED LUMENS	1036	2043
WATTAGE	13W	25W
VOLTAGE	120-277V	
COLOR TEMP	Adjustable 3000K/3500K/4000K	
CRI	>90	
FINISH	Black	

### ORDERING INFORMATION

#### MODEL

EDDW0608LAJMBK 8" (1-LIGHT)  
 EDDW0612LAJMBK 12" (2-LIGHT)





OUTDOOR

AFX

339



# ELM CEILING

Die-cast aluminum construction  
 Solid acrylic diffuser  
 Durable powder coat finish for outdoor applications  
 Minimum starting temp -4° F/-20° C

DEPTH	2-1/2" D	2-1/2" D
DIAMETER	9" DIA.	11" DIA.
DELIVERED LUMENS	845	1125
WATTAGE	15W	20W
VOLTAGE	120-277V	
COLOR TEMP	Adjustable 3000K/4000K/5000K	
CRI	>90	
DIMMING	0-10V (120-277V) & TRIAC/ELV (120V)	
FINISH	Black	

ORDERING INFORMATION

**MODEL**  
 ELMW09LAJUBK 9"  
 ELMW11LAJUBK 11"




# ELM SCONCE

Die-cast aluminum construction  
 Solid acrylic diffuser  
 Down-light illumination  
 Durable powder coat finish for outdoor applications  
 Minimum starting temp -4° F/-20° C

HEIGHT	4-1/4" H
WIDTH	7" W
DEPTH	8-1/8" D
DELIVERED LUMENS	1028
WATTAGE	19W
VOLTAGE	120-277V
COLOR TEMP	Adjustable 3000K/3500K/4000K
CRI	>90
DIMMING	0-10V
FINISH	Black

ORDERING INFORMATION

**MODEL**  
 ELMW0704LAJD2BK



OUTDOOR




## CANE

Aluminum construction  
 Clear seeded glass diffuser  
 Down-light illumination  
 Durable powder coat finish for outdoor applications  
 Minimum starting temp -4° F/-20° C

HEIGHT	18-3/4" H
WIDTH	5-3/4" W
DEPTH	6-1/2" D
DELIVERED LUMENS	851
WATTAGE	18W
VOLTAGE	120V
COLOR TEMP	3000K
CRI	>90
DIMMING	TRIAC/ELV
FINISH	Black

### ORDERING INFORMATION

**MODEL**  
 CANW0618L30D1BK






# VASARI

Aluminum construction  
 Clear seeded glass diffuser  
 Down-light illumination  
 Durable powder coat finish for outdoor applications  
 Minimum starting temp -4° F/-20° C

HEIGHT	11-3/4" H	17" H
WIDTH	4" W	5-1/8" W
DEPTH	4" D	5" D
DELIVERED LUMENS	380	586
WATTAGE	12W	18W
VOLTAGE	120V	
COLOR TEMP	3000K	
CRI	>90	
DIMMING	TRIAC/ELV	
FINISH	Black	

ORDERING INFORMATION

**MODEL**  
 VSRW0412L30D1BK\* 12"  
 VSRW0517L30D1BK 17"



OUTDOOR

AFX

343



# ROWAN

Durable metal construction  
 White acrylic diffuser  
 Durable powder coat finish for outdoor applications  
 Vertical or horizontal mounting  
 Minimum starting temp -4° F/-20° C

HEIGHT	20" H	36" H
WIDTH	5" W	7" W
DEPTH	3-3/8" D	4-3/8" D
DELIVERED LUMENS	1110	2360
WATTAGE	22W	42W
VOLTAGE	120-277V	
COLOR TEMP	Adjustable 3000K/3500K/4000K	
CRI	>90	
DIMMING	0-10V	
FINISH	Textured Bronze or Textured Grey	


### ORDERING INFORMATION

<b>SERIES</b>		<b>FINISH</b>
RWNW052020LAJD2*	20"	BZ Textured Bronze
RWNW073640LAJD2	36"	TG Textured Grey

Ex: RWNW073640LAJD2BZ

### RELATED PRODUCTS

Sconce, p. 196



TG  
36"



BZ  
20"



# BOON

Decorative cut metal  
 Frosted glass diffuser  
 Down-light illumination  
 Durable powder coat finish for outdoor applications  
 Minimum starting temp -4° F/-20° C


HEIGHT	16" H
WIDTH	6" W
DEPTH	3" D
DELIVERED LUMENS	589
WATTAGE	12W
VOLTAGE	120-277V
COLOR TEMP	3000K
CRI	>90
DIMMING	0-10V
FINISH	Black or White

ORDERING INFORMATION

<b>SERIES</b>	<b>FINISH</b>
BONW071710L30D2	BK Black WH White

Ex: BONW071710L30D2WH

RELATED PRODUCTS:  
 Pendant, p. 108, 109  
 Ceiling, p. 243



OUTDOOR



# DEXTER

Die-cast aluminum construction  
 Clear glass diffuser  
 Adjustable beam angle  
 Up and down-light available  
 Durable powder coat finish for outdoor applications  
 Vertical or horizontal mounting  
 Minimum starting temp -4° F/-20° C

	1-LIGHT	2-LIGHT
HEIGHT	5-1/2" H	5-1/2" H
WIDTH	5-1/2" W	5-1/2" W
DEPTH	2-1/4" D	2-1/4" D
DELIVERED LUMENS	538	1025
WATTAGE	12W	24W
VOLTAGE	120-277V	
COLOR TEMP	3000K	
CRI	>80	
FINISH	Black, Bronze or White	

### ORDERING INFORMATION

<b>SERIES</b>	<b>FINISH</b>
DEXW060612L30MV (1-LIGHT)	BK Black
DEXW060624L30MV (2-LIGHT)	BZ Bronze
	WH White

Ex: DEXW060612L30MVWH



Scan for product video



DEXW060624L30MVWH shown

# PASADENA

Tapered aluminum construction  
 White acrylic diffuser  
 Durable powder coat finish for outdoor applications  
 Minimum starting temp -4° F/-20° C

HEIGHT	12" H	18" H
WIDTH	6" W	6-3/4" W
DEPTH	3-3/4" D	4" D
DELIVERED LUMENS	1258	1815
WATTAGE	20W	28W
VOLTAGE	120-277V	
COLOR TEMP	Adjustable 3000K/3500K/4000K	
CRI	>90	
DIMMING	0-10V	
FINISH	Textured Bronze or Textured Grey	

ORDERING INFORMATION

<b>SERIES</b>		<b>FINISH</b>
PSDW071223LAJD2	12"	BZ Textured Bronze
PSDW071833LAJD2	18"	TG Textured Grey

Ex: PSDW071833LAJD2BZ



# LASALLE


Die-cast aluminum construction  
 White acrylic diffuser  
 Durable powder coat finish for outdoor applications  
 Minimum starting temp -4° F/-20° C

HEIGHT	17" H	28" H
WIDTH	5-1/2" W	5-1/2" W
DEPTH	3-3/8" D	4" D
DELIVERED LUMENS	1032	1360
WATTAGE	24W	28W
VOLTAGE	120-277V	
COLOR TEMP	Adjustable 3000K/3500K/4000K	
CRI	>90	
DIMMING	0-10V	
FINISH	Textured Bronze or Textured Grey	

ORDERING INFORMATION

<b>SERIES</b>		<b>FINISH</b>
LASW051728LAJD2	17"	BZ Textured Bronze
LASW052833LAJD2	28"	TG Textured Grey

Ex: LASW052833LAJD2TG



OUTDOOR



# RIVERS

Aluminum construction  
 Clear seeded glass diffuser  
 Durable powder coat finish for outdoor applications  
 Minimum starting temp -4° F/-20° C


HEIGHT	12-1/2" H	18-1/2" H
WIDTH	4-3/4" W	5-1/2" W
DEPTH	6-1/2" D	7" D
DELIVERED LUMENS	630	1070
WATTAGE	9W	15W
VOLTAGE	120V	
COLOR TEMP	3000K	
CRI	>90	
FINISH	Black or Textured Grey	

**ORDERING INFORMATION**

<b>SERIES</b>	<b>FINISH</b>
RIRW0512L30EN 12"	BK Black
RIRW0618L30EN 18"	TG Textured Grey

Ex: RIRW0512L30ENBK

**RELATED PRODUCTS**  
 Ceiling, p. 254



# BLAINE


Aluminum construction  
 White acrylic diffuser  
 Durable powder coat finish for outdoor applications  
 Minimum starting temp -4° F/-20° C

HEIGHT	15-3/4" H	23" H
WIDTH	4-3/4" W	4-3/4" W
DEPTH	4-1/2" D	4-1/2" D
DELIVERED LUMENS	1525	1645
WATTAGE	23W	28W
VOLTAGE	120-277V	
COLOR TEMP	3000K	
CRI	>90	
FINISH	Textured Bronze or Textured Grey	

**ORDERING INFORMATION**

<b>SERIES</b>	<b>FINISH</b>
BLW5161800L30MV 16"	BZ Textured Bronze
BLW5232800L30MV 23"	TG Textured Grey

Ex: BLW5161800L30MVBZ





BA  
10"



BK  
18"



BK  
24"

# ELSTON


Aluminum construction  
White acrylic diffuser  
Integrated dusk-to-dawn photocell  
Minimum starting temp -4° F/-20° C

HEIGHT	10" H	17-7/8" H	24" H
WIDTH	7" W	7" W	7" W
DEPTH	3-1/2" D	3-1/2" D	3-1/2" D
DELIVERED LUMENS	725	1175	1625
WATTAGE	13W	21W	25W
VOLTAGE	120V		
COLOR TEMP	Adjustable 3000K/3500K/4000K		
CRI	>90		
FINISH	Brushed Aluminum or Black		

### ORDERING INFORMATION

SERIES	FINISH
ELTW0710LAJD1 10"	BA Brushed Aluminum
ELTW0718LAJD1 18"	BK Black
ELTW0724LAJD1 24"	

Ex: ELTW0718LAJD1BA



OUTDOOR

# PAXTON


Aluminum construction  
 White acrylic diffuser  
 Durable powder coat finish for outdoor applications  
 Minimum starting temp -4° F/-20° C

HEIGHT	12" H	18" H
WIDTH	7" W	7" W
DEPTH	3-1/2" D	3-1/2" D
DELIVERED LUMENS	1138	1300
WATTAGE	20W	24W
VOLTAGE	120-277V	
COLOR TEMP	Adjustable 3000K/3500K/4000K	
CRI	>90	
DIMMING	0-10V	
FINISH	Textured Bronze or Textured Grey	

ORDERING INFORMATION

<b>SERIES</b>		<b>FINISH</b>
PAXW071223LAJD2	12"	BZ Textured Bronze
PAXW071828LAJD2	18"	TG Textured Grey

Ex: PAXW071828LAJD2TG



# STATE

Aluminum construction  
 White acrylic diffuser  
 Durable powder coat finish for outdoor applications  
 Minimum starting temp -4° F/-20° C  
 Option: Integrated dusk-to-dawn photocell

HEIGHT	12" H	17" H
WIDTH	4-1/2" W	4-3/4" W
DEPTH	3-1/2" D	3-1/2" D
DELIVERED LUMENS	766	1039
WATTAGE	19W	24W
VOLTAGE	120-277V	
COLOR TEMP	3000K	
CRI	>90	
FINISH	Textured Bronze or Textured Grey	

ORDERING INFORMATION

<b>SERIES</b>		<b>FINISH</b>	<b>OPTION</b>
SEW5121500L30MV	12"	BZ Textured Bronze	BLANK Standard
SEW5182300L30MV	17"	TG Textured Grey	-PC Photocell

Ex: SEW5182300L30MVBZ



# BEAUMONT CEILING

Die-cast aluminum construction  
 White acrylic diffuser  
 Durable powder coat finish for outdoor applications  
 Ceiling or wall mounting  
 Minimum starting temp -4° F/-20° C

HEIGHT	3-3/4" H	3-3/4" H
DIAMETER	8" DIA.	12" DIA.
DELIVERED LUMENS	1000	1763
WATTAGE	21W	29W
VOLTAGE	120-277V	
COLOR TEMP	Adjustable 3000K/3500K/4000K	
CRI	>90	
DIMMING	0-10V	
FINISH	Textured Bronze or Textured Grey	

ORDERING INFORMATION

<b>SERIES</b>	<b>FINISH</b>
BMF0816LAJD2 8"	BZ Textured Bronze
BMF1228LAJD2 12"	TG Textured Grey

Ex: BMF0816LAJD2BZ



BZ 12"



TG 8"



TG 21"

BZ 14"

# BEAUMONT SCONCE


Die-cast aluminum construction  
 White acrylic diffuser  
 Durable powder coat finish for outdoor applications  
 Vertical or horizontal mounting  
 Minimum starting temp -4° F/-20° C  
 Option: Integrated dusk-to-dawn photocell

HEIGHT	14-3/4" H	21" H
WIDTH	4-3/4" W	4-3/4" W
DEPTH	4-1/2" D	4-1/2" D
DELIVERED LUMENS	1123	1512
WATTAGE	19W	24W
VOLTAGE	120-277V	
COLOR TEMP	3000K	
CRI	>90	
FINISH	Textured Bronze or Textured Grey	

ORDERING INFORMATION

<b>SERIES</b>	<b>FINISH</b>	<b>OPTION</b>
BMW5171800L30MV 14"	BZ Textured Bronze	BLANK Standard
BMW5212800L30MV 21"	TG Textured Grey	-PC Photocell

Ex: BMW5212800L30MVTG



OUTDOOR

# AVENUE CEILING

Die-cast aluminum construction  
 White acrylic diffuser  
 Durable powder coat finish for outdoor applications  
 Ceiling or wall mounting  
 Minimum starting temp -4° F/-20° C

HEIGHT	8" H	12" H
WIDTH	8" W	12" W
DEPTH	3-3/4" D	3-3/4" D
DELIVERED LUMENS	745	1190
WATTAGE	21W	29W
VOLTAGE	120-277V	
COLOR TEMP	Adjustable 3000K/3500K/4000K	
CRI	>90	
DIMMING	0-10V	
FINISH	Textured Bronze or Textured Grey	

ORDERING INFORMATION

<b>SERIES</b>	<b>FINISH</b>
AUF0816LAJD2 8"	BZ Textured Bronze
AUF1228LAJD2 12"	TG Textured Grey

Ex: AUF0816LAJD2BZ



# AVENUE SCONCE

Die-cast aluminum construction  
 White acrylic diffuser  
 Durable powder coat finish for outdoor applications  
 Vertical or horizontal mounting  
 Minimum starting temp -4° F/-20° C  
 Option: Integrated dusk-to-dawn photocell

HEIGHT	12" H	18" H	36" H
WIDTH	5-1/2" W	7" W	8" W
DEPTH	3-1/2" D	3-1/2" D	4" D
DELIVERED LUMENS	1438	1647	2250
WATTAGE	24W	28W	42W
VOLTAGE	120-277V		
COLOR TEMP	3000K (12", 18") or Adjustable 3000K/3500K/4000K (36" ONLY*)		
CRI	>90		
DIMMING	0-10V (36" ONLY*)		
FINISH	Textured Bronze or Textured Grey		

ORDERING INFORMATION

<b>SERIES</b>	<b>FINISH</b>	<b>OPTION</b>
AUW6122500L30MV 12"	BZ Textured Bronze	BLANK Standard
AUW7183200L30MV 18"	TG Textured Grey	-PC Photocell
AUW103643LAJD2* 36"		

Ex: AUW7183200L30MVBZ



# EVERLY CEILING

Die-cast aluminum construction  
 White frosted glass diffuser  
 Ceiling mount  
 Durable powder coat finish for outdoor applications  
 Minimum starting temp -4° F/-20° C

HEIGHT	4-3/4" H	8" H
DIAMETER	4-1/4" DIA.	4-1/4" DIA.
DELIVERED LUMENS	660	660
WATTAGE	12W	12W
VOLTAGE	120-277V	
COLOR TEMP	3000K	
CRI	>90	
DIMMING	0-10V	
FINISH	Black	

ORDERING INFORMATION

**MODEL**

EVYW0405L30D2BK 5"  
 EVYW0408L30D2BK 8"



# EVERLY SCONCE


Die-cast aluminum construction  
 Clear acrylic diffuser  
 Up and down-light available  
 Durable powder coat finish for outdoor applications  
 Minimum starting temp -4° F/-20° C

HEIGHT	1-LIGHT	2-LIGHT
	8" H	12" H
WIDTH	4-1/4" W	4-1/4" W
	7"	7"
DEPTH	1038	2021
	12W	25W
VOLTAGE	120-277V	
COLOR TEMP	3000K	
CRI	>90	
FINISH	Black	

ORDERING INFORMATION

**MODEL**

EVYW070410L30MVBK 8" (1-LIGHT)  
 EVYW070418L30MVBK 12" (2-LIGHT)



OUTDOOR



# DAKOTA


Aluminum construction  
 Frosted glass diffuser  
 Down-light illumination  
 Durable powder coat finish for outdoor applications  
 Minimum starting temp -4° F/-20° C

HEIGHT	4-1/8" H
WIDTH	4-7/8" W
DEPTH	2-1/2" D
DELIVERED LUMENS	537
WATTAGE	12W
VOLTAGE	120-277V
COLOR TEMP	3000K
CRI	>90
DIMMING	0-10V
FINISH	Black, Bronze or White

### ORDERING INFORMATION

<b>SERIES</b>	<b>FINISH</b>
DKTW050410L30D2	BK Black
	BZ Bronze
	WH White

Ex: DKTW050410L30D2WH



BZ



WH



BK



# CONCORD

Aluminum construction  
 Frosted glass diffuser  
 Down-light illumination  
 Durable powder coat finish for outdoor applications  
 Minimum starting temp -4° F/-20° C

HEIGHT	4-1/2" H
WIDTH	10-1/2" W
DEPTH	4" D
SOURCE LUMENS	1000
WATTAGE	12W
VOLTAGE	120-277V
COLOR TEMP	3000K
CRI	>90
DIMMING	0-10V
FINISH	Black or White

ORDERING INFORMATION

<b>SERIES</b>	<b>FINISH</b>
CNCW100510L30D2	BK Black WH White

Ex: CNCW100510L30D2BK



WH



BK

OUTDOOR

# COLTON

Aluminum construction  
 Frosted glass diffuser  
 Down-light illumination  
 Durable powder coat finish for outdoor applications  
 Minimum starting temp -4° F/-20° C

HEIGHT	4-1/4" H
WIDTH	6-1/2" W
DEPTH	2-1/2" D
DELIVERED LUMENS	668
WATTAGE	12W
VOLTAGE	120-277V
COLOR TEMP	3000K
CRI	>90
DIMMING	0-10V
FINISH	Black or White



ORDERING INFORMATION

<b>SERIES</b>	<b>FINISH</b>
CLTW060410L30D2	BK Black WH White

Ex: CLTW060410L30D2BK



# WATSON


Aluminum construction  
 Frosted glass diffuser  
 Down-light illumination  
 Durable powder coat finish for outdoor applications  
 Minimum starting temp -4° F/-20° C

HEIGHT	6" H
WIDTH	5" W
DEPTH	3-1/2" D
DELIVERED LUMENS	424
WATTAGE	12W
VOLTAGE	120-277V
COLOR TEMP	3000K
CRI	>90
DIMMING	0-10V
FINISH	Black or White

ORDERING INFORMATION

<b>SERIES</b>	<b>FINISH</b>
WTNW0506L30D2	BK Black WH White

Ex: WTNW0506L30D2WH



# KNOX


Aluminum construction  
 Recessed frosted glass diffuser  
 Down-light illumination  
 Durable powder coat finish for outdoor applications  
 Minimum starting temp -4° F/-20° C

HEIGHT 10" H  
 WIDTH 6-1/4" W  
 DEPTH 3-1/2" D  
 SOURCE LUMENS 1000  
 WATTAGE 12W  
 VOLTAGE 120-277V  
 COLOR TEMP 3000K  
 CRI >90  
 DIMMING 0-10V  
 FINISH Bronze or White

ORDERING INFORMATION

**SERIES**  
 KNXW061010L30D2 | **FINISH**  
 BZ Bronze  
 WH White

Ex: KNXW061010L30D2BZ




# NEWPORT

Aluminum construction  
 Decorative stone backplate  
 Frosted glass diffuser  
 Minimum starting temp -4° F/-20° C

HEIGHT 13-3/4" H  
 WIDTH 4-3/4" W  
 DEPTH 3-1/2" D  
 DELIVERED LUMENS 500  
 WATTAGE 10W  
 VOLTAGE 120V  
 COLOR TEMP 3000K  
 CRI >80  
 FINISH Bronze Patina

ORDERING INFORMATION

**MODEL**  
 NWPW041409L30ENBP



OUTDOOR

# STRATFORD


Die-cast aluminum construction  
Clear crackle glass  
Integrated dusk-to-dawn photocell  
Minimum starting temp -4° F/-20° C

HEIGHT	15-1/4" H
WIDTH	8-1/2" W
DEPTH	9-3/4" D
DELIVERED LUMENS	725
WATTAGE	11W
VOLTAGE	120V
COLOR TEMP	3000K
CRI	>80
FINISH	Black

## ORDERING INFORMATION

### MODEL

SATW091508L30ENBK



# CAMPTON


Die-cast aluminum construction  
Clear water glass  
Integrated dusk-to-dawn photocell  
ST-19 LED vintage lamp included

HEIGHT	14-1/4" H
WIDTH	8" W
DEPTH	8-3/4" D
LIGHT SOURCE	(1) LAMP
WATTAGE	60W (MAX)
FINISH	Black

## ORDERING INFORMATION

### MODEL

CAMW0814MBK



# LENNON


Die-cast aluminum construction  
 Clear water glass  
 Integrated dusk-to-dawn photocell  
 Minimum starting temp -4° F/-20° C  
 Medium base socket 60W Max\* (lamp not included)

HEIGHT 11" H  
 WIDTH 7" W  
 DEPTH 9" D  
 LIGHT SOURCE (1) LAMP  
 WATTAGE 60W (MAX)  
 FINISH Black

ORDERING INFORMATION

**MODEL**  
 LNNW071IMBBK

\*Socket can be labeled for reduced wattage upon request.



# LENNON


Die-cast aluminum construction  
 Clear water glass  
 Motion sensor  
 Integrated dusk-to-dawn photocell  
 Minimum starting temp -4° F/-20° C  
 Medium base socket 60W Max\* (lamp not included)

HEIGHT 14" H  
 WIDTH 9" W  
 DEPTH 11" D  
 LIGHT SOURCE (1) LAMP  
 WATTAGE 60W (MAX)  
 FINISH Black

ORDERING INFORMATION

**MODEL**  
 LNNW0914MBBK

\*Socket can be labeled for reduced wattage upon request.



OUTDOOR



GY



BZ

# VENTURA

Die-cast aluminum construction  
White acrylic diffuser  
Minimum starting temp -4° F/-20° C


HEIGHT	9-7/8" H
WIDTH	7-1/8" W
DEPTH	3-1/2" D
SOURCE LUMENS	1000
WATTAGE	9W
VOLTAGE	120V
COLOR TEMP	3000K
CRI	>80
FINISH	Grey or Oil-Rubbed Bronze

ORDERING INFORMATION

<b>SERIES</b>	VNTW071010L30EN	<b>FINISH</b>	BZ Oil-Rubbed Bronze GY Grey
---------------	-----------------	---------------	---------------------------------

Ex: VNTW071010L30ENGY

RELATED PRODUCTS  
Sconce, p. 207



# CAPE


Die-cast aluminum construction with protective guard  
Frosted ribbed glass diffuser  
Durable powder coat finish for outdoor applications  
Minimum starting temp -4° F/-20° C

HEIGHT	8-1/2" H
WIDTH	5" W
DEPTH	4-3/8" D
DELIVERED LUMENS	430
WATTAGE	6W
VOLTAGE	120V
COLOR TEMP	3000K
CRI	>90
FINISH	Black or White

ORDERING INFORMATION

<b>SERIES</b>	CAPW050804L30EN	<b>FINISH</b>	BK Black* WH White
---------------	-----------------	---------------	-----------------------

Ex: CAPW050804L30ENBK



WH



BK


# BUTLER

Aluminum construction  
 White glass diffuser  
 Minimum starting temp -4° F/-20° C

HEIGHT 10-1/2" H  
 WIDTH 8-3/4" W  
 DEPTH 10-1/2" D  
 DELIVERED LUMENS 478  
 WATTAGE 9W  
 VOLTAGE 120V  
 COLOR TEMP 3000K  
 CRI >80  
 FINISH Black

ORDERING INFORMATION

**MODEL**  
 BTLW061007L30ENBK




# PATRIOT

Aluminum construction  
 Frosted glass diffusers  
 Integrated dusk-to-dawn photocell  
 Minimum starting temp -4° F/-20° C

HEIGHT 12-1/4" H  
 WIDTH 8" W  
 DEPTH 5" D  
 SOURCE LUMENS 700  
 WATTAGE 9W  
 VOLTAGE 120V  
 COLOR TEMP 5000K  
 CRI >80  
 FINISH Black

ORDERING INFORMATION

**MODEL**  
 PSW0812700L50BK




# CLARK

Aluminum construction  
 Clear water glass  
 Minimum starting temp -4° F/-20° C

HEIGHT 12-1/4" H  
 WIDTH 6-1/2" W  
 DEPTH 8-1/2" D  
 DELIVERED LUMENS 450  
 WATTAGE 6W  
 VOLTAGE 120V  
 COLOR TEMP 3000K  
 CRI >80  
 FINISH Black

ORDERING INFORMATION

**MODEL**  
 CLKW450L30BK



OUTDOOR


# DAWSON

Aluminum construction  
 White glass diffuser  
 Integrated dusk-to-dawn photocell  
 Minimum starting temp -4° F/-20° C

HEIGHT 9-1/4" H  
 WIDTH 6-1/8" W  
 DEPTH 6-7/8" D  
 SOURCE LUMENS 350  
 WATTAGE 6W  
 VOLTAGE 120V  
 COLOR TEMP 3000K  
 CRI >80  
 FINISH Black

ORDERING INFORMATION

**MODEL**  
 DWSW300L30BKWGPC




# BRISTOL

Aluminum construction  
 Frosted polycarbonate diffuser  
 Integrated dusk-to-dawn photocell (PC-50)  
 Minimum starting temp -4° F/-20° C

FINISH	BLACK	WHITE
HEIGHT	9-1/2" H	9-1/2" H
WIDTH	7-3/4" W	7-3/4" W
DEPTH	4-1/2" D	4-1/2" D
SOURCE LUMENS	700	900
WATTAGE	9W	12W
VOLTAGE	120V	120V
COLOR TEMP	5000K	3000K
CRI	>80	>80

ORDERING INFORMATION

**MODEL**  
 BSSW0810700L50BK Black  
 BSSW0810700L50BKPC-50\* Black with photocell  
 BSSW081009L30ENWH8\* White



BK



WH

# LED WALL PACK


Die-cast metal construction  
Clear prismatic diffuser  
Minimum starting temp -4° F/-20° C

HEIGHT	13-1/4" H	13-1/4" H
WIDTH	4-1/2" W	4-1/2" W
DEPTH	3-3/4" D	3-3/4" D
SOURCE LUMENS	900	1200
WATTAGE	9W	17W
VOLTAGE	120V	
COLOR TEMP	5000K	
CRI	>80	
FINISH	Oil-Rubbed Bronze	

ORDERING INFORMATION

**MODEL**

TPWW700L50RB	9W
TPWW1100L50RB	17W



# LED WALL PACK

Metal construction  
White polycarbonate prismatic diffuser  
Minimum starting temp -4° F/-20° C

HEIGHT	14" H
WIDTH	5-1/8" W
DEPTH	2-3/4" D
SOURCE LUMENS	900
WATTAGE	9W
VOLTAGE	120V
COLOR TEMP	5000K
CRI	>80
FINISH	White

ORDERING INFORMATION

**MODEL**

TPWW70050LWH
--------------



# LED WALL PACK


Die-cast aluminum construction  
Clear polycarbonate prismatic diffuser  
Minimum starting temp -4° F/-20° C

HEIGHT	10-1/2" H
WIDTH	6" W
DEPTH	4" D
SOURCE LUMENS	900
WATTAGE	9W
VOLTAGE	120V
COLOR TEMP	5000K
CRI	>80
FINISH	White

ORDERING INFORMATION

**MODEL**

TPUW700L50WH
--------------



OUTDOOR


# LED PORCH

Polycarbonate construction  
 Frosted polycarbonate diffuser  
 Minimum starting temp -4° F/-20° C

HEIGHT	7-1/2" H
WIDTH	4-1/2" W
DEPTH	5-7/8" D
DELIVERED LUMENS	680
WATTAGE	9W
VOLTAGE	120V
COLOR TEMP	5000K
CRI	>80
FINISH	Black

ORDERING INFORMATION

**MODEL**  
 BWSW70050LBK




# LED WALL PACK

Aluminum construction  
 White polycarbonate diffuser  
 Minimum starting temp -4° F/-20° C

HEIGHT	8-3/8" H
WIDTH	5-1/8" W
DEPTH	2-1/8" D
DELIVERED LUMENS	650
WATTAGE	9W
VOLTAGE	120V
COLOR TEMP	3000K
CRI	>80
FINISH	Black

ORDERING INFORMATION

**MODEL**  
 WAS08650L30BK




# LED WALL PACK

Polycarbonate construction  
 Clear acrylic diffuser  
 Integrated dusk-to-dawn photocell  
 Minimum starting temp -4° F/-20° C

HEIGHT	8" H
WIDTH	5-3/8" W
DEPTH	2-1/8" D
DELIVERED LUMENS	1715
WATTAGE	20W
VOLTAGE	120-277V
COLOR TEMP	5000K
CRI	>90
FINISH	Black

ORDERING INFORMATION

**MODEL**  
 BWSW060822L50MVBK



# LED FLOOD


Die-cast aluminum construction  
 Clear polycarbonate prismatic diffuser  
 Minimum starting temp -4° F/-20° C

HEIGHT	4" H	4" H	4" H
WIDTH	8" W	8" W	8" W
DEPTH	5-7/8" D	5-7/8" D	5-7/8" D
DELIVERED LUMENS	790	1350	2900
WATTAGE	9W	13.5W	28W
VOLTAGE	120V		
COLOR TEMP	5000K		
CRI	>80		
FINISH	Black		

ORDERING INFORMATION

**MODEL**

TPDW70050LBK	9W
TPDW1300L50BK	13.5W
TPDW4000L50BK	28W



# LED UTILITY

Aluminum construction  
 Clear prismatic diffuser  
 Minimum starting temp -4° F/-20° C

HEIGHT	10-1/2" H	10-1/2" H
WIDTH	10-1/2" W	10-1/2" W
DEPTH	4" D	4" D
DELIVERED LUMENS	700	1600
WATTAGE	9W	17W
VOLTAGE	120V	
COLOR TEMP	5000K	
CRI	>80	
FINISH	White	

ORDERING INFORMATION

**MODEL**

TPFW70050LWH	9W
TPFW110050LWH	17W



OUTDOOR


# LED SECURITY

Polycarbonate construction  
 Frosted polycarbonate diffuser  
 Integrated dusk-to-dawn photocell  
 Minimum starting temp -4° F/-20° C

HEIGHT 10" H  
 WIDTH 7-1/2" W  
 DEPTH 4-3/8" D  
 SOURCE LUMENS 1800  
 WATTAGE 18W  
 VOLTAGE 120V  
 COLOR TEMP 4100K  
 CRI >80  
 FINISH Bronze

ORDERING INFORMATION

**MODEL**  
**BWSW1600L41RB**




Polycarbonate construction  
 Frosted polycarbonate diffuser  
 Integrated dusk-to-dawn photocell  
 Minimum starting temp -4° F/-20° C

HEIGHT 11" H  
 WIDTH 6-3/8" W  
 DEPTH 5-1/2" D  
 DELIVERED LUMENS 2430  
 WATTAGE 27W  
 VOLTAGE 120V  
 COLOR TEMP 4100K  
 CRI >80  
 FINISH Bronze

ORDERING INFORMATION

**MODEL**  
**BWSW2400L41RB**




Aluminum construction  
 Clear acrylic diffuser  
 Integrated dusk-to-dawn photocell  
 Minimum starting temp -4° F/-20° C

HEIGHT 11" H  
 WIDTH 6-7/8" W  
 DEPTH 5-1/4" D  
 SOURCE LUMENS 1400  
 WATTAGE 12W  
 VOLTAGE 120V  
 COLOR TEMP 5000K  
 CRI >80  
 FINISH Bronze

ORDERING INFORMATION

**MODEL**  
**BWSW1400L50RB**





next evolution lighting

OVERBED



# CURVE


Decorative metal trim  
 White diffuser  
 Provides 50 footcandles of reading light over bed  
 On/off pull switch

LENGTH	36" L	48" L
HEIGHT	5-1/2" H	5-1/2" H
DEPTH	4" D	4" D
DELIVERED LUMENS	4225	5225
WATTAGE	50W	65W
VOLTAGE	120V	
COLOR TEMP	3000K	
CRI	>80	
FINISH	Satin Brass or Satin Nickel	

## ORDERING INFORMATION

<b>SERIES</b>	<b>FINISH</b>
CURB36L30EN 36"	SB Satin Brass
CURB48L30EN 48"	SN Satin Nickel

Ex: CURB36L30ENSN



36"  
SB



48"  
SN

# APEX

Solid wood accent detail  
 LumaFuse™ laminated fabric/acrylic shade  
 White acrylic bottom and top diffuser  
 Provides 50 footcandles of reading light over bed  
 4-way pull switch  
 Night light

LENGTH	38" L	50" L
HEIGHT	4-3/8" H	4-3/8" H
DEPTH	4" D	4" D
SOURCE LUMENS	1350 up/2700 down	1800 up/3600 down
WATTAGE	60W	80W
VOLTAGE	120V	
COLOR TEMP	3000K	
CRI	>90	
FINISH	Espresso or Weathered Grey	
FABRIC	Jute or Linen White	



ORDERING INFORMATION

SERIES	FINISH	FABRIC
APB3940L30EN 38"	ES Espresso	-JT Jute
APB5154L30EN 50"	WG Weathered Grey	-LW Linen White

Ex: APB3940L30ENES-LW

RELATED PRODUCTS


- Pendant, p. 144
- Sconce, p. 202
- Ceiling, p. 259
- Vanity, p. 314



# HOLLY


Decorative metal trim  
 Acrylic diffuser  
 Provides 50 footcandles of reading light over bed  
 On/off pull switch

LENGTH	36" L	48" L
HEIGHT	6" H	6" H
DEPTH	3" D	3" D
DELIVERED LUMENS	3910	5000
WATTAGE	50W	65W
VOLTAGE	120V	
COLOR TEMP	3000K	
CRI	>80	
FINISH	Satin Nickel	



ORDERING INFORMATION

MODEL	LENGTH
HLYB36L30ENSN	36"
HLYB48L30ENSN	48"



OVERBED



# SCOTT


Wraparound metal frame  
 White acrylic diffuser  
 Provides 50 footcandles of reading light over bed  
 4-way pull switch  
 Night light

LENGTH	38" L	50" L
HEIGHT	5" H	5" H
DEPTH	4" D	4" D
SOURCE LUMENS	1350 up/2700 down	1800 up/3600 down
WATTAGE	60W	80W
VOLTAGE	120V	
COLOR TEMP	3000K	
CRI	>90	
FINISH	Distressed Grey	



**ORDERING INFORMATION**

**MODEL**  
 SCTB3840L30ENDG 38"  
 SCTB5054L30ENDG 50"



# MARQUETTE

Linen acrylic front diffuser  
 White acrylic bottom and top diffuser  
 Provides 50 footcandles of reading light over bed  
 4-way pull switch  
 Night light

LENGTH	38" L	50" L
HEIGHT	5" H	5" H
DEPTH	4" D	4" D
SOURCE LUMENS	1350 up/2700 down	1800 up/3600 down
WATTAGE	60W	80W
VOLTAGE	120V	
COLOR TEMP	3000K	
CRI	>90	
FINISH	Walnut	



ORDERING INFORMATION

**MODEL**  
 MQTB3840L30ENWN 38"  
 MQTB5054L30ENWN 50"



# ALLEN

Decorative metal end caps  
 Linen acrylic front diffuser  
 White acrylic bottom and top diffuser  
 Provides 50 footcandles of reading light over bed  
 4-way pull switch  
 Night light

LENGTH	41-3/8" L	53-1/4" L
HEIGHT	4-3/8" H	4-3/8" H
DEPTH	3-3/4" D	3-3/4" D
SOURCE LUMENS	1350 up/2700 down	1800 up/3600 down
WATTAGE	60W	80W
VOLTAGE	120V	
COLOR TEMP	3000K	
CRI	>90	
FINISH	Oil-Rubbed Bronze or Satin Nickel	



OVERBED

ORDERING INFORMATION

**SERIES**  
 ALNB4040L30EN 41" **FINISH**  
 ALNB5254L30EN 53" RB Oil-Rubbed Bronze  
 SN Satin Nickel

Ex: ALNB4040L30ENSN

RELATED PRODUCTS  
 Vanity, p. 319



# RANDOLPH

Faux metal finish  
 LumaFuse™ laminated fabric/acrylic shade  
 White acrylic bottom and top diffuser  
 Provides 50 footcandles of reading light over bed  
 4-way pull switch  
 Night light

LENGTH	38" L	50" L
HEIGHT	4-7/8" H	4-7/8" H
DEPTH	4" D	4" D
SOURCE LUMENS	1350 up/2700 down	1800 up/3600 down
WATTAGE	60W	80W
VOLTAGE	120V	
COLOR TEMP	3000K	
CRI	>90	
FINISH	Oil-Rubbed Bronze or Satin Nickel	
FABRIC	Jute or Linen White	



### ORDERING INFORMATION

SERIES	FINISH	FABRIC
RAB384000L30EN 38"	RB Oil-Rubbed Bronze	-JT Jute
RAB505400L30EN 50"	SN Satin Nickel	-LW Linen White


Ex: RAB384000L30ENRB-LW



# HAYES

Wraparound metal frame  
 Linen acrylic front diffuser  
 White acrylic bottom and top diffuser  
 Provides 50 footcandles of reading light over bed  
 4-way pull switch  
 Night light

LENGTH	36-3/4" L	48-3/4" L
HEIGHT	4-1/2" H	4-1/2" H
DEPTH	3-1/2" D	3-1/2" D
SOURCE LUMENS	1350 up/2700 down	1800 up/3600 down
WATTAGE	60W	80W
VOLTAGE	120V	
COLOR TEMP	3000K	
CRI	>90	
FINISH	Oil-Rubbed Bronze or Satin Nickel	



### ORDERING INFORMATION

SERIES	FINISH
HAYB3740L30EN 37"	RB Oil-Rubbed Bronze
HAYB4954L30EN 49"	SN Satin Nickel

Ex: HAYB3740L30ENSN



# SHERIDAN

Decorative metal trim  
 White linen patterned acrylic front diffuser  
 White acrylic bottom and clear top diffuser  
 Provides 50 footcandles of reading light over bed  
 4-way pull switch  
 Night light

LENGTH	44-1/4" L	56-1/4" L
HEIGHT	4-5/8" H	4-5/8" H
DEPTH	6-1/2" D	6-1/2" D
SOURCE LUMENS	1350 up/2700 down	1800 up/3600 down
WATTAGE	36W	46W
VOLTAGE	120V	
COLOR TEMP	3000K	
CRI	>90	
FINISH	Champagne or Satin Nickel	



ORDERING INFORMATION

<b>SERIES</b>		<b>FINISH</b>
SHB44400L30EN	44"	AC Champagne
SHB565400L30EN	56"	SN Satin Nickel

Ex: SHB565400L30ENAC

RELATED PRODUCTS

Sconce, p. 205



# ALGIERS

Metal trim ends  
 Linen acrylic diffuser  
 Provides 50 footcandles of reading light over bed  
 4-way pull switch  
 Night light

LENGTH	37-1/4" L	49-1/4" L
HEIGHT	4-1/2" H	4-1/2" H
DEPTH	4" D	4-7/8" D
SOURCE LUMENS	1350 up/2700 down	1800 up/3600 down
WATTAGE	60W	80W
VOLTAGE	120V	
COLOR TEMP	3000K	
CRI	>90	
FINISH	Satin Nickel	



OVERBED

ORDERING INFORMATION

<b>SERIES</b>		<b>FINISH</b>
ALB374000L30EN*	37"	SN-LA Satin Nickel
ALB495400L30EN	49"	

Ex: ALB495400L30ENSN-LA

RELATED PRODUCTS

Vanity, p. 321





# IDEAL

Tapered front with faux wood finish accents  
 White acrylic diffuser  
 Provides 50 footcandles of reading light over bed  
 4-way pull switch  
 Night light

LENGTH	39-7/8" L	51-7/8" L
HEIGHT	5-3/8" H	5-3/8" H
DEPTH	6-1/4" D	6-1/4" D
SOURCE LUMENS	1350 up/2700 down	1800 up/3600 down
WATTAGE	36W	46W
VOLTAGE	120V	
COLOR TEMP	3000K	
CRI	>90	
FINISH	Brushed Nickel, Light Oak, Mahogany	

### ORDERING INFORMATION

<b>SERIES</b>		<b>FINISH</b>
IDB394000L30EN	40"	BN Brushed Nickel
IDB515400L30EN	52"	LK Light Oak
		MH Mahogany

Ex: IDB515400L30ENBN

RELATED PRODUCTS:  
 Sconce, p. 209  
 Ceiling, p. 265

### FLUORESCENT ORDERING INFORMATION

120V electronic ballast  
 120-277V option available without switch and night light (consult factory)  
 Lamps not included

Brushed Nickel	Light Oak	Mahogany	Qty.	Lamp	L	H	D
IDB325E8BN	IDB325E8LK	IDB325E8MH	3	F25T8	39-7/8"	5-3/8"	6-1/4"
IDB332E8BN	IDB332E8LK	IDB332E8MH	3	F32T8	51-7/8"	5-3/8"	6-1/4"





OVERBED

AFX

375

# CAMERON

Solid wood trim frame  
 White acrylic bottom and clear top diffuser  
 Provides 50 footcandles of reading light over bed  
 4-way pull switch  
 Night light




LENGTH	39-5/8" L	51-5/8" L
HEIGHT	6" H	6" H
DEPTH	5-3/4" D	5-3/4" D
SOURCE LUMENS	1350 up/2700 down	1800 up/3600 down
WATTAGE	36W	46W
VOLTAGE	120V	
COLOR TEMP	3000K	
CRI	>90	
FINISH	Cherry or Espresso	

ORDERING INFORMATION

<b>SERIES</b>		<b>FINISH</b>
CMB394000L30EN	40"	CH Cherry
CMB515400L30EN	52"	ES Espresso

Ex: CMB515400L30ENES



# HINSDALE

Solid wood crown molding frame  
 White acrylic bottom and clear top diffuser  
 Provides 50 footcandles of reading light over bed  
 4-way pull switch  
 Night light

LENGTH	43" L	55" L
HEIGHT	6" H	6" H
DEPTH	7-1/4" D	7-1/4" D
SOURCE LUMENS	1350 up/2700 down	1800 up/3600 down
WATTAGE	36W	46W
VOLTAGE	120V	
COLOR TEMP	3000K	
CRI	>90	
FINISH	Ivory or White	




ORDERING INFORMATION

<b>SERIES</b>		<b>FINISH</b>
HDB434000L30EN	43"	PI Ivory
HDB554000L30EN	55"	WH White


Ex: HDB434000L30ENWH







378 AFXinc.com



SB



BK



SN

# GLO

Perimeter illumination top and bottom  
White acrylic diffuser

DEPTH	2" D
LENGTH	47-1/4" L
WIDTH	11-3/4" W
DELIVERED LUMENS	2675
WATTAGE	40W
VOLTAGE	120V
COLOR TEMP	3000K
CRI	>90
DIMMING	TRIAC/ELV
FINISH	Black, Satin Brass, or Satin Nickel

### ORDERING INFORMATION

<b>SERIES</b>	<b>FINISH</b>
GL0L4812L30D1	BK Black
	SB Satin Brass
	SN Satin Nickel

Ex: GL0L4812L30D1SB

RELATED PRODUCTS:  
Pendant, p. 33, 34  
Sconce, p. 164  
Vanity, p. 283



LINEAR





# BAILEY

Wide metal trim band or optional grey fabric\*  
 White acrylic diffuser  
 Options: Emergency Battery Back-Up, Motion Sensor,  
 or Emergency Battery Back-Up with Motion Sensor (EXCLUDES 24"\*\*)  
 See pages 398-399 for more information

DEPTH	2-3/4" D	2-3/4" D
LENGTH	24" L	46" L
WIDTH	8" W	8" W
DELIVERED LUMENS	2000	3350
WATTAGE	25W	45W
VOLTAGE	120-277V	
COLOR TEMP	Adjustable - 2700K/3000K/3500K/4000K/5000K	
CRI	>90	
DIMMING	0-10V (120-277V) & TRIAC/ELV (120V)	
FINISH	Black or Satin Nickel	
FABRIC	Grey*	

**ORDERING INFORMATION**

<b>SERIES</b>	<b>FINISH</b>	<b>OPTION</b>
BAYL2408LAJUD 24"	BK Black	BLANK Standard
BAYL4608LAJUD** 46"	SN Satin Nickel	-BB Emergency Battery Back-Up
	GY Grey Fabric*	-MS Bi-level Motion Sensor
		-MSBB Battery Back-Up with Motion Sensor

Ex: BAYL2408LAJUDSN

\*Minimum order quantity required, consult factory.

RELATED PRODUCTS:  
 Ceiling, p. 231





# LUGANO


Ultra low profile design with edge-lit light panel  
 Extruded metal frame  
 Convenient lift and shift installation

LENGTH	24" L	24" L	48" L
WIDTH	12" W	24" W	12" W
DEPTH	3/4" D	3/4" D	3/4" D
DELIVERED LUMENS	1870	3350	3350
WATTAGE	25W	30W	40W
VOLTAGE	120-277V		
COLOR TEMP	Adjustable 3000K/4000K/5000K		
CRI	>90		
DIMMING	TRIAC/ELV (120V)		
FINISH	Black or White		

### ORDERING INFORMATION

SERIES	SIZE	FINISH
LGNL2412LAJD4	24" x 12"	BK Black
LGNL2424LAJD4	24" x 24"	WH White
LGNL4812LAJD4	48" x 12"	

Ex: LGNL2424LAJD4BK



Scan for product video



LINEAR





# SLOANE

LED flat panel, low profile construction  
Extruded metal frame


LENGTH	27" L	50-1/4" L
WIDTH	15" W	15" W
DEPTH	2" D	2" D
DELIVERED LUMENS	1800	3200
WATTAGE	26W	39W
VOLTAGE	120V	
COLOR TEMP	3000K	
CRI	>90	
DIMMING	TRIAC/ELV	
FINISH	Satin Nickel or White	

### ORDERING INFORMATION

<b>SERIES</b>		<b>FINISH</b>
SLF12241800L30D1	27"	SN Satin Nickel
SLL12483200L30D1	50"	WH White

Ex: SLF12241800L30DISN

RELATED PRODUCTS:  
Ceiling, p. 256



# ZURICH


LED flat panel, low profile construction  
Extruded metal frame

LENGTH 51" L  
 WIDTH 15" W  
 DEPTH 2-3/8" D  
 DELIVERED LUMENS 3100  
 WATTAGE 39W  
 VOLTAGE 120V  
 COLOR TEMP 3000K  
 CRI >90  
 DIMMING TRIAC/ELV  
 FINISH Satin Nickel or White

ORDERING INFORMATION

**SERIES**  
ZUL12483200L30D1

**FINISH**  
SN Satin Nickel  
WH White



# ATLAS

LED flat panel, low profile construction  
Extruded metal frame

LENGTH 50-3/8" L  
 WIDTH 15" W  
 DEPTH 2" D  
 DELIVERED LUMENS 3100  
 WATTAGE 39W  
 VOLTAGE 120V  
 COLOR TEMP 3000K  
 CRI >90  
 DIMMING TRIAC/ELV  
 FINISH Oil-Rubbed Bronze or Satin Nickel

ORDERING INFORMATION

**SERIES**  
ATL12483200L30D1

**FINISH**  
RB Oil-Rubbed Bronze  
SN Satin Nickel

Ex: ATL12483200L30DIRB



LINEAR



# LED CLOUD

Narrow profile  
White acrylic diffuser

LENGTH	49-3/4" L	49-3/4" L	49-3/4" L
WIDTH	9-3/8" W	9-3/8" W	9-3/8" W
DEPTH	3-1/4" D	3-1/4" D	3-1/4" D
SOURCE LUMENS	3000	4100	5000
WATTAGE	36W	52W	60W
VOLTAGE	120V		
COLOR TEMP	Adjustable 3000K or 4000K		
CRI	>90		
DIMMING	TRIAC/ELV		
FINISH	White		

ORDERING INFORMATION

**MODEL**

LCL3000LAJD1	36W
LCL4100LAJD1	52W
LCL5000LAJD1*	60W



# RIGBY FLUORESCENT

Narrow profile  
White acrylic diffuser  
Lift and shift mount  
120V Electronic Ballast (R8) or 120-277V Ballast (MV)

ORDERING INFORMATION

120V	120-277V	QTY.	LAMP	L	W	D
RC232R8	-	2	F32T8	50-3/4"	10-1/2"	4-7/8"
RC417R8	-	4	F17T8	24-1/2"	15"	5-1/4"
RC432R8	RC432MV	4	F32T8	50-3/4"	15"	5-1/4"





# LISLE

Pre-finished white steel housing  
 White acrylic diffuser  
 1/2" knockouts on all sides to allow for numerous power input options  
 Surface mount to a ceiling mount  
 End-to-end mounting  
 Options: Emergency Battery Back-Up, Motion Sensor or Emergency Battery Back-Up with Motion Sensor  
 See pages 398-399 for more information



LENGTH	48" L
WIDTH	4-7/8" W
DEPTH	3-1/2" D
DELIVERED LUMENS	2900
WATTAGE	34W
VOLTAGE	120-277V (MV, non-dimming) or 120-277V (D2, dimming motion sensor)
COLOR TEMP	Adjustable 3000K or 4000K
CRI	>90
FINISH	White

**ORDERING INFORMATION**


Non-Dimming	LED	Delivered Lumens	Adjustable CCT	L	W	D
LSL484100LAJMVWH	34W	2900	3000K or 4000K	48"	4-7/8"	3-1/2"
LSL484100LAJMVWHBB	34W	2900	3000K or 4000K	48"	4-7/8"	3-1/2"

With Dimming Motion Sensor	LED	Delivered Lumens	Adjustable CCT	L	W	D
LSL484100LAJD2WH-MS	34W	2900	3000K or 4000K	48"	4-7/8"	3-1/2"
LSL484100LAJD2WH-MSBB	34W	2900	3000K or 4000K	48"	4-7/8"	3-1/2"



LINEAR





# SHAW

White steel housing  
 Frosted acrylic diffuser  
 Option: Emergency Battery Back-Up (EXCLUDES 24")  
 See pages 399 for more information

LENGTH	24" L	47-1/4" L
WIDTH	5-1/4" W	5-1/4" W
DEPTH	2-3/8" D	2-3/8" D
DELIVERED LUMENS	2000	4000
WATTAGE	25W	40W
VOLTAGE	120-277V	
COLOR TEMP	3000K/4000K/5000K	
CRI	>90	
FINISH	White	



### ORDERING INFORMATION

MODEL	OPTION
SHAL052220LAJMV 24"	BLANK Standard
SHAL054840LAJMV* 47"	-BB Emergency Battery Back-Up



# SPRING



White steel housing  
 Clear prismatic diffuser  
 Spring loaded end cap for easy lens maintenance  
 Options: Emergency Battery Back-Up (-BB), Motion Sensor, (-MS)  
 or Emergency Battery Back-Up with Motion Sensor (-MSBB)  
 Single or Adjustable CCT models  
 See pages 398-399 for more information

### LED

120-277V universal voltage driver  
 50,000 hr. LED life, 80 CRI single models, 90 CRI adjustable models

White	LED	Source Lumens	CCT	L	W	D
SPRL052424L40MV*	26W	2400	4000K	24"	5-3/8"	2-3/8"
SPRL054836L40MV*	40W	3600	4000K	48"	5-3/8"	2-3/8"
SPRL074873L40MV*	55W	7300	4000K	48"	6-1/2"	3"
SPRL074873L40MV-BB	55W	7300	4000K	48"	6-1/2"	3"



White	LED	Delivered Lumens	Adjustable CCT	L	W	D
SPRL052424LAJMV	26W	2100	3000K/4000K/5000K	24"	5-3/8"	2-3/8"
SPRL054836LAJMV	40W	3400	3000K/4000K/5000K	48"	5-3/8"	2-3/8"
SPRL054836LAJMV-BB	40W	3400	3000K/4000K/5000K	48"	5-3/8"	2-3/8"
SPRL054836LAJMV-MS	40W	3400	3000K/4000K/5000K	48"	5-3/8"	2-3/8"
SPRL054836LAJMV-MSBB	40W	3400	3000K/4000K/5000K	48"	5-3/8"	2-3/8"





# PIERCE

White steel housing  
 White acrylic diffuser  
 Option: Motion Sensor  
 See pages 398 for more information

LENGTH	24" L	44-7/8" L
WIDTH	6-1/2" W	6-1/2" W
DEPTH	2-3/4" D	2-3/4" D
SOURCE LUMENS	2500	5000
WATTAGE	23W	50W
VOLTAGE	120-277V	
COLOR TEMP	Adjustable 2700K/3000K/3500K/4000K/5000K	
CRI	>90	
DIMMING	0-10V (120-277V) & TRIAC/ELV (120V)	
FINISH	White	



### ORDERING INFORMATION

<b>MODEL</b>	<b>OPTION</b>
PRCL2407L5AJUDWH 24"	BLANK Standard
PRCL4507L5AJUDWH 45"	-MS Motion Sensor



# RETROFIT KIT

For ceiling applications  
 Easy magnetic mount to back plate  
 Dual linear LED module  
 Replaces (2) 32W T8 linear fluorescent

LED BOARD X 4	22-1/4" L X 7/8" W
SOURCE LUMENS	3500
WATTAGE	35W
VOLTAGE	120-277V
COLOR TEMP	4000K
CRI	>80
FINISH	White



### ORDERING INFORMATION

<b>MODEL</b>
RFKIT35



LINEAR



# LED WRAP

White steel housing  
Frosted white prismatic acrylic diffuser

LENGTH	24" L	48" L	48" L
WIDTH	7" W	7" W	7" W
DEPTH	2-3/8" D	2-3/8" D	2-3/8" D
SOURCE LUMENS	2500	3000	5000
WATTAGE	30W	36W	60W
VOLTAGE	120V (D1) or 120-277V (D2)		
COLOR TEMP	Adjustable 3000K or 4000K		
CRI	>90		
DIMMING	0-10V (120-277V) & TRIAC/ELV (120V)		
FINISH	White		

ORDERING INFORMATION

MODEL		2500 SOURCE LUMENS		3000 SOURCE LUMENS		5000 SOURCE LUMENS	
LWL07242500LAJD1	24"	LWL07483000LAJD1	48"	LWL07485000LAJD1	48"	LWL07485000LAJD1	48"
LWL07242500LAJD2	24"	LWL07483000LAJD2	48"	LWL07485000LAJD2	48"	LWL07485000LAJD2	48"



# LED WRAP

White steel housing  
Frosted white prismatic acrylic diffuser

LENGTH	48" L	48" L
WIDTH	7" W	11-1/2" W
DEPTH	2-3/8" D	2-1/2" D
SOURCE LUMENS	3600	7200
WATTAGE	30W	52W
VOLTAGE	120-277V	
COLOR TEMP	4000K	
CRI	>90	
FINISH	White	

ORDERING INFORMATION

MODEL		3600 SOURCE LUMENS		7200 SOURCE LUMENS	
LWL07483600L40MV		LWL13487200L40MV			





## WRAP FLUORESCENT

White steel housing  
 Clear prismatic or white diffuser  
 Flush, stem or row mounting  
 Compatible with T8 Fluorescent or Type A - LED Tubes  
 120V Electronic Ballast (R8) or 120-277V Ballast (MV)

ORDERING INFORMATION

PRISMATIC						WHITE							
120V	120-277V	QTY.	LAMP	L	W	D	120V	120-277V	QTY.	LAMP	L	W	D
LW217R8	-	2	F17T8	24"	7"	2-3/8"	LW217WAR8	-	2	F17T8	24"	7"	2-3/8"
LW232R8	LW232AMV	2	F32T8	48"	7"	2-3/8"	LW232WAR8	LW232WAMV	2	F32T8	48"	7"	2-3/8"
LW432R8	LW432AMV	4	F32T8	48"	11-1/2"	2-3/8"	LW432WAR8	LW432WAMV	4	F32T8	48"	11-1/2"	2-3/8"



## LED WRAP CHASSIS

White steel housing  
 Frosted white prismatic acrylic diffuser  
 CHASSIS WITHOUT BALLAST  
 For use with Type B, ballast bypass, LED tubes  
 Single ended or double ended  
 Lamps not included

ORDERING INFORMATION

PRISMATIC	Lamp Qty.	L	W	D	WHITE	Lamp Qty.	L	W	D
LWL0724SP	2	24"	7"	2-3/8"	LWL0724SW	2	24"	7"	2-3/8"
LWL0748SP	2	48"	7"	2-3/8"	LWL0748SW	2	48"	7"	2-3/8"
LWL1148SP	4	48"	11-1/2"	2-3/8"	LWL1148SW	4	48"	11-1/2"	2-3/8"



LINEAR



# AVALON

Pre-finished white steel housing  
 White acrylic diffuser  
 Options: Emergency Battery Back-Up, Motion Sensor  
 or Emergency Battery Back-Up with Motion Sensor (EXCLUDES 24"\*)  
 See pages 398-399 for more information

LENGTH	24" L	48" L	96" L
WIDTH	2-1/4" W	2-1/4" W	2-1/4" W
DEPTH	2-3/4" D	2-3/4" D	2-3/4" D
DELIVERED LUMENS	2500	4000	7000
WATTAGE	25W	43W	76W
VOLTAGE	120-277V		
COLOR TEMP	Adjustable 3000K/4000K/5000K		
CRI	>90		
DIMMING	0-10V		
FINISH	White		



ORDERING INFORMATION

MODEL	LENGTH	OPTION
AVNL2430LAJD2WH	24"	BLANK Standard
AVNL4848LAJD2WH*	48"	-BB Emergency Battery Back-Up
AVNL9685LAJD2WH*	48"	-MS Bi-level Motion Sensor
		-MSBB Battery Back-Up with Motion Sensor

Ex: AVNL4848LAJD2WH-MSBB



# COMMERCIAL GRADE STRIPLIGHT FLUORESCENT

Pre-finished white steel housing  
 Flush, stem or row mounting  
 120-277V Ballast

ORDERING INFORMATION

**430 mA Slimline**

120-277V	QTY.	LAMP	L	W	D
S296MV	2	F96T8	96"	4-1/4"	3-3/4"





# STANDARD STRIPLIGHT FLUORESCENT

Pre-finished white steel housing  
 Flush, stem or row mounting  
 Compatible with Fluorescent T8 or Type A- LED Tubes  
 120V Electronic Ballast (R8) or 120-277V Ballast (MV)

ORDERING INFORMATION

**SINGLE**

120V	120-277V	QTY.	LAMP	L	W	D
ST115R8		1	F15T8	18"	3-1/8"	3-1/4"
ST117R8	ST117MV	1	F17T8	24"	3-1/8"	3-1/4"
ST125R8	ST125MV	1	F25T8	36"	3-1/8"	3-1/4"
ST132R8	ST132MV	1	F32T8	48"	3-1/8"	3-1/4"

**DOUBLE**

120V	120-277V	QTY.	LAMP	L	W	D
ST217R8	ST217MV	2	F17T8	24"	4-3/4"	3-3/4"
-	ST225MV	2	F25T8	36"	4-3/4"	3-3/4"
ST232R8	ST232MV	2	F32T8	48"	4-3/4"	3-3/4"
	ST232-8MV	4	F32T8	96"	4-3/4"	3-3/4"



# STANDARD STRIPLIGHT CHASSIS

Pre-finished white steel housing  
 Flush, stem or row mounting  
 CHASSIS WITHOUT BALLAST  
 For use with Type B, ballast bypass, LED tubes  
 Single ended or double ended  
 Lamp(s) not included

ORDERING INFORMATION

SINGLE	QTY.	SUITABLE BASE TYPE	L	W	D
ST1L18	1	G13-Medium Bi-pin	18"	2-5/8"	3-1/4"
ST1L24	1	G13-Medium Bi-pin	24"	3-1/8"	3-1/4"
ST1L36	1	G13-Medium Bi-pin	36"	3-1/8"	3-1/4"
ST1L48	1	G13-Medium Bi-pin	48"	3-1/8"	3-1/4"



DOUBLE	QTY.	SUITABLE BASE TYPE	L	W	D
ST2L24	2	G13-Medium Bi-pin	24"	4-3/4"	3-3/4"
ST2L36	2	G13-Medium Bi-pin	36"	4-3/4"	3-3/4"
ST2L48	2	G13-Medium Bi-pin	48"	4-3/4"	3-3/4"
ST4L96	4	G13-Medium Bi-pin	96"	4-3/4"	3-3/4" (Tandem)
ST2L96-FA8	2	FA8-Single Bi-pin	96"	4-3/4"	3-3/4"
ST2L96-R17D	2	R17D-Recessed Double Contact	96"	4-3/4"	3-3/4"



LINEAR






# VAPORTITE ADJUSTABLE CCT

Impact resistant polycarbonate housing  
 Continuous gasket offers secure seal against dust and moisture  
 Includes mounting brackets and water tight connector  
 Includes a set of metal closing clips and a set of plastic clips for coastal applications  
 Option: Emergency Battery Back-Up (VTL476000LAJD2 ONLY\*)  
 9.5VDC LiFePO4 battery, 8 Watts, 90 minute run time  
 See page 399 for more information

LENGTH	24" L	47" L
WIDTH	3-7/8" W	3-7/8" W
DEPTH	3" D	3" D
DELIVERED LUMENS	2250	4500
WATTAGE	25W	50W
VOLTAGE	120-277V	
COLOR TEMP	3000K/4000K/5000K	
CRI	>90	
FINISH	Grey	

ORDERING INFORMATION

MODEL	OPTION
VTL243500LAJD2 24"	BLANK Standard
VTL476000LAJD2* 47"	-BB Emergency Battery Back-Up



# VAPORTITE SINGLE CCT

Impact resistant polycarbonate housing  
 Continuous gasket offers secure seal against dust and moisture  
 Includes mounting brackets and water tight connector  
 Option: Emergency Battery Back-Up  
 9.5VDC LiFePO4 battery, 8 Watts, 90 minute run time  
 See pages 399 for more information

LENGTH	48" L
WIDTH	6-3/4" W
DEPTH	5-1/8" D
SOURCE LUMENS	3500
WATTAGE	34W
VOLTAGE	120-277V
COLOR TEMP	4000K
CRI	>90
FINISH	Grey

ORDERING INFORMATION

MODEL	OPTION
VTL483500L40MV	BLANK Standard
	-BB Emergency Battery Back-Up





UNDERCABINET



# LED NOBLE PRO 2

- Plug-in or direct wire
- Linkable up to 200 watts
- Selectable color temperature switch: choose 1 of 3 colors of 2700K, 3000K or 4000K
- 120V dimmable with TRIAC/ELV dimmer
- Hi-Low switch
- Rear access plate for quick wire connections
- Captive mounting screws
- Includes: direct connector and hardwire connector
- 50,000 hr. LED life, 90 CRI, 5 yr. warranty
- Compliant to Part 15 of FCC rules for Class B digital device
- Additional accessories and optional occupancy sensor (motion), order separately

Size	Color		Type	Lumens			LPW	L	W	D
	White	Oil-Rubbed Bronze		2.7K	3.0K	4.0K				
9 in.	NLLP2-09WH	NLLP2-09RB	4.6W SMT-Array	259	290	384	63	9"	3-3/4"	1"
14 in.	NLLP2-14WH	NLLP2-14RB	6.7W SMT-Array	384	437	442	65	14"	3-3/4"	1"
22 in.	NLLP2-22WH	NLLP2-22RB	10.7W SMT-Array	656	746	755	69	22"	3-3/4"	1"
32 in.	NLLP2-32WH	NLLP2-32RB	14.4W SMT-Array	927	1022	1023	70	32"	3-3/4"	1"
40 in.	NLLP2-40WH	NLLP2-40RB	18W SMT-Array	1170	1302	1310	72	40"	3-3/4"	1"

LPW based on 3000K color temperature

**ACCESSORIES (ORDER SEPARATELY)**

- XLCC12WH | 12" Interconnect cord - White
- XLCC12BL | 12" Interconnect cod - Black
- XLCC24WH | 24" Interconnect cord - White
- XLCC24BL | 24" Interconnect cord - Black
- XLCC36WH | 36" Interconnect cord - White
- XLCC36BL | 36" Interconnect cord - Black
- XLCC48WH | 48" Interconnect cord - White
- XLCC48BL | 48" Interconnect cord - Black
- XLCC72WH | 72" Interconnect cord - White
- XLCC72BL | 72" Interconnect cord - Black
- XLCP60WH | 60" Cord & Plug - White
- XLCP60BL | 60" Cord & Plug - Black
- XLHBWH | Hardwire Box - White
- XLHBBL | Hardwire Box - Black
- XLC-Clips | Clear Cord Clip with Screws (4 pieces)
- 7-OCC | Occupancy sensor





# KOREN

- Low profile
- Plug-in or direct wire
- Linkable up to 200 watts
- Selectable color temperature switch: choose 1 of 3 colors of 2700K, 3000K or 4000K
- 120V dimmable with TRIAC/ELV dimmer
- Hi/low switch
- Rear access plate for quick wire connections
- Captive mounting screws
- Includes: direct connector and hardwire connector
- 100,000 hr. LED life, 90 CRI, 10 yr. warranty
- Compliant to Part 15 of FCC rules for Class B digital device
- Additional accessories and optional occupancy sensor (motion), order separately
- Patent pending

Size	White	Oil-Rubbed Bronze	Type	Lumens			LPW	L	W	D
				2.7K	3.0K	4.0K				
9 in.	KNLU9WH	KNLU9RB	4.8W SMT-Array	253	265	281	55	9"	3"	5/8"
14 in.	KNLU14WH	KNLU14RB	7.4W SMT-Array	405	446	484	60	14"	3"	5/8"
22 in.	KNLU22WH	KNLU22RB	11.8W SMT-Array	629	682	715	58	22"	3"	5/8"
32 in.	KNLU32WH	KNLU32RB	15.3W SMT-Array	905	955	980	62	32"	3"	5/8"
40 in.	KNLU40WH	KNLU40RB	19.5W SMT-Array	1069	1150	1182	59	40"	3"	5/8"

LPW based on 3000K color temperature

### ACCESSORIES (ORDER SEPARATELY)

XLCC12WH	12" Interconnect cord - White
XLCC12BL	12" Interconnect cod - Black
XLCC24WH	24" Interconnect cord - White
XLCC24BL	24" Interconnect cord - Black
XLCC36WH	36" Interconnect cord - White
XLCC36BL	36" Interconnect cord - Black
XLCC48WH	48" Interconnect cord - White
XLCC48BL	48" Interconnect cord - Black
XLCC72WH	72" Interconnect cord - White
XLCC72BL	72" Interconnect cord - Black
XLCP60WH	60" Cord & Plug - White
XLCP60BL	60" Cord & Plug - Black
XLHBWH	Hardwire Box - White
XLHBBL	Hardwire Box - Black
XLC-Clips	Clear Cord Clip with Screws (4 pieces)
LCCX-OCC	Occupancy sensor



UNDERCABINET



14"

# HALEY

- Plug-in or direct wire
- Linkable up to 200 watts
- Selectable color temperature switch: choose 1 of 4 colors  
2700K, 3000K, 3500K or 4000K
- 120V dimmable with TRIAC/ELV dimmer
- Compliant to Part 15 of FCC rules for Class B digital device
- Rear access plate for quick wire connections
- Captive mounting screws
- Includes: direct connector and hardwire connector
- 75,000 hr. LED life, 90 CRI, 7 yr. warranty
- Additional accessories and optional occupancy sensor (motion), order separately

Size	White	Type	Lumens		L	W	D
			3.0K	LPW			
9 in.	HEYU09WH	5W	300	60	9"	2-1/4"	1"
14 in.	HEYU14WH	9W	525	58	14"	2-1/4"	1"
22 in.	HEYU22WH	15W	915	61	22"	2-1/4"	1"
32 in.	HEYU32WH	18W	1030	57	32"	2-1/4"	1"
40 in.	HEYU40WH	23W	1430	62	40"	2-1/4"	1"

**ACCESSORIES (ORDER SEPARATELY)**

- VRAC12WH 12" Interconnect cord
- VRAC24WH 24" Interconnect cord
- VRAC36WH 36" Interconnect cord
- VRAC48WH 48" Interconnect cord
- VRAC72WH 72" Interconnect cord
- VRAP60WH 60" Cord & Plug
- VRA-OCC Occupancy sensor with 24" Cable





# LED T5L 2

- Direct wire
- Hardwire only
- On/off switch
- Fully integrated LEDs
- Multiple knockouts conveniently located
- Includes: hardwire connector
- 50,000 hr. LED life, 90 CRI, 5 yr. warranty
- Optional occupancy sensor (motion), order separately
- 120V TRIAC/ELV dimming
- Single or adjustable CCT models

UNDERCABINET

Size	Color		Type	Lumens		LPW	L	W	D
	White	Oil-Rubbed Bronze		3000K	LPW				
9 in.	T5L2-09RWH	---	4.5W SMT-Array	220	44	9"	3-1/2"	1-1/8"	
12 in.	T5L2-12RWH	T5L2-12RRB	5W SMT-Array	315	63	12"	3-1/2"	1-1/8"	
18 in.	T5L2-18RWH	T5L2-18RRB	7.5W SMT-Array	520	69	18"	3-1/2"	1-1/8"	
21 in.	T5L2-21RWH	T5L2-21RRB	8.5W SMT-Array	570	67	21"	3-1/2"	1-1/8"	
24 in.	T5L2-24RWH	T5L2-24RRB	9W SMT-Array	630	70	24"	3-1/2"	1-1/8"	
33 in.	T5L2-33RWH	T5L2-33RRB	13.5W SMT-Array	950	70	33"	3-1/2"	1-1/8"	
42 in.	T5L2-42RWH	T5L2-42RRB	16.5W SMT-Array	1150	69	42"	3-1/2"	1-1/8"	


**ACCESSORY (ORDER SEPARATELY)**  
LCX-OCC | Occupancy sensor



Size	White	Type	Lumens		LPW	L	W	D
			3000K	LPW				
9 in.	T5L2-09LAJWH	4.5W SMT-Array	304	68	9"	3-1/2"	1-1/8"	
12 in.	T5L2-12LAJWH	4.5W SMT-Array	309	69	12"	3-1/2"	1-1/8"	
18 in.	T5L2-18LAJWH	9W SMT-Array	667	75	18"	3-1/2"	1-1/8"	
21 in.	T5L2-21LAJWH	9W SMT-Array	701	76	21"	3-1/2"	1-1/8"	
24 in.	T5L2-24LAJWH	9W SMT-Array	717	78	24"	3-1/2"	1-1/8"	
33 in.	T5L2-33LAJWH	13.5W SMT-Array	1050	79	33"	3-1/2"	1-1/8"	
42 in.	T5L2-42LAJWH	18W SMT-Array	1372	79	42"	3-1/2"	1-1/8"	



**ACCESSORY (ORDER SEPARATELY)**  
LCX-OCC | Occupancy sensor



## MOTION SENSOR OPTION




### Bi-Level Dimming Motion Sensor option (-MS)

- Built-in daylight sensor
- Detection area, time delay, dimming level, and daylight threshold can be precisely set via DIP switch
- Wide detection area, range up to 50 ft. max

### How Motion Sensing Works




With sufficient light, the fixtures will not switch on.



With insufficient light, the fixtures turn on at desired dimming level (10% - 50%).



When motion is detected, fixtures switch to full light output.



After standby period of no motion, fixtures return to desired dimming level (10%-50%).

POWER CONSUMPTION	≤0.5W(standby), <1W(operation)
DETECTION ZONE	Max.(DxH): 16m x 15m
DETECTION SENSITIVITY	10% / 50% / 75% / 100%
HOLD TIME	5s / 30s / 90s / 3 min/ 20 min /+∞
DAYLIGHT SENSOR	2lux / 5lux / 10lux / 25lux / 50lux / 1h/ +Disable
STAND-BY PERIOD	0s / 5s/ 5min/ 10min / 30 min / 1h / +Disable
STAND-BY DIMMING LEVEL	10% / 20% / 30% / 50%
MOUNTING HEIGHT	15m Max.
MOTION DETECTION	0.5-3m/s
DETECTION ANGLE	150° (wall installation), 360° (ceiling installation)

### Ceiling fixtures with bi-level dimming motion sensor option:

Anton, p. 261	Lambert, p. 250	Sanibel, p. 260
Apex, p. 259	Montclair, p. 258	Reeves, p. 251
Bailey, p. 231	Haven, p. 253	Sutton, p. 263

### Sconce fixtures with bi-level dimming motion sensor option:

Evanston, p. 187	Haven, p. 184	Lambert, p. 188
------------------	---------------	-----------------

### Linear fixtures with motion sensor option:

Avalon, p. 390	Bailey, p. 380	Lisle, p. 385	Pierce, p. 387	Spring, p. 386
----------------	----------------	---------------	----------------	----------------

## EMERGENCY BATTERY BACK-UP OPTION



### Emergency Battery Back-up option (-BB)

- 90 minute run time
- 12-41 VDC battery
- 8-12 Watts

Emergency Battery Back-Up  
Shown on Octavia



### Spacer Pan Accessory Option

For fixtures that are 14" - 17", use model # 1060690

For fixtures that are 18" - 23", use model # 1060691

---

### Ceiling fixtures with battery back-up option:

Anton, p. 261	Bailey, p. 231	Haven, p. 253	Montclair, p. 258
Apex, p. 259	Carlisle, p. 264	Lambert, p. 250	Octavia, p. 247
Ashland, p. 262	Cirrus, p. 265	Lenox, p. 263	Reeves, p. 251
			Sanibel, p.260

---

### Linear fixtures with battery back-up option:

Avalon, p. 390	Lisle, p. 385	Vaportite, p.392
Bailey, p. 380	Shaw, p. 386	Spring, p. 386

# Index

## A

AAF..... 248  
 ABLV..... 311  
 ACF..... 255  
 ADS..... 202  
 AGP..... 140, 141, 142  
 ALB..... 373  
 ALDF..... 262  
 ALNB..... 371  
 ALNV..... 319  
 ALV..... 321  
 ALYF..... 225  
 AMDV..... 295  
 ANF..... 261  
 ANP..... 149  
 APB..... 369  
 APF..... 259  
 APP..... 144  
 APS..... 202  
 APV..... 314  
 ARLS..... 208  
 ARLV..... 320  
 ASHF..... 244  
 ASHP..... 110, 111  
 ASHS..... 177  
 ATL..... 383  
 ATV..... 315  
 AUF..... 352  
 AUNF..... 224  
 AUNP..... 87  
 AUNS..... 156  
 AUW..... 352  
 AVNL..... 390  
 AXLS..... 159, 280  
 AXLV..... 159, 280

## B

BARV..... 181, 298  
 BAYF..... 231  
 BAYL..... 380  
 BKNP..... 98  
 BLLF..... 249  
 BLW..... 348  
 BMF..... 351  
 BMW..... 351  
 BOF..... 243  
 BONP..... 108, 109  
 BONW..... 345  
 BRKS..... 170  
 BRS..... 207  
 BSSW..... 362  
 BTLW..... 361  
 BWNS..... 191  
 BWSW..... 364, 366

## C

C2F..... 265  
 CAC..... 264  
 CADP..... 69, 70  
 CAF..... 264  
 CALP..... 120, 121  
 CAMW..... 358  
 CANW..... 342  
 CAPW..... 360  
 CARF..... 328  
 CES..... 209  
 CHRFB..... 328  
 CHS..... 203  
 CHV..... 318  
 CLAF..... 252  
 CLEP..... 122, 123  
 CLKW..... 361

CLTW..... 356  
 CMB..... 376  
 CMNS..... 175  
 CNCW..... 355  
 CNDP..... 104, 105  
 COLP..... 56, 59, 60  
 COLS..... 165  
 CORS..... 210  
 CRRF..... 325  
 CSSC..... 215  
 CSSP..... 51, 52, 54  
 CSSS..... 166, 299  
 CSSV..... 166, 299  
 CURB..... 368  
 CZF..... 262  
 CZP..... 150

## D

DAXV..... 292  
 DEXW..... 346  
 DKTW..... 354  
 DMDF..... 249  
 DMDV..... 303  
 DPHS..... 177  
 DPHV..... 306  
 DUNF..... 238  
 DWSW..... 362

## E

EBRB..... 172  
 ECHP..... 112  
 ECPS..... 211  
 EDDW..... 338  
 EGRF..... 266, 267  
 EGRP..... 88  
 EGFS..... 267  
 ELIP..... 90, 91  
 ELMW..... 341  
 ELTW..... 349  
 EVAF..... 326  
 EVNS..... 187  
 EVYW..... 353

## F

FTS..... 201, 317

## G

GATS..... 163  
 GATV..... 287  
 GGFE..... 327  
 GLCV..... 310  
 GLEW..... 334  
 GLOL..... 379  
 GLOP..... 33, 34  
 GLOS..... 164, 283  
 GLOV..... 164, 283  
 GLYS..... 190  
 GNP..... 62, 64, 65  
 GRAF..... 325  
 GRCC..... 222  
 GRCP..... 83, 84, 85  
 GRGF..... 324  
 GUSP..... 93, 337  
 GUSW..... 337

## H

HARW..... 332  
 HAYB..... 372  
 HDB..... 376  
 HEYU..... 396  
 HLWV..... 321  
 HLYB..... 369  
 HPRV..... 279  
 HRP..... 133, 134, 135  
 HVNF..... 253  
 HVNP..... 143  
 HVNS..... 184  
 HVNV..... 312

IDB..... 374  
 IDR..... 30  
 IDR..... 277  
 IDS..... 209  
 IDSS..... 208  
 IONS..... 186  
 ISLP..... 118, 119

## J

JAMC..... 221  
 JAMP..... 75, 76, 78  
 JAXF..... 233  
 JAXP..... 68  
 JNNP..... 81, 82  
 JNNS..... 158  
 JNNV..... 301

## K

KAIF..... 254  
 KNLU..... 395  
 KNXW..... 357  
 KRNP..... 40, 41  
 KYCF..... 227  
 KYLW..... 331

## L

LASW..... 347  
 LBTF..... 250  
 LBTS..... 188  
 LCAV..... 304  
 LCKP..... 36, 39  
 LCKV..... 284  
 LCL..... 384  
 LCX..... 394, 395, 397  
 LENF..... 263  
 LEOP..... 94, 95  
 LGNL..... 381  
 LLYP..... 114, 115  
 LNAP..... 99, 100, 101  
 LNNW..... 359  
 LNYP..... 47, 48  
 LNYS..... 154  
 LNYV..... 290  
 LOLP..... 116, 117  
 LOUS..... 183  
 LRCF..... 239  
 LRCP..... 106  
 LRTP..... 102, 103  
 LSL..... 385  
 LW..... 389  
 LWL..... 388, 389  
 LYNV..... 308

## M

MAEP..... 150  
 MCF..... 258  
 MCP..... 147  
 METC..... 219  
 METP..... 66  
 METS..... 167  
 METV..... 296  
 MGGF..... 237  
 MGNV..... 309  
 MLAP..... 128, 129  
 MLOP..... 92  
 MLRV..... 320  
 MNS..... 204  
 MQTB..... 371  
 MTRF..... 326  
 MTXS..... 169

## N

NLLP2..... 394  
 NLS..... 206  
 NOAC..... 223  
 NOAP..... 86  
 NOAS..... 157

NOAV..... 300  
 NPLS..... 197  
 NVS..... 187  
 NVV..... 313  
 NWPW..... 357

## O

ORIF..... 217  
 OSCF..... 245  
 OTSP..... 92  
 OTVF..... 247

## P

PALS..... 194  
 PAXW..... 350  
 PCV..... 322  
 PEF..... 256  
 PIDF..... 265  
 PLZS..... 206  
 PNR..... 173  
 PNTP..... 127  
 PRCL..... 387  
 PRLP..... 26  
 PRLS..... 174  
 PRLV..... 295  
 PSDW..... 347  
 PSW..... 361  
 PTS..... 193

## Q

QSSS..... 211

## R

RAB..... 372  
 RAMV..... 302  
 RC..... 384  
 RDS..... 212  
 RDKIT..... 212, 270, 387  
 RIRF..... 254  
 RIRW..... 348  
 RSCF..... 257  
 RSKP..... 25  
 RSKS..... 160, 272  
 RSKV..... 160, 272  
 RVEF..... 251  
 RVF..... 235  
 RVP..... 107  
 RVS..... 169  
 RWNS..... 196, 316  
 RWNW..... 344  
 RXXP..... 124, 125

## S

S296..... 390  
 SADW..... 333  
 SAF..... 260  
 SAP..... 148  
 SATW..... 358  
 SCTB..... 370  
 SEW..... 350  
 SHAL..... 386  
 SHB..... 373  
 SHS..... 205  
 SKYF..... 229  
 SLCS..... 183  
 SLF..... 256, 382  
 SLL..... 382  
 SLMF..... 268  
 SNS..... 200  
 SNV..... 319  
 SORS..... 188  
 SPP..... 130, 131, 132  
 SPRL..... 386  
 SSP..... 138, 139  
 ST..... 391  
 STHP..... 72  
 STMS..... 199  
 SUF..... 263  
 SUMS..... 171

T5L..... 269  
 T5L2..... 397  
 THEF..... 255  
 TNAF..... 269  
 TPDW..... 365  
 TPFW..... 365  
 TPUW..... 363  
 TPWW..... 363  
 TRBF..... 240  
 TUCF..... 268  
 TWTP..... 28  
 TWTV..... 274  
 TYKP..... 96, 97

## U

USS..... 210

## V

V8PN..... 322  
 VIP..... 136, 137  
 VNTS..... 207  
 VNTW..... 360  
 VRA..... 396  
 VRAC..... 396  
 VRAP..... 396  
 VSRW..... 343  
 VTL..... 392

## W

WAS..... 364  
 WMMP..... 42, 44  
 WMMS..... 153  
 WMMV..... 289  
 WTNW..... 356

## X

XLCC..... 394, 395  
 XLCP..... 394, 395  
 XLHB..... 394, 395

## Z

ZLAV..... 178, 305  
 ZOS..... 198  
 ZUL..... 383

Photo credits:  
 Interior and Exterior Designs  
 VANGUARD Development  
  
 Sinclair Sconce  
 Hampton Inn  
 Waukegan, IL  
 John Schmuttenmaer

©2023 AFX, Inc.  
 All rights reserved.

Specifications subject to  
 change without notice.

Specific items may be  
 protected by patents  
 or patents pending.







△ | 85  
LIGHTING | Y E A R S

AFX<sup>®</sup>

2345 N. Ernie Krueger Circle  
Waukegan, IL 60087  
847.249.5970 • AFXinc.com

AFXCR0123