



BESALIGHTING

2018/19 PRODUCT CATALOG



LIGHT IS FOR SEEING
ILLUMINATION ENRICHES YOUR LIFE



120V PENDANTS

120V MULTI LIGHT	9-11
PENDANTS 120V	12-75



12V MINI PENDANTS

12V MULTI LIGHT	76-77
MINI PENDANTS 12V	78-115



RAIL & SPOTLIGHTS

SPOTLIGHTS 12V.....	116-122
12V CANOPIES.....	123
MONORAIL.....	124-129



BESA LIGHTING



PRODUCT FINDER

PRODUCT FINDER.....2-8



CEILING

FLUSH MOUNTS 130-155
SEMI-FLUSH MOUNTS 156-165



WALL

INTERIOR SCONCES 166-193
SWING ARMS 194-197
VANITY & MINI SCONCES 198-233



OUTDOOR

METALWORKS 235-240
EXTERIOR SCONCES 241-252

120V PENDANTS

 <p>BUILD A 120V MULTI LIGHT PENDANT Pgs. 10-11</p>	 <p>ALINA 12 Cable • Stem 2 decors Pg. 30</p>	 <p>ALLY 8 / 12 Cord • Cable • Stem 3 decors Pg. 22</p>	 <p>BANA 11 / 15 Cable • Stem 4 decors Pg. 48</p>	 <p>BENITO Cord 1 decor Pg. 13</p>	 <p>BENJI Cord 6 decors Pg. 20</p>	 <p>BLINK Cord • Stem 4 decors Pg. 14</p>
 <p>BLOOM 12 Cord 3 decors Pg. 23</p>	 <p>BOLLA Cord • Stem 11 decors Pg. 75</p>	 <p>BOMBAY Cord • Stem 3 decors Pg. 47</p>	 <p>BRAVO Cord • Stem 2 decors Pg. 16</p>	 <p>BRIO 14 Cord • Cable • Stem 2 decors Pg. 31</p>	 <p>CAMINO Cord • Stem 5 decors Pg. 71</p>	 <p>CHRISSEY Cord 5 decors Pg. 68</p>
 <p>CIERRO Cord • Cable • Stem 6 decors Pg. 71</p>	 <p>COCO 8 / 10 / 12 / 14 Cord • Stem 3 decors Pg. 58</p>	 <p>COPA Cord • Stem 7 decors Pg. 70</p>	 <p>CRUISE Cord • Stem 3 decors Pg. 47</p>	 <p>DANO Cord 4 decors Pg. 21</p>	 <p>ESA Cord • Stem 3 decors Pg. 19</p>	 <p>EUKA Cord 3 decors Pg. 66</p>
 <p>GALA Cord 3 decors Pg. 45</p>	 <p>GORDY Cord 2 decors Pg. 43</p>	 <p>JILLY Cord • Stem 3 decors Pg. 17</p>	 <p>JORDO Cable • Stem 1 decor Pg. 55</p>	 <p>JULI Cord • Cable • Stem 5 decors Pg. 67</p>	 <p>JUNI 10 / 16 Cord • Stem 6 decors Pg. 28</p>	 <p>KIEV Cord • Cable • Stem 3 decors Pg. 25</p>
 <p>KIRK 6 / 12 Cord • Stem 1 decor Pg. 33</p>	 <p>KRISTALL 8 Cord • Cable • Stem 4 decors Pg. 53</p>	 <p>LAYLA Cord • Stem 3 decors Pg. 18</p>	 <p>LINDY Cord 5 decors Pg. 44</p>	 <p>LITHIUM 8 / 12 Cable • Stem 5 decors Pg. 29</p>	 <p>LOTUS Cord • Stem 2 decors Pg. 43</p>	 <p>LUCIA Cord • Cable • Stem 7 decors Pg. 75</p>
 <p>LUNA Cord • Cable • Stem 3 decors Pg. 55</p>	 <p>MANA Cord • Stem 4 decors Pg. 34</p>	 <p>MANTA 13 / 18 Cable 1 decor Pg. 62</p>	 <p>MILO 4 Cord 5 decor Pg. 46</p>	 <p>MIRA Cord • Stem 4 decors Pg. 49</p>	 <p>NILES 10 Cord • Stem 8 decors Pg. 27</p>	 <p>OLIN Cord • Stem 4 decors Pg. 49</p>
 <p>OMEGA 12 Cord • Stem 5 decors Pg. 36</p>	 <p>PAHU 8 / 12 / 16 Cable • Stem 5 decors Pg. 58-59</p>	 <p>PAPE 10 / 12 Cord • Cable • Stem 3 decors Pg. 54</p>	 <p>PERA 9 Cord • Cable • Stem 11 decors Pg. 73</p>	 <p>PHANTOM 6 Cord • Stem 3 decors Pg. 39</p>	 <p>PICA 9 Cord • Cable • Stem 4 decors Pg. 50</p>	 <p>PINOT 9 / 13 / 18 Cord 3 decors Pg. 37</p>
 <p>PINTA 10 / 12 Cord • Cable • Stem 1 decor Pg. 51</p>	 <p>PLATO Cord • Stem 4 decors Pg. 35</p>	 <p>POGO Cable • Stem 4 decors Pg. 57</p>	 <p>RENFRO 16 / 20 Cable 2 decors Pg. 62</p>	 <p>RIVA 9 Cord • Stem 5 decors Pg. 69</p>	 <p>ROCKY Cord • Stem 3 decors Pg. 24</p>	 <p>SASHA Cord • Stem 11 decors Pg. 74</p>
 <p>SOLO Rope Pg. 40</p>	 <p>SOPHI 14 / 18 Cable 3 decors Pg. 63</p>	 <p>SPEZZA 7 Cord • Stem 2 decors Pg. 44</p>	 <p>SPIRIT 8 / 10 Cord • Stem 3 decors Pg. 38</p>	 <p>STILO 7 Cord • Stem 11 decors Pg. 72</p>	 <p>STILO 10 Cord • Cable • Stem 7 decors Pg. 72</p>	 <p>STILO 12 / 16 / 18 Cord • Cable • Stem 2 decors Pg. 65</p>

 SULTANA Cord 3 decors Pg. 41	 SULU Cord • Stem 4 decors Pg. 15	 SUZI 14 / 18 Cord • Cable • Stem 2 decors Pg. 64	 TAMBURO 8 / 16 Cable • Stem 10 decors Pgs. 60-61	 TAO 10 Cord • Cable • Stem 5 decors Pg. 69	 TESSA Cord • Cable • Stem 5 decors Pg. 68	 TRILO 15 Cord • Stem 4 decors Pg. 70
---	---	---	---	---	--	---

 TU TU Cord • Stem 8 decors Pg. 73	 TUNE Cord • Stem 2 decors Pg. 42	 VENUS Cord • Stem 1 decor Pg. 32	 VILA Cord • Cable • Stem 10 decors Pg. 74	 WAVE 10 Cord • Cable • Stem 3 decors Pg. 52	 ZEN Cord 5 decors Pg. 26
--	---	---	--	--	---

 BUILD A 12V MULTI LIGHT PENDANT Pgs. 76-77	 BOCA 3 / 5 Quick-Connect • Fixed 4 decors Pg. 79	 BOTELLA 10 / 12 Quick-Connect • Fixed 6 decors Pg. 99	 BRELLA Quick-Connect Fixed • Adjustable 7 decors Pg. 112	 BRIO 7 Quick-Connect • Fixed 2 decors Pg. 97	 CREED Quick-Connect • Fixed 2 decors Pg. 83	 DIVI Quick-Connect • Fixed 5 decors Pg. 106
---	---	--	--	---	--	--

 DOMI Quick-Connect Fixed • Adjustable 8 decors Pg. 112	 EVE Quick-Connect • Fixed 3 decors Pg. 94	 FELIX Fixed 2 decors Pg. 85	 FLOWER Fixed 10 decors - customizable Pg. 96	 FOCUS Quick-Connect • Fixed 4 decors Pg. 105	 GLIDE Quick-Connect • Fixed 3 decors Pg. 87	 GROOVE Quick-Connect Fixed • Adjustable 1 decor Pg. 91
--	--	--	---	---	--	--

 HOPPI Quick-Connect Fixed • Adjustable 4 decors Pg. 108	 JADE Quick-Connect • Fixed 4 decors Pg. 95	 JODI Quick-Connect Fixed • Adjustable 1 decor Pg. 106	 JULIETTE Quick-Connect • Fixed 5 decors Pg. 110	 KANI Quick-Connect Fixed • Adjustable 4 decors Pg. 108	 KARLI Quick-Connect Fixed • Adjustable 8 decors Pg. 114	 KIBA Quick-Connect • Fixed 6 decors Pg. 81
---	---	---	--	--	---	---

 KONA Quick-Connect Fixed • Adjustable 7 decors Pg. 113	 KRISTALL 6 Quick-Connect Fixed • Adjustable 4 decors Pg. 103	 LASSO Quick-Connect Fixed • Adjustable 3 decors Pg. 102	 MIA Quick-Connect Fixed • Adjustable 9 decors Pg. 113	 MODUS Quick-Connect • Fixed 3 decors Pg. 86	 NICO 4 Quick-Connect Fixed • Adjustable 6 decors Pg. 107	 PAHU 4 Quick-Connect • Fixed 5 decors Pg. 100
--	--	---	---	---	--	--

 PALLA 5 Quick-Connect • Fixed • Adjustable 4 decors Pg. 111	 PERA 6 Quick-Connect • Fixed 12 decors Pg. 115	 PERI Quick-Connect • Fixed • Adjustable 5 decors Pg. 109	 PERSIA Fixed 2 decors Pg. 85	 PICA 6 Quick-Connect • Fixed 5 decors Pg. 98	 PIVOT Fixed 3 decors Pg. 93	 POGO Quick-Connect • Fixed 4 decors Pg. 90
---	---	--	---	---	--	---

 PRINCE Fixed 2 decors Pg. 82	 RONDO Fixed 2 decors Pg. 84	 SCOPE Quick-Connect • Fixed 5 decors Pg. 104	 SKIP Quick-Connect • Fixed 3 decors Pg. 87	 SPAZIO Quick-Connect Fixed • Adjustable 5 decors Pg. 80	 SPRITE Quick-Connect • Fixed 3 decors Pg. 111	 SPUR Quick-Connect • Fixed 5 decors Pg. 80
---	--	---	---	--	--	---

12V MINI PENDANTS



SPUTNIK
Fixed
1 decor
Pg. 97



SWIRL
Quick-Connect
Fixed • Adjustable
1 decor
Pg. 107



TAY TAY
Quick-Connect
Fixed • Adjustable
12 decors
Pg. 114



TERRA
Fixed
1 decor
Pg. 91



TIMO 6
Quick-Connect • Fixed
4 decors
Pg. 89



TRILO 7
Quick-Connect
Fixed • Adjustable
4 decors
Pg. 109



VIBE 8
Quick-Connect • Fixed
2 decors
Pg. 88



WANDA 12
Fixed
6 decors
Pg. 92



WILLOW
Fixed
1 decor - customizable
Pg. 101



ZUMI
Quick-Connect • Fixed
2 decors
Pg. 110

12V SPOTLIGHTS



ANDI
Quick-Connect
7 decors
Pg. 122



CANTO 3
Quick-Connect
5 decors
Pg. 121



DIVI
Quick-Connect
4 decors
Pg. 119



DIVI METAL
Quick-Connect
5 decors
Pg. 118



MOJO
Quick-Connect
2 decors
Pg. 117



NICO 3
Quick-Connect
4 decors
Pg. 120



PALLA 3
Quick-Connect
5 decors
Pg. 121



SCOPE
Quick-Connect
5 decors
Pg. 117



TAMMI 3
Quick-Connect
5 decors
Pg. 122



TIPSTER
Quick-Connect
Pg. 119



12V QUICK CONNECT CANOPIES
Pgs. 123

MONORAIL



RAIL SECTIONS & HARDWARE
Rail Sizes: 4Ft, 8Ft
Connectors: Live • Isolating • Live "L"
End Caps
Pg. 126



SUPPORTS
Standoffs: Rigid
Adjustable Cable Support
Pg. 126



POWER SUPPLIES
Surface: Electronic
Remote: Magnetic • Electronic
Pg. 127



POWER SUPPLY
Low-profile, surface
Pg. 127



REMOTE FEED ACCESSORIES
Remote Feed Canopy
Flexible Feed Cable
Pg. 127



BUILD A MONORAIL SYSTEM
8ft, 12ft, 16ft, 20ft or 24ft
Pg. 128-129



AURA 12 / 16
Flush mount
1 decor
Pg. 150



BOBBI 10 / 12
Flush mount
2 decors
Pg. 154



CUE
Semi-flush mount
2 decors
Pg. 132



GEO 9 / 11
Flush mount
1 decor
Pg. 152



GLEEM 12 / 16
Flush mount
1 decor
Pg. 142



GLITTER 15
Flush mount
1 decor
Pg. 143



KATIE 10 / 12
Flush mount
1 decor
Pg. 152



LUMA 12 / 14 / 18
Flush mount
1 decor
Pg. 145



MANTA 13 / 18
Flush mount
1 decor
Pg. 141



MATRIX
Semi-flush mount
2 decors
Pg. 133



NOVA 10 / 13 / 16
Flush mount
3 decors
Pg. 153



PACO 12
Flush mount
2 decors
Pg. 137



PELLA 13 / 16
Flush mount
4 decors
Pg. 139



PICA 11 / 14 / 17
Flush mount
3 decors
Pg. 144



PINTA 12 / 15
Flush mount
1 decor
Pg. 146



PRIMO 11 / 14
Flush mount
1 decor
Pg. 151



RENFRO 16 / 20
Flush mount
2 decors
Pg. 140



RING 13 / 15 / 19
Flush mount
3 decors
Pg. 155



SLOPE
Flush mount
1 decor
Pg. 151



SOLA 10 / 12 / 16
Flush mount
2 decors
Pg. 154



SONYA 13 / 17 / 20
Flush mount
2 decors
Pg. 148



SOPHI 14 / 18
Flush mount
3 decors
Pg. 138



TOPPER 12
Flush mount
2 decors
Pg. 136



TRIO 12 / 16 / 20
Flush mount
3 decors
Pg. 149



TUCA 15 / 19
Flush mount
2 decors
Pg. 134



UNO 16
Flush mount
2 decors
Pg. 135



VIVA 13 / 16
Flush mount
1 decor
Pg. 131



WAVE 12 / 15
Flush mount
2 decors
Pg. 147



BOMBAY
Semi-flush mount
3 decors
Pg. 159



CRUISE
Semi-flush mount
3 decors
Pg. 158



KIRK 12
Semi-flush mount
1 decor
Pg. 156



NILES 10
Semi-flush mount
4 decors
Pg. 160



PAHU 8 / 12 / 16
Semi-flush mount
5 decors
Pg. 162-163



POGO
Semi-flush mount
4 decors
Pg. 161



SPEZZA 13 / 18
Semi-flush mount
2 decors
Pg. 157



TAMBURO 16
Semi-flush mount
10 decors
Pg. 164-165



VENUS
Semi-flush mount
1 decor
Pg. 156



AERO 16 / 21
Sconce
2 decors
Pg. 181



ARC
Sconce
2 decors
Pg. 168



BAAZ 16 / 20
Sconce
1 decor
Pg. 188



CHELSEA
Sconce
6 decors
Pg. 191



CRUISE
Wall Pendant
3 decors
Pg. 174



DARCI 16 / 21
Sconce
1 decor
Pg. 189



DIVI
Swing arm
9 decors
Pg. 197



DOMI
Swing arm
8 decors
Pg. 196



DORIAN 10 / 17
Sconce
2 decors
Pg. 184



HALO 10
Sconce
2 decors
Pg. 177



JUNI 10
Wall Pendant
6 decors
Pg. 175



KAILEE
Sconce
2 decors
Pg. 190



KARLI
Sconce
7 decors
Pg. 193



KILLIAN 26
Sconce
1 decor
Pg. 172



KIRK 6
Sconce
1 decor
Pg. 171



KONA
Swing arm
7 decors
Pg. 196



LINA
Sconce
1 decor
Pg. 185



METRO
Sconce
1 decor
Pg. 176



MIRANDA 26
Sconce
1 decor
Pg. 182




MISTRAL
Sconce
1 decor
Pg. 183



MONTOUR
Sconce
2 decors
Pg. 169



NICO 3
Swing arm
4 decors
Pg. 197



OPTOS
Sconce
4 decors
Pg. 170



PLATO
Wall Pendant
4 decors
Pg. 173



SOSA 18
Sconce
2 decors
Pg. 167



SPEZZA 7
Sconce
2 decors
Pg. 179



SWIRL
Swing arm
1 decor
Pg. 195



TAMBURO
Sconce
11 decors
Pg. 192



TAMBURO STONE
Sconce
3 decors
Pg. 178



TAY TAY
Swing arm
12 decors
Pg. 195



TINO 13 / 18
Sconce
2 decors
Pg. 180



TOMAS
Sconce
5 decors
Pg. 190



TORRE 14 / 18 / 22
Sconce
8 decors
Pg. 186-187



AERO
Vanity
2 decors
Pg. 219



ALEX
Sconce/Vanity
8 decors
Pg. 220-221



BAAZ
Vanity
1 decor
Pg. 217



BOCA
Sconce/Vanity
2 decors
Pg. 204



BOLLA
Sconce/Vanity
11 decors
Pg. 224



BOLO
Sconce/Vanity
1 decor
Pg. 205



BRELLA
Sconce/Vanity
7 decors
Pg. 233



CABO
Vanity
1 decor
Pg. 208



CANTO 5
Sconce/Vanity
4 decors
Pg. 230



CELTIC
Sconce/Vanity
2 decors
Pg. 210



CIRO
Sconce/Vanity
1 decor
Pg. 222



COPA 3
Sconce/Vanity
1 decor
Pg. 229



DARCI
Vanity
1 decor
Pg. 217



DIVI
Sconce/Vanity
7 decors
Pg. 232



DOMI
Sconce/Vanity
8 decors
Pg. 232



DUKE
Sconce/Vanity
3 decors
Pg. 199



ELANA 26 / 38 / 50
Vanity
1 decor
Pg. 216



GROOVE
Sconce/Vanity
1 decor
Pg. 227



HOPPI
Sconce/Vanity
4 decors
Pg. 231



JAMIE
Vanity
1 decor
Pg. 218



JILLY
Sconce/Vanity
3 decors
Pg. 202



JODI
Vanity
1 decor
Pg. 212



JUNI 10
Sconce/Vanity
6 decors
Pg. 200



KONA
Sconce/Vanity
7 decors
Pg. 230



LASSO
Sconce/Vanity
3 decors
Pg. 228



LIDO
Vanity
1 decor
Pg. 209



LINUS 22 / 33
Vanity
1 decors
Pg. 211



MIA
Sconce/Vanity
10 decors
Pg. 232



MILO 4
Sconce/Vanity
5 decors
Pg. 201



NICO 4
Sconce/Vanity
6 decors
Pg. 231



NICO 5
Sconce/Vanity
2 decors
Pg. 214



OPTOS
Vanity
1 decor
Pg. 203



PAHU 4
Sconce/Vanity
5 decors
Pg. 227



PALLA 5
Sconce/Vanity
4 decors
Pg. 233



PAOLO
Sconce/Vanity
5 decors
Pg. 215



PERI
Sconce/Vanity
5 decors
Pg. 228

MINI SCONCES & VANITIES



PHANTOM 6
Sconce/Vanity
3 decors
Pg. 207



POGO
Sconce/Vanity
3 decors
Pg. 213



RISE
Sconce/Vanity
1 decor
Pg. 223



SASHA
Sconce/Vanity
11 decors
Pg. 225



SWIRL
Sconce/Vanity
1 decor
Pg. 229



TAY TAY
Sconce/Vanity
12 decors
Pg. 233



TITO
Sconce/Vanity
1 decor
Pg. 206

OUTDOOR



BAAZ 16 / 20
Sconce
1 decor
Pg. 249



BARCLAY 18 / 22
Sconce
1 decor
Pg. 248



BILLOW 15
Sconce
1 decor
Pg. 242



BLINK
Sconce
4 decors
Pg. 245



BREE
Sconce
1 decor
Pgs. 236-237



CIRRUS
Sconce
1 decor
Pg. 253



ESPADA 16
Sconce
1 decor
Pg. 241



GEO 9 / 11
Sconce
1 decor
Pg. 251



JUNI 10 / 16
Sconce
6 decors
Pg. 247



LIDO
Sconce
1 decor
Pg. 250



MOTO
Sconce
1 decor
Pg. 235



NAPOLI
Sconce
1 decor
Pg. 240



PRISMO 10 / 16
Sconce
1 decor
Pg. 252



QUATTRO 10
Sconce
2 decors
Pg. 253



SAIL
Sconce
3 decors
Pg. 243



SCALA
Sconce
1 decor
Pgs. 238-239



SULTANA
Sconce
3 decors
Pg. 246



SULU
Sconce
4 decors
Pg. 244



TINO 13 / 18
Sconce
2 decors
Pg. 250



7-light Bar 120V multi light canopy with four Pape 10 and three Pape 12 120V pendants in Glitter. Light source is LED.

*1x T37V-SN
4x J-4912GL-LED-SN
3x J-4913GL-LED-SN*

BUILD YOUR OWN
120V MULTI LIGHT PENDANT



4-light Bar 120V multi light canopy with four Gala 120V pendants in Natural. Light source is LED.

- 1x T34V-SN
- 4x J-GALANA-LED-SN



3-light large round 120V multi light canopy with three Pica 9 120V pendants in Creme Sand, Gold Sand and White Sand. Light source is LED.

- 1x T33XL-BR
- 1x J-PIC9CR-LED-BR
- 1x J-PIC9GD-LED-BR
- 1x J-PIC9WH-LED-BR

STEP 1 SELECT THE 120V MULTIPOINT CEILING CANOPY

Select from 3, 4, 6, 7 or 9 lights canopies available as round or bar configurations.
NOTE: All 120V Multiport Canopies are compatible with Incandescent and LED 120V Pendants.

3-LIGHT ROUND, FIXED CONNECT

For 120V Pendants using 10" diameter shades MAX, with staggered heights.



3-LIGHT LARGE ROUND, FIXED CONNECT

For 120V Pendants using 16" diameter shades MAX, with staggered heights.



6-LIGHT ROUND, FIXED CONNECT

For 120V Pendants using 10" diameter shades MAX, with staggered heights.



3-LIGHT BAR, FIXED CONNECT

For 120V Pendants using 20" diameter shades MAX, with staggered heights.



4-LIGHT BAR, FIXED CONNECT

For 120V Pendants using 20" diameter shades MAX, with staggered heights.



9-LIGHT ROUND, FIXED CONNECT

For 120V Pendants using 10" diameter shades MAX, with staggered heights.



7-LIGHT BAR, FIXED CONNECT

For 120V Pendants using 14" diameter shades MAX, with staggered heights.



SWAG ACCESSORY

For 120V Cord Pendants that allow installer to position cord drops as desired.
 Order: T103-BR/SN



MULTIPOINT CEILING CANOPY ORDERING

ITEM	FINISH
T33X 3-light round	BR Bronze
T33XL 3-light large round	SN Satin Nickel
T36X 6-light round	
T39X 9-light round	
T33V 3-light bar	
T34V 4-light bar	
T37V 7-light bar	

STEP 2 COMBINE THE CODES

Refer to the 120V pendants pages 13-75 to select your 120V pendants. Order your canopy with the selected 120V multi light pendants (indicated by "J" or "B" prefix) to create the complete fixture.



Ordering code for the example shown to the left:

- 1x T33XL-SN
- 1x J-MILO4PL-SN
- 1x J-MILO4GR-SN
- 1x J-MILO4SM-SN

120V PENDANTS



MONOPOINT CORD HUNG


1BC/1JC 1 LIGHT PENDANT, DOME CANOPY



- Dome Canopy style. Dome style allows adjustment without cutting cord.
- Suitable for sloped ceilings
- Cord: 10' SVT, 5" sleeve at socketholder
- Bronze or Satin Nickel

MONOPOINT CABLE HUNG

1KX MONOPOINT SINGLE CABLE DOME CANOPY



- 1x 10' aircraft-quality stainless steel cable
- Suitable for sloped ceilings
- 1x lampholder
- 4-pin CFL options available
- Cord: 10' AWM-type provided
- Bronze or Satin Nickel

MONOPOINT STEM HUNG

1KT/1TT MONOPOINT STEM PENDANT CANOPY




- Swivel at canopy, suitable for sloped ceilings
- Includes telescoping section plus 4 connectable stem sections, (1x 3", 1x 6", 1x 12", 1x 18"), 10' max
- Bronze or Satin Nickel

1BT/1JT 1 LIGHT PENDANT, FLAT CANOPY



- Flat Canopy style.
- Suitable for sloped ceilings
- Cord: 10' SVT, 5" sleeve at socketholder
- Bronze or Satin Nickel

1KG/1KV MONOPOINT THREE CABLE FLAT CANOPY



- 3x 10' aircraft-quality stainless steel cable
- 1KG Series: 1x lampholder
- 1KV Series: 3x lampholder
- 1KV Series includes flat glass glare shield
- Cord: 10' AWM-type provided
- Bronze or Satin Nickel

STEM SECTIONS

Interlocking stem sections may be ordered for Besa pendant luminaires. These 7/16" diameter stem sections can easily be added to increase the overall drop length. Available in 4 different fixed lengths, plus a telescoping section that allows up to 3" of length adjustment.


Note: When adding to pendants length, overall length is not to exceed 10' (the provided wiring length). They may not be field cut.

T203-BR	3" Section, Bronze
T203-SN	3" Section, Satin Nickel
T206-BR	6" Section, Bronze
T206-SN	6" Section, Satin Nickel
T212-BR	12" Section, Bronze
T212-SN	12" Section, Satin Nickel
T218-BR	18" Section, Bronze
T218-SN	18" Section, Satin Nickel


BENITO

Formed by multiple laser cut arcs, the Benito pendant takes acrylic to a new level. Each segment is beautifully edge lit from the central light source, resulting in a subtly shimmering orb.

120V PENDANTS



BENITOGL
GLOBE



EDIL: 4W Replaceable LED Filament T9 lamp, CL dimmable. 80+ CRI, 320 lumens, 15,000 hours, lamp included.

LOCATION: DAMP



For latest product information, scan QR code

CONNECTION	SHADE OPTIONS	LAMP OPTIONS	METAL FINISH
Cord Fixtures	BENITOGL Globe, ClearAcrylic	EDIL 4W LED Filament	BR Bronze BK Black SN Satin Nickel
1JC 1 Lt. Dome			
1JT 1 Lt. Flat			

Multi light (pg. 11)
J For Multi light Canopy



Multi light Canopies Available, see page. 11

Ex. 1JT-BENITOGLED-BK
Benito Pendant, Globe, Black Finish

BLINK

120V PENDANTS

The Blink Pendant is a transitional design composed of a transparent closed-bottom cylinder glass, with a clear bottom portion that is separated from the transcolor top by an interesting cut ellipse through the center.



BLINKSM
TRANS. SMOKE/CLEAR




BLINKKCL
CLEAR



BLINKAM
TRANS. AMBER/CLEAR



BLINKBL
TRANS. BLUE/CLEAR



STD LAMP: 60W T10 120V, lamp not included.

EDI: 40W Edison lamp, lamp included.

EDIL: 4W Replaceable T-shape LED Filament lamp, CL dimmable, lamp included.

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp label


LOCATION: DAMP



For latest product information, scan QR code

CONNECTION	GLASS OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
1JC 1 Lt. Dome	BLINKAM Trans. Amber/Clear	(blank) 60W T10 Incan	BK Black	L 15' cord
1JT 1 Lt. Flat	BLINKBL Trans. Blue/Clear	EDI 40W Edison	BR Bronze	LW Low
	BLINKKCL Clear	EDIL 4W LED Filament	SN Satin Nickel	wattage labeling
	BLINKSM Trans. Smoke/Clear			

Multi light (pg. 11)
J For Multi light Canopy



MultiLight Canopies Available, see page. 11

Ex. 1JT-BLINKBL-SN
Blink Pendant, Trans. Blue/Clear Shade, Satin Nickel Finish

The Sulu Pendant is a transitional design composed of a transparent radiused cone-shaped glass, with a bottom clear point and an interesting bubble pattern blown randomly throughout the glass.



SULUBL
BLUE BUBBLE



SULUCL
CLEAR BUBBLE




SULUAM
AMBER BUBBLE



SULUSM
SMOKE BUBBLE

**Shown with Edison lamping option (EDI) and Satin Nickel finish (SN)*



STD LAMP: 60W T10 120V, lamp not included.

EDI: 40W Edison lamp, lamp included.

EDIL: 4W Replaceable T-shape LED Filament lamp, CL dimmable, lamp included.

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp label

LOCATION: DAMP



For latest product information, scan QR code

CONNECTION	GLASS OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
1JC 1 Lt. Dome	SULUAM Amber Bubble	(blank) 60W T10 Incan	BK Black	L 15' cord
1JT 1 Lt. Flat	SULUBL Blue Bubble	EDI 40W Edison	BR Bronze	LW Low wattage labeling
	SULUCL Clear Bubble	EDIL 4W LED Filament	SN Satin Nickel	
	SULUSM Smoke Bubble			

Multi light (pg. 11)
J For Multi light Canopy



Multi-light Canopies Available, see page. 11

Ex. 1JT-SULUSM-SN
Sulu Pendant, Trans. Smoke Bubble Shade, Satin Nickel Finish

BRAVO

120V PENDANTS


The Bravo Pendant is a transitional design composed of a transparent gold geometric-shaped glass, with a bottom angled point and painted framing along the perimeter of the glass.



BRAVOBR
BRONZE/GOLD



BRAVOBK
BLACK/GOLD



STD LAMP: 60W T10 120V, lamp not included.

EDI: 40W Edison lamp, lamp included.

EDIL: 4W Replaceable T-shape LED Filament lamp, CL dimmable, lamp included.

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp label

LOCATION: DAMP



For latest product information, scan QR code

CONNECTION	GLASS OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
1JC 1 Lt. Dome	BRAVOBK Black/Gold	(blank) 60W T10 Incan	BK Black	L 15' cord
1JT 1 Lt. Flat	BRAVOBR Bronze/Gold	EDI 40W Edison	BR Bronze	LW Low wattage labeling
		EDIL 4W LED Filament	SN Satin Nickel	

Multi light (pg. 11)
J For Multi light Canopy



Multilight Canopies Available, see page 11

Ex. 1JT-BRAVOBK-SN
Bravo Pendant, Black/Gold Shade, Satin Nickel Finish

The Jilly Vapor Pendant is a contemporary design composed of a transparent globe glass, with a mysterious vapor-like patterning throughout the glass to partially conceal the inner portion of the shade.




JILLYSM
VAPOR SMOKE



JILLYCL
VAPOR CLEAR



JILLYAM
VAPOR AMBER



STD LAMP: 60W A19 120V, lamp not included.

EDI: 40W Edison lamp, lamp included.

EDIL: 5W Replaceable A15 LED Filament lamp, CL dimmable, lamp included.

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp label

LOCATION: DAMP



For latest product information, scan QR code

CONNECTION

- 1JC 1 Lt. Dome
- 1JT 1 Lt. Flat

- Stem Fixture
- 1TT 1 Lt. Flat

Multi light (pg. 11)
J For Multi light Canopy



Multilight Canopies Available, see page. 11

GLASS OPTIONS

- JILLYAM Vapor Amber
- JILLYCL Vapor Clear
- JILLYSM Vapor Smoke

LAMP OPTIONS

- (blank) 60W A19 Incan
- EDI 40W Edison
- EDIL 5W LED Filament

METAL FINISH

- BR Bronze
- SN Satin Nickel

OPTIONS

- L 15' cord
- LW Low wattage labeling

Ex. 1JT-JILLYSM-SN
Jilly Pendant, Vapor Smoke Shade, Satin Nickel Finish

LAYLA

120V PENDANTS

The Layla Pendant employs an outer trans glass globe, with an appealing dimple pattern blown throughout the glass and an inner opal cylinder for concealing the light source.




LAYLASM
SMOKE



LAYLACL
CLEAR



LAYLAAM
AMBER



STD LAMP: 60W T10 120V, lamp not included.

LED: 5W Replaceable source, CL dimmable, 90+ CRI, 3000°K CCT, 500 lumens, 25,000 hours.

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp label


LOCATION: DAMP



For latest product information, scan QR code

CONNECTION	GLASS OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
1JC 1 Lt. Dome	LAYLAAM Amber	(blank) 60W T10 Incan	BR Bronze	L 15' cord
1JT 1 Lt. Flat	LAYLACL Clear	LED 5W LED	SN Satin Nickel	LW Low wattage labeling
	LAYLASM Smoke			

Stem Fixture
1TT 1 Lt. Flat
Multi light (pg. 11)
J For Multi light Canopy



Multilight Canopies Available, see page 11

Ex. 1JT-LAYLAAM-SN
Layla Pendant, Amber Shade, Satin Nickel Finish

The Esa Pendant employs an outer trans glass cylinder, with an appealing dimple pattern blown throughout the glass and an inner opal cylinder for concealing the light source.




ESACL
CLEAR



ESAAM
AMBER



ESASM
SMOKE



STD LAMP: 60W T10 120V, lamp not included.

LED: 5W Replaceable source, CL dimmable. 90+ CRI, 3000°K CCT, 500 lumens, 25,000 hours.

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp label

LOCATION: DAMP




For latest product information, scan QR code

CONNECTION	GLASS OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
1JC 1 Lt. Dome	ESAAM Amber	(blank) 60W T10 Incan	BR Bronze	L 15' cord
1JT 1 Lt. Flat	ESACL Clear	LED 5W LED	SN Satin Nickel	LW Low wattage labeling
	ESASM Smoke			

Stem Fixture
1TT 1 Lt. Flat

Multi light (pg. 11)
J For Multi light Canopy



Multilight Canopies Available, see page. 11

Ex. 1JT-ESASM-SN
Esa Pendant, Smoke Shade, Satin Nickel Finish

BENJI

120V PENDANTS

The Benji Pendant is the blending of natural elements, an outer trans glass globe, with an inverted lip blown into the glass bottom and an inner wood globe for concealing the light source.




BENJISMD
SMOKE/MEDIUM



BENJICLNA
CLEAR/NATURAL



BENJIBLNA
CORAL BLUE/NATURAL



LED: 9W Replaceable source, dimmable, 90+ CRI, 3000°K CCT, 800 lumens, 30,000 hours.

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp label

LOCATION: DAMP




For latest product information, scan QR code

CONNECTION

- Cord Fixtures
- 1JC** 1 Lt. Dome
- 1JT** 1 Lt. Flat

Multi light (pg. 11)
J For Multi light Canopy



Multi-light Canopies Available, see page. 11

GLASS OPTIONS

- BENJICLNA** Clear/Natural
- BENJICLMD** Clear/Medium
- BENJIBLNA** Coral Blue/Natural
- BENJIBLMD** Coral Blue/Medium
- BENJISMNA** Smoke/Natural
- BENJISMD** Smoke/Medium

LAMP OPTIONS

- LED 9W LED**

METAL FINISH

- BR** Bronze
- SN** Satin Nickel

OPTIONS

- L** 15' cord
- LW** Low wattage labeling

Ex. 1JT-BENJICLMD-SN

BENJI Pendant, Clear/Medium Shade, Satin Nickel Finish


The Dano Pendant is the blending of natural elements, an outer trans glass cone with an inner wood cone for concealing the light source.



DANOCLNA
CLEAR/NATURAL



DANOSMMD
SMOKE/MEDIUM



LED: 9W Replaceable source, dimmable, 90+ CRI, 3000°K CCT, 800 lumens, 30,000 hours.

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp label


LOCATION: DAMP



For latest product information, scan QR code

CONNECTION	GLASS OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Cord Fixtures	DANOCLNA Clear/Natural	LED 9W LED	BR Bronze	L 15' cord
1JC 1 Lt. Dome	DANOCLMD Clear/Medium		SN Satin Nickel	LW Low wattage labeling
1JT 1 Lt. Flat	DANOSMNA Smoke/Natural			
	DANOSMMD Smoke/Medium			

Multi light (pg. 11)
J For Multi light Canopy



Multilight Canopies Available, see page. 11

Ex. 1JT-DANOCLMD-SN
Dano Pendant, Clear/Medium Shade, Satin Nickel Finish

ALLY 8 / 12

120V PENDANTS

The Ally Pendant is a contemporary look employing a bicolor globe glass, with a clear bottom that is separated by a sophisticated cut perimeter line.




ALLY12BL
CORAL BLUE/CLEAR



ALLY8AM
AMBER/CLEAR




ALLY8SM
SMOKE/CLEAR



CONNECTION	GLASS OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
1JC 1 Lt. Dome	ALLY8AM 7.875" Amber/Clear	(blank) 60W A19 Incan	BR Bronze	L 15' cord
1JT 1 Lt. Flat	ALLY8BL 7.875" Coral Blue/Clear	EDI 40W Edison	SN Satin Nickel	LW Low wattage labeling
Cable Fixture	ALLY8SM 7.875" Smoke/Clear	EDIL 8W LED Filament		
1KX 1 Lt. Dome	ALLY12AM 11.75" Amber/Clear			
Stem Fixture	ALLY12BL 11.75" Coral Blue/Clear			
1TT 1 Lt. Flat	ALLY12SM 11.75" Smoke/Clear			

Multi light (pg. 11)
J For Multi light Canopy



Multilight Canopies Available, see page. 11

Ex. 1JT-ALLY8AM-SN
Ally 8 Pendant, Amber Shade, Satin Nickel Finish

STD LAMP: 60W A19 120V, lamp not included.
EDI: 40W Edison lamp, lamp included.
EDIL: 8W Replaceable A19 LED Filament lamp, CL dimmable, 90+ CRI, 3000°K CCT, 800 lumens, 25,000 hours, lamp included.

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp label

LOCATION: DAMP



For latest product information, scan QR code

BLOOM 12

The Bloom Pendant is a modern look consisting of a clear glass globe with an external matte applique, carefully cut out in longitude and latitude style lines.




BLOOM12WH
WHITE



BLOOM12CP
COPPER



BLOOM12BK
BLACK



STD LAMP: 75W A19 120V, lamp not included.

LED: 9W Replaceable source, CL dimmable. 90+ CRI, 3000°K CCT, 800 lumens, 25,000 hours L70 life

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp label

LOCATION: DAMP



For latest product information, scan QR code

CONNECTION	GLASS OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
1JC 1 Lt. Dome	BLOOM12BK Black	(blank) 75W A19 Incan	BR Bronze	L 15' cord
1JT 1 Lt. Flat	BLOOM12CP Copper	LED 9W LED	SN Satin Nickel	LW Low wattage labeling
	BLOOM12WH White			

Multi light (pg. 11)
J For Multi light Canopy



Multi light Canopies Available, see page. 11

Ex. 1JT-BLOOM12BK-SN
Bloom 12 Pendant, Black Shade, Satin Nickel Finish

ROCKY

120V PENDANTS

The Rocky Pendant features a unique globe shade that is enhanced by the beauty of shimmering glass cutouts, resulting in a compelling optical display in a smartly modern design.




ROCKYBK
BLACK



ROCKYWH
WHITE



ROCKYCP
COPPER



STD LAMP: 60W A19 120V, lamp not included.

LED: 9W Replaceable source, CL dimmable, 90+ CRI, 3000°K CCT, 800 lumens, 30,000 hours.

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp label

LOCATION: DAMP




For latest product information, scan QR code

CONNECTION	SHADE OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Pendant Fixtures	ROCKYBK Black	(blank) 60W Incan	BR Bronze	L 15' cord
1JC Dome Canopy	ROCKYCP Copper	LED 9W LED 120V, dimmable	SN Satin Nickel	LW Low wattage labeling
1JT Flat Canopy	ROCKYWH White			

Stem Fixtures
1TT Flat Canopy

Multi light (pg. 11)
J For Multi light Canopy




Multi-light Canopies Available, see page. 11

Ex. 1JT-ROCKYCP-SN
Rocky Glass Pendant, Copper, Satin Nickel Finish

The Kiev Pendant features a unique shade that melds the beauty of shimmering glass with the visual advantages of cut metal, which results in a compelling optical display.



KIEVWH
WHITE



STD. LAMP: 60W A19 120V, lamp not included.

LED: 9W Replaceable source, CL dimmable, 90+ CRI, 3000°K CCT, 800 lumens, 30,000 hours.

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp label

LOCATION: DAMP



For latest product information, scan QR code



KIEVCP
COPPER



KIEVBK
BLACK

CONNECTION	SHADE OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Pendant Fixtures	KIEVBK Black	(blank) 60W Incan	BR Bronze	L 15' cord
1JC Dome Canopy	KIEVCP Copper	LED 9W LED 120V, dimmable	SN Satin Nickel	LW Low wattage labeling
1JT Flat Canopy	KIEVWH White			

Cable Fixture
1KX 1 Lt. Dome

Stem Fixtures
1TT Flat Canopy

Multi light (pg. 11)
J For Multi light Canopy



Multilight Canopies Available, see page. 11

Ex. 1JT-KIEVWH-SN
Kiev Glass Pendant, White, Satin Nickel Finish

ZEN

120V PENDANTS

The Zen Pendant is a transitional design using a transparent "Hour-Glass" shaped glass, with a tranquil bubble pattern blown randomly throughout the glass.



ZENBL
BLUE BUBBLE



ZENCL
CLEAR BUBBLE




ZENGD
GOLD BUBBLE



ZENLT
LATTE BUBBLE



ZENMS
MOSS BUBBLE



STD LAMP: 60W A19 120V, lamp not included.

EDI: 40W Edison lamp, lamp included.

EDIL: 8W Replaceable A19 LED Filament lamp, CL dimmable, 90+ CRI, 3000°K CCT, 800 lumens, 25,000 hours, lamp included.

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp label

LOCATION: DAMP



For latest product information, scan QR code

CONNECTION

- 1JC 1 Lt. Dome
- 1JT 1 Lt. Flat

Cable Fixture


- 1KX 1 Lt. Dome

Stem Fixture

- 1TT 1 Lt. Flat

Multi light (pg. 11)

J For Multi light Canopy



Multi-light Canopies Available, see page. 11

SHADE OPTIONS

- ZENBL Blue Bubble
- ZENCL Clear Bubble
- ZENGD Gold Bubble
- ZENLT Latte Bubble
- ZENMS Moss Bubble

LAMP OPTIONS

- (blank) 60W A19 Incan
- EDI 40W Edison
- EDIL 8W LED Filament

METAL FINISH

- BR Bronze
- SN Satin Nickel

OPTIONS

- L 15' cord
- LW Low wattage labeling

Ex. 1JT-ZENCL-SN
Zen Pendant, Clear Bubble Shade, Satin Nickel Finish

NILES 10

The Niles Pendant is a broad transcolor glass cylinder, with an tranquil bubble pattern blown randomly throughout the glass.

120V PENDANTS



NILES10BO
BLUE BUBBLE/OPAL



NILES10CL
CLEAR BUBBLE




NILES10AM
AMBER BUBBLE



NILES10SM
SMOKE BUBBLE

Niles 10:



STD. LAMP: 60W T10 120V, lamp not included.

LED: 5W Replaceable source, 120V, CL dimmable, 90+ CRI, 550 lumens, 30,000 hours, lamp included.

EDI: 40W Edison S-style lamp, lamp included.

EDIL: 4W Replaceable LED Filament T-shape lamp, CL dimmable, lamp included.

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp label


LOCATION: DAMP



For latest product information, scan QR code

CONNECTION	SHADE OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Pendant Fixtures	NILES10AM Amber Bubble	(blank) 60W T10 Incan	BR Bronze	L 15' cord
1JC Dome Canopy	NILES10BL Blue Bubble	LED 5W LED	SN Satin Nickel	LW Low wattage labeling
1JT Flat Canopy	NILES10CL Clear Bubble	(With Inner Glass)		
	NILES10SM Smoke Bubble	EDI 40W Edison		
Stem Fixtures	NILES10AO Amber Bubble/Opal	(Without Inner glass)		
1TT Flat Canopy	NILES10BO Blue Bubble/Opal	EDIL 4W LED Filament		
	NILES10CO Clear Bubble/Opal	(Without Inner glass)		
Multi light (pg. 11)	NILES10SO Smoke Bubble/Opal			

J For Multi light Canopy



Multi-light Canopies Available, see page. 11

Ex. 1JT-NILES10CL-SN
Niles 10 Pendant, Clear Bubble Glass, Satin Nickel Finish

BESALIGHTING.COM

The Juni Pendant is a timeless glass cylinder with an interesting bubble pattern blown throughout the glass. The pleasing play of light through the bubble accents make for a soothing affect.



JUNI16CL
CLEAR BUBBLE



JUNI10MS
MOSS BUBBLE



GOLD BUBBLE




LATTE BUBBLE



BLUE BUBBLE



PLUM BUBBLE



STD LAMP: 60W T10 120V, lamp not included.

EDI: 40W Edison S-style lamp, lamp included.

EDIL: 4W Replaceable LED Filament T-shape lamp, CL dimmable, lamp included.

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp label


LOCATION: DAMP



For latest product information, scan QR code

CONNECTION	SHADE OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Pendant Fixtures	JUNI10BL 10" Blue Bubble	(blank) 60W T10 Incan	BR Bronze	L 15' cord
1JC Dome Canopy	JUNI10CL 10" Clear Bubble	EDI 40W Edison	SN Satin Nickel	LW Low wattage labeling
1JT Flat Canopy	JUNI10GD 10" Gold Bubble	EDIL 4W LED Filament		
	JUNI10LT 10" Latte Bubble			
	JUNI10MS 10" Moss Bubble			
Stem Fixtures	JUNI10PL 10" Plum Bubble			
1TT Flat Canopy	JUNI10BL 16" Blue Bubble			
	JUNI16CL 16" Clear Bubble			
Multi light (pg. 11)	JUNI16GD 16" Gold Bubble			
J For Multi light Canopy	JUNI16LT 16" Latte Bubble			
	JUNI16MS 16" Moss Bubble			
	JUNI16PL 16" Plum Bubble			

Ex. 1JT-JUNI10MS-SN
Juni 10 Pendant, Moss Bubble Glass, Satin Nickel Finish



Multi-light Canopies Available, see page. 11

LITHIUM 8 / 12

Our Lithium is a distinctive double-glass pendant, with a colored inner cylinder centered within the random etched mirror outer glass, designed to suit any modern decor ready for a splash of color.

120V PENDANTS



LITH12BL
LITHIUM BLUE



LITH8RD
LITHIUM RED

*Shown as Stem Fixture (1TT)



LITHIUM ORANGE





LITHIUM CREME



LITHIUM PURPLE

Lithium 8: LITH8

Lithium 12: LITH12



STD. LAMP: 100W A19 120V, lamp not included.

LED: 11W Replaceable source, CL dimmable, 90+ CRI, 3000°K CCT, 1100 lumens, 30,000 hours.

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp label

LOCATION: DAMP

Lithium 8:



For latest product information, scan QR code

Lithium 12:



CONNECTION	GLASS OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
3x Cable Fixtures	LITH8BL 8" Lithium Blue	(blank) 100W Incan	BR Bronze	L 15' cord
1KG Flat Canopy	LITH8OR 8" Lithium Orange	LED 11W LED	SN Satin Nickel	LW Low wattage labeling
Stem Fixture	LITH8RD 8" Lithium Red			
1TT Flat Canopy	LITH8PL 8" Lithium Purple			
	LITH8CR 8" Lithium Creme			

CONNECTION	GLASS OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
3x Cable Fixtures	LITH12BL 12" Lithium Blue	(blank) 100W Incan	BR Bronze	L 15' cord
1KG Flat Canopy	LITH12OR 12" Lithium Orange	LED 11W LED	SN Satin Nickel	LW Low wattage labeling
Stem Fixture	LITH12RD 12" Lithium Red			
1TT Flat Canopy	LITH12PL 12" Lithium Purple			
	LITH12CR 12" Lithium Creme			

Ex. 1KG-LITHIUM12BL-LED-SN
Lithium 12 LED Pendant, Lithium Blue Shade, Satin Nickel Finish

ALINA 12

120V PENDANTS

The Alina 12 is a large scale glass pendant with an inner foil applique accented by a sparkling clear edge design. The softly curving lines of the Alina shape allows it to fit into any environment.




ALINA12GF
GOLD FOIL



ALINA12SF
SILVER FOIL

*Shown as Stem Fixture (1TT)



LED: 9W Replaceable source, dimmable. 90+ CRI, 3000°K CCT, 800 lumens, 30,000 hours.

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp label

LOCATION: DAMP



For latest product information, scan QR code

CONNECTION	GLASS OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
1x Cable Fixture	ALINA12GF Gold Foil	LED 9W LED	BR Bronze	L 15' cord
1KX 1 Lt. Flat	ALINA12SF Silver Foil		SN Satin Nickel	LW Low wattage labeling
Stem Fixture				
1TT 1 Lt. Flat				

Ex. 1KZ-ALINA12SF-SN
Alina 12 Pendant, Silver Foil Shade, Satin Nickel Finish

BRIO 14

The Brio 14 is a broad handcrafted glass, softly radiused to fit gracefully into contemporary spaces. When illuminated the inner foil glows warmly, while the bottom clear glass emits a pleasing sparkle.


120V PENDANTS



4345SF
SILVER FOIL



4345GF
GOLD FOIL



LAMP: 75W A19 120V, lamp not included

LED: 9W Replaceable source, dimmable, 90+ CRI, 3000°K CCT, 800 lumens, 30,000 hours.

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp label

LOCATION: DAMP




For latest product information, scan QR code

CONNECTION	SHADE OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Cord Fixture	4345GF Gold Foil	(blank) 75W A19 120V	BR Bronze	L 15' cord
1JC 1 Lt. Dome	4345SF Silver Foil	LED 9W LED 120V, dimmable	SN Satin Nickel	LW Low wattage labeling
1JT 1 Lt. Flat				
Cable Fixture				
1KX 1 Lt. Dome				
Stem Fixture				
1TT 1 Lt. Flat				

Ex. 1JT-4345GF-SN
Brio 14 Pendant w/ Gold Foil Glass, Satin Nickel Finish

Multi light (pg. 11)
J For Multi light Canopy



Multilight Canopies Available, see page 11

VENUS


120V PENDANTS

The urban stylings of our Venus LED pendant are ideal for today's modern architecture, composed of intricately cut layers of tan corrugated cardboard that are fused together in a broadly curved shade.



VENUS

**White Acrylic diffuser can be removed for an optional open bottom appearance.*



LED: 9W Replaceable source, dimmable, 90+ CRI, 3000°K CCT, 800 lumens, 30,000 hours.

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp label

LOCATION: DRY



For latest product information, scan QR code

CONNECTION	SHADE OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Pendant Fixtures	VENUS Venus	LED 9W LED 120V, dimmable	BR Bronze SN Satin Nickel	L 15' cord LW Low wattage labeling
Stem Fixtures				
1TT Flat Canopy				
Multi light (pg. 11)				
J For Multi light Canopy				



Multilight Canopies Available, see page. 11

Ex. 1JT-VENUS-LED-SN
Venus Pendant,
Satin Nickel Finish


Our geometrically inspired Kirk LED pendant is composed of intricately cut layers of tan corrugated cardboard, joined together in a diminutive cube shade.



KIRK 12



KIRK 6



LED: 9W Replaceable source, dimmable, 90+ CRI, 3000°K CCT, 800 lumens, 30,000 hours.

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp label

LOCATION: DRY

Kirk 6:



For latest product information, scan QR code

Kirk 12:



CONNECTION	SHADE OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Pendant Fixtures	KIRK6 6" Kirk	LED 9W LED 120V, dimmable	BR Bronze SN Satin Nickel	L 15' cord LW Low wattage labeling
1JC Dome Canopy 1JT Flat Canopy	KIRK12 12" Kirk			
1TT Flat Canopy				

Multi light (pg. 11)

J For Multi light Canopy



Multi-light Canopies Available, see page. 11

Ex. 1JT-KIRK12-LED-SN

Kirk 12 Pendant, Satin Nickel Finish

MANA

120V PENDANTS

The Mana is a playful double-glass pendant, with a globe-shaped opal glass suspended with a radiused outer transcolor glass ring.



MANACL
CLEAR/OPAL




MANAAM
TRANS. AMBER/OPAL



MANASM
TRANS. SMOKE/OPAL



MANABL
TRANS. BLUE/OPAL



STD. LAMP: 60W
A19 120V, lamp not included.

LED: 9W Replaceable source, CL dimmable, 90+ CRI, 3000°K CCT, 800 lumens, 30,000 hours.

EDI: 40W Edison S-style lamp, lamp included. (Without Inner Glass only)

LOW WATTAGE LABELING:
Incandescent fixture supplied with 16 watt relamp label

LOCATION: DAMP




For latest product information, scan QR code

CONNECTION	SHADE OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Pendant Fixtures	MANAAM Trans. Amber/Opal	(blank) 60W Incan	BR Bronze	L 15' cord
1JC Dome Canopy	MANABL Trans. Blue/Opal	LED 9W LED 120V, dimmable	SN Satin Nickel	LW Low wattage labeling
1JT Flat Canopy	MANACL Clear/Opal	EDI 40W Edison (Without Inner Glass)		NI No Inner Glass
Stem Fixtures	MANASM Trans. Smoke/Opal			
1TT Flat Canopy				

Multi light (pg. 11)

J For Multi light Canopy



Multilight Canopies Available, see page 11

Ex. 1JT-MANACL-SN
Mana Glass Pendant, Clear/Opal, Satin Nickel Finish

PLATO

The Plato is a playful double-glass pendant, with a cylindrical-shaped opal glass centered in a radiused outer transparent glass ring. Also can be ordered without the inner Cylinder to display an exposed lamp.

120V PENDANTS



PLATOAM
TRANS. AMBER/OPAL



PLATOCL
CLEAR/OPAL




PLATOBL
TRANS. BLUE/OPAL



PLATOSM
TRANS. SMOKE/OPAL

*Shown without Inner Glass



STD. LAMP: 60W B10 120V, lamp not included.

LED: 5W Replaceable source, CL dimmable, 90+ CRI, 500 lumens, 30,000 hours.

EDI: 40W Edison S-style lamp, lamp included. (Without Inner Glass only)

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp label


LOCATION: DAMP



For latest product information, scan QR code

CONNECTION	SHADE OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Pendant Fixtures	PLATOAM Trans. Amber/Opal	(blank) 60W Incan	BR Bronze	L 15' cord
1JC Dome Canopy	PLATOBL Trans. Blue/Opal	LED 5W LED 120V, dimmable	SN Satin Nickel	LW Low wattage labeling
1JT Flat Canopy	PLATOCL Clear/Opal	EDI 40W Edison (Without Inner Glass)		NI No Inner Glass
	PLATOSM Trans. Smoke/Opal			
Stem Fixtures				
1TT Flat Canopy				

Multi light (pg. 11)
J For Multi light Canopy



Multilight Canopies Available, see page. 11

Ex. 1JT-PLATOCL-SN
Plato Glass Pendant, Clear/Opal, Satin Nickel Finish

OMEGA 12

120V PENDANTS

The Omega 12 Pendant is a transitional design composed of a transparent blown glass cylinder pendant with an artistic gradient pattern of color from top to bottom of the glass.



OMEGA12RD
RED/CLEAR

**Shown with LED Filament lamp (EDIL)*



OMEGA12CL
CLEAR




OMEGA12WH
WHITE/CLEAR



OMEGA12AM
AMBER/CLEAR



OMEGA12ST
STEEL/CLEAR



STD. LAMP: 60W T10 120V, lamp not included.

EDIL: 4W Replaceable LED Filament T-shape lamp, 120V, CL dimmable, 90+ CRI, 320 lumens, 15,000 hours, lamp included.

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp label

LOCATION: DAMP




For latest product information, scan QR code

CONNECTION	SHADE OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Pendant Fixtures	OMEGA12AM Amber/Clear	(blank) 60W T10	BR Bronze	L 15' cord
1JC Dome Canopy	OMEGA12CL Clear	EDIL 4W LED	SN Satin Nickel	LW Low wattage labeling
1JT Flat Canopy	OMEGA12RD Red/Clear	Filament		
	OMEGA12ST Steel/Clear			
Stern Fixtures	OMEGA12WH White/Clear			
1TT Flat Canopy				

Multi light (pg. 11)

J For Multi light Canopy



Multilight Canopies Available, see page. 11

Ex. 1JT-OMEGA12ST-EDIL-SN
Omega 12 LED Pendant, Steel Shade, Satin Nickel Finish

The Pinots feature oblong, free form glass shades, with a soothing injection of random bubble patterning.




PINOT9SM
SMOKE BUBBLE



PINOT13CL
CLEAR BUBBLE



PINOT18BL
BLUE BUBBLE



STD. LAMP: 60W T10 120V, lamp not included.

EDI: 40W Edison S-style lamp, lamp included.

EDIL: 4W Replaceable LED Filament lamp, 120V, dimmable, lamp included.

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp label

LOCATION: DAMP



For latest product information, scan QR code

CONNECTION	SHADE OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Pendant Fixtures	PINOT9BL 9" Blue Bubble	(blank) 60W T10	BK Black	L 15' cord
1JC Dome Canopy	PINOT9CL 9" Clear Bubble	EDI 40W Edison	BR Bronze	LW Low
1JT Flat Canopy	PINOT9SM 9" Smoke Bubble	EDIL 4W LED	SN Satin Nickel	wattage labeling
	PINOT13BL 13" Blue Bubble	Filament		
Multi light (pg. 11)	PINOT13CL 13" Clear Bubble			
J For Multi light Canopy	PINOT13SM 13" Smoke Bubble			
	PINOT18BL 18" Blue Bubble			
	PINOT18CL 18" Clear Bubble			
	PINOT18SM 18" Smoke Bubble			

Multi light (pg. 11)
J For Multi light Canopy



Multi light Canopies Available, see page. 11

Ex. 1JT-PINOT9BL-EDIL-SN
Pinot 9 LED Pendant, Blue Bubble Shade, Satin Nickel Finish

SPIRIT 8 / 10

120V PENDANTS

The Spirit Pendant consists of a transcolor glass globe, with an free-form circular optical pattern blown as an additional layered ring along the interior wall of the glass.



SMOKE/CLEAR




CLEAR




SMOKE

Spirit 8:



Spirit 10:



STD. LAMP: 60W A19 120V, lamp not included.

EDI: 40W Edison A-style lamp, lamp included.

EDIL: 8W Replaceable LED Filament A19 lamp, CL dimmable, 90+ CRI, 800 lumens, 25,000 hours, lamp included.

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp label


LOCATION: DAMP



For latest product information, scan QR code

CONNECTION	SHADE OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Pendant Fixtures	SPIR8CL 8" Clear	(blank) 60W Incan	BR Bronze	L 15' cord
1JC Dome Canopy	SPIR8SC 8" Smoke/Clear	EDI 40W Edison	SN Satin Nickel	LW Low wattage labeling
1JT Flat Canopy	SPIR8SM 8" Smoke	EDIL 8W LED Filament		
Stem Fixtures	SPIR10CL 10" Clear			
1TT Flat Canopy	SPIR10SC 10" Smoke/Clear			
	SPIR10SM 10" Smoke			

Multi light (pg. 11)
J For Multi light Canopy



Multi-light Canopies Available, see page. 11

Ex. 1JT-SPIR8CL-SN
 Spirit 8 Glass Pendant, Clear, Satin Nickel Finish

PHANTOM 6

The Phantom 6 Pendant has a bell-shaped glass shade, with cascading optical pattern blown as an additional transparent layer along the top upper portion of the glass.

120V PENDANTS




PHAN6CL
CLEAR



PHAN6SC
SMOKE/CLEAR



PHAN6WC
WHITE/CLEAR



STD. LAMP: 60W T10 120V, lamp not included.

EDIL: 8W Replaceable LED Filament A19 lamp, CL dimmable, 90+ CRI, 800 lumens, 25,000 hours, lamp included.

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp label


LOCATION: DAMP



For latest product information, scan QR code

CONNECTION	SHADE OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Pendant Fixtures	PHAN6CL Clear	(blank) 60W T10	BR Bronze	L 15' cord
1JC Dome Canopy	PHAN6SC Smoke/Clear	EDIL 8W LED	SN Satin Nickel	LW Low wattage labeling
1JT Flat Canopy	PHAN6WC White/Clear	Filament		
Stem Fixtures				
1TT Flat Canopy				

Multi light (pg. 11)
J For Multi light Canopy



Multi light Canopies Available, see page. 11

Ex. 1JT-PHAN6SC-SN
Phantom 6 Pendant, Smoke/Clear Shade, Satin Nickel Finish


SOLO

120V PENDANTS

The significant and stylish hemp rope suspension of our Solo pendant creates a striking backdrop for an exposed light source, and plays to the creativity of the installation, allowing for knots, swags, loops, etc.



*Shown with Grand Edison Lamp (EDI)



STD. LAMP: 60W G40 120V, lamp not included.

EDI: 60W Grand Edison G63 lamp, lamp included.

EDIL: 4W Replaceable G40 LED Filament lamp, 120V, dimmable, lamp included.

LOCATION: DAMP

Natural Hemp rope, length of 6' and 2" diameter



For latest product information, scan QR code



Swag T104-BK



Canopy detail

CONNECTION	SHADE OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Pendant Fixtures	SOLO Rope	(blank) 60W G40 Incan	BK Black	L 15' Rope
1JT Flat Canopy	6' Length	EDI 60W Grand Edison G63		
3JW 3-Lt. 13" Round		EDIL 4W LED Filament		

Ex. 1JT-SOLO-BK
Solo Pendant, Black Finish

SULTANA

Our industrial styled Sultana pendants, employ a black aluminum bracket and artistic display of woven metal rods. The stylish hemp suspension plays to the creativity of the installation, allowing for knots, sways, loops, etc.

120V PENDANTS



GLOBE




CYLINDER




FLARE

*Shown with Edison Lamp (ED)

Sultana C:



Sultana F:



Sultana G:



Swag T104-BK



Canopy detail

STD. LAMP: 40W T10 120V, lamp not included.

EDI: 40W Edison S-style lamp, lamp included.

EDIL: 5W Replaceable LED Filament S-style lamp, dimmable, lamp included.

LOCATION: DAMP

Natural Hemp rope, length of 6' and 2" diameter



For latest product information, scan QR code

CONNECTION	SHADE OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Pendant Fixtures	SULTANA-C Cylinder	(blank) 40W T10 Incan	BK Black	L 15' Rope
1JT Flat Canopy	SULTANA-F Flare	EDI 40W Edison		
3JW 3-Lt. 13" Round	SULTANA-G Globe	EDIL 5W LED Filament		

Ex. 1JT-SULTANA-C-BK
Sultana Cylinder Pendant,
Black Finish

TUNE

120V PENDANTS


The Tune pendant is designed with a classic bell-shaped reflector, perfect for use in downlighting applications. Additionally, the shade can be rotated and angled to offer directional illumination via aiming.



SATIN NICKEL WITH SILVER REFLECTOR



BRONZE WITH CHAMPAGNE REFLECTOR



STD LAMP: 60W A19 120V, lamp not included.

LED: 9W Replaceable source, CL dimmable, 90+ CRI, 3000°K CCT, 800 lumens, 30,000 hours.

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp label

LOCATION: DAMP




For latest product information, scan QR code

CONNECTION	SHADE OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Pendant Fixtures	TUNE Tune	(Blank) 60W A19 120V	BR Bronze	L 15' cord
1JC Dome Canopy		LED 9W LED 120V, dimmable	SN Satin Nickel	LW Low wattage labeling
1JT Flat Canopy				

Stem Fixtures
1TT Flat Canopy

Multi light (pg. 11)
J For Multi light Canopy



Multi light Canopies Available, see page. 11

Ex. 1JT-TUNE-SN
Tune Pendant,
Satin Nickel Finish

LOTUS


Our industrial-styled Lotus pendant, composed of a unique metal reflector with an organically “pinched” shape, perfect for applications where a uniquely shaped pendant is needed.



SATIN NICKEL WITH SILVER REFLECTOR



BRONZE WITH CHAMPAGNE REFLECTOR



STD. LAMP: 60W A19 120V, lamp not included.

LED: 9W Replaceable source, CL dimmable, 90+ CRI, 3000°K CCT, 800 lumens, 30,000 hours.

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp label

LOCATION: DAMP




For latest product information, scan QR code

CONNECTION	SHADE OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Pendant Fixtures	LOTUS Lotus	(blank) 60W Incan	BR Bronze	L 15' cord
1JC Dome Canopy		LED 9W LED 120V	SN Satin Nickel	LW Low wattage labeling
1JT Flat Canopy		dimmable		

Stem Fixtures
1TT Flat Canopy

Multi light (pg. 11)
J For Multi light Canopy



Multi-light Canopies Available, see page. 11

Ex. 1JT-LOTUS-LED-SN
Lotus LED Pendant, Satin Nickel Finish

GORDY


Our industrial styled Gordy pendant, composed of a dome-shaped metal reflector with an abstractly designed cutout patterning for uplight, offers a look that will easily merge into the recent urban decorating trend.



BRONZE WITH CHAMPAGNE REFLECTOR



SATIN NICKEL WITH SILVER REFLECTOR



STD. LAMP: 60W A19 120V, lamp not included.

LED: 9W Replaceable source, CL dimmable, 90+ CRI, 3000°K CCT, 800 lumens, 30,000 hours.

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp label

LOCATION: DAMP



For latest product information, scan QR code

CONNECTION	SHADE OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Pendant Fixtures	GORDY Gordy	(blank) 60W Incan	BR Bronze	L 15' cord
1JC Dome Canopy		LED 9W LED 120V	SN Satin Nickel	LW Low wattage labeling
1JT Flat Canopy		dimmable		

Stem Fixtures
1TT Flat Canopy

Multi light (pg. 11)
J For Multi light Canopy



Multi-light Canopies Available, see page. 11

Ex. 1JT-GORDY-LED-SN
Gordy LED Pendant, Satin Nickel Finish

SPEZZA 7

120V PENDANTS

Our industrial styled Spezza pendant, with its artistic display of woven metal rods, offers a look that will easily merge into the recent urban decorating trend. The exposed hardware is designed to be celebrated, and offers perfect synergy when combined with the exposed light source.




SATIN NICKEL

*Shown with Edison Lamp (EDI)



BRONZE



LAMP: 100W A19 120V, lamp not included.

EDI: 40W A-style lamp, lamp included.

EDIL: 8W Replaceable LED Filament A19 lamp, CL dimmable, 90+ CRI, 800 lumens, 25,000 hours, lamp included.

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp label

LOCATION: DAMP



For latest product information, scan QR code

CONNECTION	SHADE OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Cord Fixture 1JC 1 Lt. Dome 1JT 1 Lt. Flat	SPEZ07 Spezza 7	(blank) 100W A19 Incan EDI 40W Edison EDIL 8W LED Filament	BR Bronze SN Satin Nickel	L 15' cord LW Low wattage labeling

Stem Fixture
1TT 1 Lt. Flat

Multi light (pg. 11)
J For Multi light Canopy



Multilight Canopies Available, see page. 11

Ex. 1JT-SPEZ07-SN
Spezza 7 Pendant w/ Satin Nickel Finish

LINDY

The Lindy Pendant merges a bold brushed metallic exterior with a subdued interior tint. Upon illumination, the reflector takes on a pleasing glow for an eye-catching effect.



LINDAQ
AQUA



LINDWH
WHITE




LINDGD
GOLD



LINDCN
CINNAMON



LINDCY
CYAN



STD LAMP: 60W A19 120V, lamp not included.

LED: 9W Replaceable source, CL dimmable, 90+ CRI, 3000°K CCT, 800 lumens, 30,000 hours.

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp label


LOCATION: DAMP



For latest product information, scan QR code

CONNECTION	SHADE OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Pendant Fixtures 1JC Dome Canopy 1JT Flat Canopy	LINDAQ Aqua LINDCN Cinnamon LINDCY Cyan LINDGD Gold LINDWH White	(Blank) 60W A19 120V LED 9W LED 120V, dimmable	BR Bronze SN Satin Nickel	L 15' cord LW Low wattage labeling

Multi light (pg. 11)
J For Multi light Canopy



Multilight Canopies Available, see page. 11

Ex. 1JT-LINDAQ-SN
Lindy Pendant, Aqua, Satin Nickel Finish

Our Gala pendant is equipped with a stainable cement-based conical shade, concealing a focused light source for effective task lighting.




GALAWH
WHITE



GALATN
TAN



GALANA
NATURAL



LED: 9W Replaceable source, 120V, dimmable, 90+ CRI, 3000°K CCT, 800 lumens, 25,000 hours.

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp label

LOCATION: DAMP



For latest product information, scan QR code

CONNECTION	SHADE OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Pendant Fixtures	GALANA Natural	LED 9W LED	BR Bronze	L 15' cord
1JC Dome Canopy	GALATN Tan		SN Satin Nickel	LW Low wattage labeling
1JT Flat Canopy	GALAWH White			

Multi light (pg. 11)

J For Multi light Canopy



Multi-light Canopies Available, see page. 11

Ex. 1JT-GALANA-LED-SN
Gala Pendant, Natural, Satin Nickel Finish

MILO 4

The Milo is a nostalgic pendant inspired by the traditional glass jars used for canning, only enhanced with various modern colors.

120V PENDANTS



MILO4GR
GREEN



MILO4AM
AMBER




MILO4PL
PURPLE



MILO4SM
SMOKE



MILO4WF
WHITE FROST



LAMP: 40W A15 120V, lamp not included.

EDI: 40W Edison lamp, lamp included.

EDIL: 5W Replaceable A15 LED filament lamp, 120V, CL dimmable, lamp included.

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp label


LOCATION: DAMP



For latest product information, scan QR code

CONNECTION - **SHADE OPTIONS** - **LAMP OPTIONS** - **METAL FINISH** - **OPTIONS**

- Cord Fixture
- 1JC** 1 Lt. Dome
- 1JT** 1 Lt. Flat
- Multi light (pg. 11)
- J** For Multi light Canopy



Multilight Canopies Available, see page. 11

- MILO4AM** Amber
- MILO4GR** Green
- MILO4PL** Purple
- MILO4SM** Smoke
- MILO4WF** White Frost

- (blank)** 40W A15 Incan
- EDI** 40W Edison
- EDIL** 5W LED Filament

- BR** Bronze
- SN** Satin Nickel

- L** 15' cord
- LW** Low wattage labeling

Ex. 1JT-MILO4AM-SN
Milo 4 Pendant w/ Amber Glass, Satin Nickel Finish

CRUISE

The Cruise is consists of a broad transcolor glass cylinder, with interesting stretched oval optical patterns blown throughout the interior of the glass.



CRUSCL
CLEAR



CRUSAM
AMBER



CRUSSM
SMOKE

CONNECTION	SHADE OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Pendant Fixtures	CRUSAM Amber	(blank) 60W T10 Incan	BR Bronze	L 15' cord
1JC Dome Canopy	CRUSCL Clear	EDI 40W Edison	SN Satin Nickel	LW Low wattage labeling
1JT Flat Canopy	CRUSSM Smoke	EDIL 4W LED Filament		


Stem Fixtures
1TT Flat Canopy

Multi light (pg. 11)
J For Multi light Canopy



Multi-light Canopies Available, see page. 11

Ex. 1JT-CRUSCL-SN
Cruise Pendant, Clear Glass, Satin Nickel Finish



STD LAMP: 60W T10 120V, lamp not included.

EDI: 40W Edison lamp, lamp included.

EDIL: 4W Replaceable T-shape LED filament lamp, 120V, CL dimmable, lamp included.

LOW WATTAGE LABELING:

Incandescent fixture supplied with 16 watt relamp label

LOCATION: DAMP



For latest product information, scan QR code

BOMBAY

The Bombay Pendant is composed of a transcolor glass globe, with interesting stretched circular optical patterns throughout the interior of the glass.



BOMYSM
SMOKE



BOMYCL
CLEAR




BOMYAM
AMBER

CONNECTION	SHADE OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Pendant Fixtures	BOMYAM Amber	(blank) 60W A19 Incan	BR Bronze	L 15' cord
1JC Dome Canopy	BOMYCL Clear	EDI 40W Edison	SN Satin Nickel	LW Low wattage labeling
1JT Flat Canopy	BOMYSM Smoke	EDIL 8W LED Filament		


Stem Fixtures
1TT Flat Canopy

Multi light (pg. 11)
J For Multi light Canopy



Multi-light Canopies Available, see page. 11

Ex. 1JT-BOMYCL-SN
Bombay Pendant, Clear Glass, Satin Nickel Finish



STD LAMP: 60W A19 120V, lamp not included.

EDI: 40W Edison lamp, lamp included.

EDIL: 8W Replaceable LED Filament A19 lamp, CL dimmable, 90+ CRI, 800 lumens, 25,000 hours, lamp included.

LOW WATTAGE LABELING:

Incandescent fixture supplied with 16 watt relamp label

LOCATION: DAMP



For latest product information, scan QR code

BANA 11 / 15

120V PENDANTS

Our Bana is a modern compact torus shape, with a graceful inverted open bottom.



BANASM
SMOKE




BANACL
CLEAR



BANAFR
FROST



BANA15AM
AMBER



LAMP: 60W T10 120V, lamp not included.

EDI: 40W Edison lamp, lamp included.

EDIL: 4W Replaceable T-shape LED filament lamp, 120V, CL dimmable, lamp included.

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp label


LOCATION: DAMP



For latest product information, scan QR code

CONNECTION	SHADE OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Cord Fixture	BANAAM 11" Amber	(blank) 60W T10 Incan	BR Bronze	L 15' cord
1JC 1 Lt. Dome	BANA11C 11" Clear	EDI 40W Edison	SN Satin Nickel	LW Low wattage labeling
1JT 1 Lt. Flat	BANAFR 11" Frost	EDIL 4W LED Filament		
	BANASM 11" Smoke			
Stern Fixture	BANA15AM 15" Amber			
1TT 1 Lt. Flat	BANA15CL 15" Clear			
	BANA15FR 15" Frost			
	BANA15SM 15" Smoke			

Multi light (pg. 11)
J For Multi light Canopy



Multi-light Canopies Available, see page 11


Ex. 1JT-BANACL-SN
Bana Pendant w/ Clear Glass, Satin Nickel Finish

OLIN

Our Olin is a transitional closed bottom cylindrical shape, with a gently pointed accent, its retro styling will gracefully blend into today's environments.



OLINCL
CLEAR



LAMP: 60W T10 120V, lamp not included.

EDI: 40W Edison lamp, lamp included.

EDIL: 4W Replaceable T-shape LED filament lamp, 120V, CL dimmable, lamp included.

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp label

LOCATION: DAMP



For latest product information, scan QR code



OLINAM
AMBER



OLINSM
SMOKE




OLINFR
FROST

CONNECTION	SHADE OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Cord Fixture	OLINAM Amber	(blank) 60W T10 Incan	BR Bronze	L 15' cord
1JC 1 Lt. Dome	OLINCL Clear	EDI 40W Edison	SN Satin Nickel	LW Low wattage labeling
1JT 1 Lt. Flat	OLINFR Frost	EDIL 4W LED Filament		
	OLINSM Smoke			

Stem Fixture
1TT 1 Lt. Flat

Multi light (pg. 11)
J For Multi light Canopy




Multilight Canopies Available, see page. 11

Ex. 1JT-OLINCL-SN
Olin Pendant w/ Clear Glass, Satin Nickel Finish


MIRA

Our Mira is a transitional compact heart shape, with a closed bottom, its retro styling will gracefully blend into today's environments.



MIRAAM
AMBER

*Shown with Bronze finish



LAMP: 60W T10 120V, lamp not included.

EDI: 40W Edison lamp, lamp included.

EDIL: 4W Replaceable T-shape LED filament lamp, 120V, CL dimmable, lamp included.

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp label

LOCATION: DAMP



For latest product information, scan QR code



MIRAAL
CLEAR



MIRASM
SMOKE




MIRAFL
FROST

CONNECTION	SHADE OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Cord Fixture	MIRAAM Amber	(blank) 60W T10 Incan	BR Bronze	L 15' cord
1JC 1 Lt. Dome	MIRAAL Clear	EDI 40W Edison	SN Satin Nickel	LW Low wattage labeling
1JT 1 Lt. Flat	MIRAFL Frost	EDIL 4W LED Filament		
	MIRASM Smoke			

Stem Fixture
1TT 1 Lt. Flat

Multi light (pg. 11)
J For Multi light Canopy



Multilight Canopies Available, see page. 11

Ex. 1JT-MIRAAL-SN
Mira Pendant w/ Clear Glass, Satin Nickel Finish

PICA 9

120V PENDANTS

Pica 9 is a tapered glass treated with a band of natural sand applied to the interior, with an angled top and a radiused return at the bottom.



PIC9WH
WHITE SAND




PIC9CR
CREME SAND



PIC9RD
RED SAND

PIC9GD
GOLD SAND



LAMP: 75W A19 120V, lamp not included.

LED: 9W Replaceable source, 120V, dimmable, 90+ CRI, 3000°K CCT, 800 lumens, 30,000 hours.

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp label

LOCATION: DAMP




For latest product information, scan QR code

CONNECTION	SHADE OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Cord Fixture	PIC9CR Creme Sand	(blank) 75W A19 Incan	BR Bronze	L 15' cord
1JC 1 Lt. Dome	PIC9GD Gold Sand	LED 9W LED 120V, dimmable	SN Satin Nickel	LW Low wattage labeling
1JT 1 Lt. Flat	PIC9RD Red Sand			
	PIC9WH White Sand			

Cable Fixture
1KX 1 Lt. Dome

Stem Fixture
1TT 1 Lt. Flat

Multi light (pg. 11)
J For Multi light Canopy



Multilight Canopies Available, see page 11

Ex. 1JT-PIC9WH-SN
Pica 9 Pendant w/ White Sand Glass, Satin Nickel Finish

PINTA 10 / 12

Pinta's unique optical lines are a sophisticated refinement to clear glass, where the lines visually play with the image of the exposed Light source.



120V PENDANTS



464488
CLEAR



464588
CLEAR



LAMP: 100W A19 120V, lamp not included

EDI: 40W Edison S-style lamp, lamp included.

EDIL: 8W Replaceable LED Filament A19 lamp, CL dimmable, 90+ CRI, 800 lumens, 25,000 hours, lamp included.

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp label

LOCATION: DAMP



For latest product information, scan QR code

CONNECTION	SHADE OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Cord Fixture	464488 10" Clear	(blank) 100W A19	BR Bronze	L 15' cord
1JC 1 Lt. Dome	464588 12" Clear	EDI 40W Edison	SN Satin Nickel	LW Low wattage labeling
1JT 1 Lt. Flat		EDIL 8W LED Filament		

Cable Fixture
1KX 1 Lt. Dome

Stem Fixture
1TT 1 Lt. Flat

Multi light (pg. 11)
J For Multi light Canopy




Multi light Canopies Available, see page. 11

Ex. 1JT-464588-SN
Pinta 12 Pendant w/ Clear Glass, Satin Nickel Finish

WAVE 10

The Wave is a globe-shaped clear glass, with a romantic wrap of glass rope that spirals around the exterior.

120V PENDANTS



462702
SMOKE

**Shown with Edison Lamp (ED)*




462761
CLEAR



462782
AMBER

**Shown with LED Filament (EDIL)*



STD LAMP: 60W A19 120V, lamp not included.

EDI: 40W Edison S-style lamp, lamp included.

EDIL: 8W Replaceable LED Filament A19 lamp, CL dimmable, 90+ CRI, 800 lumens, 25,000 hours, lamp included.

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp label

LOCATION: DAMP



For latest product information, scan QR code

CONNECTION	SHADE OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Cord Fixture	462702 Smoke	(blank) 60W A19	BR Bronze	L 15' cord
1JC 1 Lt. Dome	462761 Clear	EDI 40W Edison	SN Satin Nickel	LW Low wattage labeling
1JT 1 Lt. Flat	462782 Amber	EDIL 8W LED Filament		

Cable Fixture
1KX 1 Lt. Dome

Stem Fixture
1TT 1 Lt. Flat

Multi light (pg. 11)
J For Multi light Canopy



Multi-light Canopies Available, see page. 11

Ex. 1JT-462702-SN
Wave 10 Pendant w/ Smoke Glass, Satin Nickel Finish

KRISTALL 8

The Kristall is a transcolor ribbed globe shape, with distinctive ridges that allows it to merge easily into modern environments.



461682
AMBER




461600
CLEAR



461602
SMOKE



4616GL
GLITTER



LAMP: 60W A19 120V, lamp not included

LED: 9W Replaceable source, 120V, CL dimmable, 90+ CRI, 3000°K CCT, 800 lumens, 30,000 hours.

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp label

LOCATION: DAMP




For latest product information, scan QR code

CONNECTION	SHADE OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Cord Fixture	461600 8" Clear	(blank) 60W A19	BR Bronze	L 15' cord
1JC 1 Lt. Dome	461602 8" Smoke	LED 9W LED 120V, dimmable	SN Satin Nickel	LW Low wattage labeling
1JT 1 Lt. Flat	461682 8" Amber			
	4616GL 8" Glitter			

Cable Fixture
1KX 1 Lt. Dome

Stem Fixture
1TT 1 Lt. Flat

Multi light (pg. 11)
J For Multi light Canopy



Multilight Canopies Available, see page. 11

Ex. 1JT-461602-SN
Kristall 8 Pendant w/ Smoke Glass, Satin Nickel Finish

The Pape is a broad handcrafted glass, with distinctive ridges, softly radiused to fit gracefully into contemporary spaces. Our Glitter option is a clear blown and a technologically advanced crystal coating applied to the inside. The coating contains multiple micro-layers of glass particles that create unique prismatic optical properties, which effectively alter both the reflected and transmitted light. So unlit, it appears like a frosted glass; when lit, it becomes alive with dazzling light effects.



OPAL MATTE




GOLD GLITTER



GLITTER

Pape 10: #4912



STD LAMP: 100W A19 120V, lamp not included.

LED: 9W Replaceable source, 120V, CL dimmable, 90+ CRI, 3000°K CCT, 800 lumens, 30,000 hours.


LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp label

LOCATION: DAMP



For latest product information, scan QR code

Pape 12: #4913



CONNECTION	SHADE OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Cord Fixture	491207 10" Opal Ribbed	(blank) 100W A19 Incan	BR Bronze	L 15' cord
1JC 1 Lt. Dome	4912GL 10" Glitter	LED 9W LED 120V, dimmable	SN Satin Nickel	LW Low wattage labeling
Cable Fixture	4912GD 10" Gold Glitter			
1JT 1 Lt. Flat	491307 12" Opal Ribbed			
	4913GL 12" Glitter			
1KX 1 Lt. Dome	4913GD 12" Gold Glitter			

Stem Fixture
1TT 1 Lt. Flat

Multi light (pg. 11)
J For Multi light Canopy



MultiLight Canopies Available, see page. 11


Ex. 1JC-491307-SN
Pape 12 Pendant w/ 12" Opal Ribbed Glass, Satin Nickel Finish

LUNA

The Luna pendant features a flattened globe-shaped glass, creating a refined contemporary look that is truly timeless.



477619
CARRERA



STD LAMP: 100W
A19 120V, lamp not included.

LED: 9W Replaceable source, 120V, CL dimmable, 90+ CRI, 3000°K CCT, 800 lumens, 30,000 hours.

LOW WATTAGE LABELING:
Incandescent fixture supplied with 16 watt relamp label

LOCATION: DAMP



For latest product information, scan QR code



477607
OPAL MATTE




477699
OPAL-FROST

CONNECTION	SHADE OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Cord Fixture	477607 Opal Matte	(blank) 100W A19 Incan	BR Bronze	L 15' cord
1JC 1 Lt. Dome	477619 Carrera	LED 9W LED 120V, dimmable	SN Satin Nickel	LW Low wattage labeling
1JT 1 Lt. Flat	477699 Opal-Frost			

Cable Fixture
1KX 1 Lt. Dome

Stem Fixture
1TT 1 Lt. Flat

Multi light (pg. 11)
J For Multi light Canopy



Multilight Canopies Available, see page. 11


Ex. 1JC-477699-SN
Luna Pendant w/ Opal-Frost Glass, Satin Nickel Finish

JORDO

The Jordo pendant features a large-scale flattened globe-shaped glass, creating a refined contemporary look that is truly timeless.



477507
OPAL MATTE



STD LAMP: 150W
A21 120V, lamp not included.

LED: 11W Replaceable source, 120V, dimmable, 90+ CRI, 3000°K CCT, 1100 lumens, 30,000 hours.

LOW WATTAGE LABELING:
Incandescent fixture supplied with 16 watt relamp label

LOCATION: DAMP



For latest product information, scan QR code

CONNECTION	SHADE OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Cable Fixture	477507 Opal Matte	(blank) 150W A21 Incan	BR Bronze	L 15' cord
1KX 1 Lt. Dome		LED 11W LED 120V, dimmable	SN Satin Nickel	LW Low wattage labeling

Stem Fixture
1TT 1 Lt. Flat

Ex. 1KX-477507-SN
Jordo Pendant w/ Opal Matte Glass, Satin Nickel Finish

COCO 8 / 10 / 12 / 14

120V PENDANTS

The globe-shaped Coco is a blown glass with a neutral decor and classic shape that blends into virtually all designs. Ideally suited for multi light applications employing the various decors and sizes.







COCOON



OPAL MATTE



CARRERA



STD LAMP: 60W A19 120V, lamp not included.

LED: 9W Replaceable source, 120V, dimmable, 90+ CRI, 3000°K CCT, 800 lumens, 30,000 hours.


LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp label

LOCATION: DAMP



For latest product information, scan QR code

CONNECTION	SHADE OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Cord Fixture	COC0807 8" Opal Matte	(blank) 60W A19 Incan	BR Bronze	L 15' cord
1JC 1 Lt. Dome	COC0819 8" Carrera	LED 9W LED 120V, dimmable	SN Satin Nickel	LW Low wattage labeling
1JT 1 Lt. Flat	COC0860 8" Cocoon			
Stem Fixture	COC01007 10" Opal Matte			
1TT 1 Lt. Flat	COC01019 10" Carrera			
	COC01060 10" Cocoon			
	COC01207 12" Opal Matte			
	COC01219 12" Carrera			
Multi light (pg. 11)	COC01260 12" Cocoon			
J For Multi light Canopy	COC01407 14" Opal Matte			
	COC01419 14" Carrera			
	COC01460 14" Cocoon			



Multi-light Canopies Available, see page. 11

Ex. 1JC-COCO819-SN
Coco 8 Pendant w/ Carrera Shade, Satin Nickel Finish

The Pogo 120V pendant is composed of an exceptional radiused drum-shaped glossy glass shade accented with inner metal foil, with a white glass lamp shield.



POGOGF
BLACK/INNER GOLD FOIL




POGOSF
WHITE/INNER SILVER FOIL



POGOGG
GOLD/INNER GOLD FOIL



POGOSS
SILVER/INNER SILVER FOIL



Includes frosted glass glare shield

STD LAMP: 3x 60W A19 120V, lamp not included.

LED: 3x 11W Replaceable source, 120V, dimmable, 90+ CRI, 3000°K CCT, 1100 lumens, 30,000 hours.

LOCATION: DAMP



For latest product information, scan QR code

CONNECTION	SHADE OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
3x Cable Fixture 1KV 1 Lt. Flat	POGOGF Black/Inner Gold Foil POGOGG Gold/Inner Gold Foil POGOSF White/Inner Silver Foil POGOSS Silver/Inner Silver Foil	(blank) 3x 60W A19 Incan LED 3x 11W LED 120V, dimmable	BR Bronze SN Satin Nickel	L 15' cord LW Low wattage labeling
Stern Fixture 1KT 1 Lt. Flat				

Ex. 1KV-POGOSF-SN
Pogo Pendant w/ White/Inner Silver Foil Glass, Satin Nickel Finish

PAHU 8 / 12 / 16

120V PENDANTS

The Pahu is a distinctive double-glass pendant, with an inner opal cylinder centered within a translucent outer glass. Can also be ordered without the inner glass to expose the light source.



PAHU 16
TRANS. OLIVE
(NO INNER GLASS)



PAHU 12
CLEAR
(NO INNER GLASS)

STD LAMP: 120V, lamp not included.

LED: 11W Replaceable source, 120V, dimmable, 90+ CRI, 3000°K CCT, 1100 lumens, 30,000 hours.

EDI: 40W Edison S-style lamp, lamp included. (For No Inner Glass option)

Ex. 1KG-C00607-SN
Pahu 8 Pendant w/ Clear/Opal Glass, Satin Nickel Finish

EDIL: 8W Replaceable LED Filament A19 lamp, CL dimmable, 90+ CRI, 800 lumens, 25,000 hours, lamp included.


LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp label

LOCATION: DAMP



For latest product information, scan QR code

Pahu 8:



CONNECTION	SHADE OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
3x Cable Fixture 1KG 1 Lt. Flat	A00607 Trans. Amethyst/Opal C00607 Clear/Opal G00607 Trans. Armagnac/Opal L00607 Trans. Olive/Opal S00607 Trans. Smoke/Opal	(blank) 100W A19 Incan EDI 40W Edison (For NI option) EDIL 8W LED Filament (For NI option) LED 11W LED 120V, dimmable	BR Bronze SN Satin Nickel	L 15' cord NI No Inner glass LW Low wattage labeling



PAHU 8
TRANS. ARMAGNAC
(NO INNER GLASS)
**Shown with Bronze
finish (BR)*



CLEAR/OPAL



TRANS. SMOKE/OPAL



TRANS. ARMAGNAC/OPAL




TRANS. OLIVE/OPAL




TRANS. AMETHYST/OPAL

Pahu 12:



(No Inner Glass)

Pahu 16:



(No Inner Glass)

CONNECTION	SHADE OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
3x Cable Fixture	A18407 Trans. Amethyst/Opal	(blank) 100W A19 Incan	BR Bronze	L 15' cord
1KG 1 Lt. Flat	C18407 Clear/Opal	EDI 40W Edison	SN Satin Nickel	NI No Inner glass, 3 Lt.
	G18407 Trans. Armagnac/Opal	(For NI option)		
Stem Fixture	L18407 Trans. Olive/Opal	EDIL 8W LED Filament (For NI option)		LW Low wattage labeling
1TT 1 Lt. Flat	S18407 Trans. Smoke/Opal	LED 11W LED 120V, dimmable		

CONNECTION	SHADE OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
3x Cable Fixture	A00707 Trans. Amethyst/Opal	(blank) 150W A21 Incan	BR Bronze	L 15' cord
1KG 1 Lt. Flat	C00707 Clear/Opal	EDI 40W Edison	SN Satin Nickel	NI No Inner glass, 3 Lt.
	G00707 Trans. Armagnac/Opal	(For NI option)		
Stem Fixture	L00707 Trans. Olive/Opal	EDIL 8W LED Filament (For NI option)		LW Low wattage labeling
1TT 1 Lt. Flat	S00707 Trans. Smoke/Opal	LED 11W LED 120V, dimmable		

TAMBURO 8 / 16

120V PENDANTS

Tamburo is a classic open-ended cylinder of handcrafted glass, with a spun patterning of 4 various colors, a shape that will stand the test of time.



TAMBURO 16
4008OK
OAK



TAMBURO 8
OPAL MATTE



TAMBURO 8
CHERRY




TAMBURO 8
CHALK




TAMBURO 8
TITAN

Tamburo 8: #4006



Tamburo 16: #4008



Includes frosted glass glare shield (For Tamburo 16 only)

STD LAMP: 100W A19 120V, lamp not included.

LED: 11W Replaceable source, 120V, dimmable, 90+ CRI, 3000°K CCT, 1100 lumens, 30,000 hours.

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp label

LOCATION: DAMP



For latest product information, scan QR code

Tamburo 8: #4006

CONNECTION	SHADE OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
3x Cable Fixture	400607 Opal Matte	(blank) 100W A19 Incan	BR Bronze	L 15' cord
1KG 1 Lt. Flat	4006CH Cherry	LED 11W LED 120V, dimmable	SN Satin Nickel	LW Low wattage labeling
Stem Fixture	4006KR Chalk			
1TT 1 Lt. Flat	4006OK Oak			
	4006TN Titan			
	400600 Clear Stone			
	4006CS Stone Copper Foil			
	4006GL Glitter Stone			
	4006GS Stone Gold Foil			
	4006SS Stone Silver Foil			

Ex. 1KG-4006TN-SN
Tamburo 8 Pendant w/ Titan Glass, Satin Nickel Finish

TAMBURO STONE 8 / 16

Tamburo is a classic open-ended cylinder of handcrafted glass, with outer texture of coarse sandstone, a shape that will stand the test of time.

120V PENDANTS



TAMBURO 8
4006GL
GLITTER STONE



TAMBURO 16
STONE GOLD FOIL



TAMBURO 16
STONE COPPER FOIL




TAMBURO 16
STONE SILVER FOIL



TAMBURO 16
CLEAR STONE

Tamburo 8: #4006



Tamburo 16: #4008



Includes frosted glass glare shield (For Tamburo 16 only)

STD LAMP: 100W A19 120V, lamp not included.

LED: 11W Replaceable source, 120V, dimmable, 90+ CRI, 3000°K CCT, 1100 lumens, 30,000 hours.

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp label

LOCATION: DAMP



For latest product information, scan QR code

Tamburo 16: #4008

CONNECTION	SHADE OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
3x Cable Fixture	400807 Opal Matte	(blank) 3x 100W A19 Incan	BR Bronze	L 15' cord
1KV 1 Lt. Flat	4008CH Cherry	LED 3x 11W LED 120V, dimmable	SN Satin Nickel	LW Low wattage labeling
Stern Fixture	4008KR Chalk			
1KT 1 Lt. Flat	4008OK Oak			
	4008TN Titan			
	400800 Clear Stone			
	4008CS Stone Copper Foil			
	4008GL Glitter Stone			
	4008GS Stone Gold Foil			
	4008SS Stone Silver Foil			

Ex. 1KV-4008OK-SN
Tamburo 16 Pendant w/ Oak Glass, Satin Nickel Finish

BESALIGHTING.COM

RENFRO 16 / 20

120V PENDANTS

The ultra low-profile Renfro is a multi-layered glass, with two radiused glossy white top/bottom sections fused together.




WHITE SPARKLE




OPAL GLOSSY

Renfro 16:



Renfro 20:



10' AWM-type cord, tinted to coordinate with metal finish

3x 10' stainless steel cables

LED: 16W or 24W integrated source, 120V, dimmable, 85+ CRI, 3000°K CCT, 30,000 hours.

LOCATION: DAMP



For latest product information, scan QR code

FIXTURE	DECOR	LAMP OPTIONS	FINISH
1KV 1 Lt. Flat	RENFR016 15.75" Dia. Opal Glossy	LED 16W LED 120V, 1500 lumens	BR Bronze
	RENFR016WS 15.75" Dia. White Sparkle		SN Satin Nickel

FIXTURE	DECOR	LAMP OPTIONS	FINISH
1KV 1 Lt. Flat	RENFR020 19.75" Dia. Opal Glossy	LED 24W LED 120V, 2500 lumens	BR Bronze
	RENFR020WS 19.75" Dia. White Sparkle		SN Satin Nickel

Ex. 1KV-RENFR020-LED-SN

Renfro 20 LED Suspension w/ Opal Glossy Glass, Satin Nickel Finish


MANTA 13 / 18

The ultra low-profile Manta is a multi-layered glass, with a glossy white diffuser fused to a sparkling clear glass ring.



OPAL GLOSSY

Manta 13: #9129



Manta 18: #9130



10' AWM-type cord, tinted to coordinate with metal finish

3x 10' stainless steel cables

LED: 16W or 24W integrated source, 120V, dimmable, 85+ CRI, 3000°K CCT, 30,000 hours.

LOCATION: DAMP



For latest product information, scan QR code

FIXTURE	DECOR	LAMP OPTIONS	FINISH
1KV 1 Lt. Flat	912939 13.5" Dia. Opal Glossy	LED 16W LED 120V, 1500 lumens	BR Bronze
			SN Satin Nickel

FIXTURE	DECOR	LAMP OPTIONS	FINISH
1KV 1 Lt. Flat	913039 17.75" Dia. Opal Glossy	LED 24W LED 120V, 2500 lumens	BR Bronze
			SN Satin Nickel

Ex. 1KV-912939-LED-SN

Manta 13 LED Suspension w/ Opal Glossy Glass, Satin Nickel Finish

SOPHI 14 / 18

Our low-profile Sophi collection offers three cased glass decors, finished off with a bottom frosted glass diffuser.

120V PENDANTS



COBALT MATTE



AMBER MATTE



VANILLA MATTE

Sophi 14:



10' AWM-type cord, tinted to coordinate with metal finish

3x 10' stainless steel cables


LED: 16W or 24W integrated source, 120V, dimmable, 85+ CRI, 3000°K CCT, 30,000 hours.

LOCATION: DAMP



For latest product information, scan QR code

Sophi 18:



FIXTURE	DECOR	LAMP OPTIONS	FINISH
1KV 1 Lt. Flat	SOPHI1480 14.8" Dia. Amber Matte	LED 16W LED 120V, 1500 lumens	BR Bronze
	SOPHI14CM 14.8" Dia. Cobalt Matte		SN Satin Nickel
	SOPHI14VM 14.8" Dia. Vanilla Matte		

FIXTURE	DECOR	LAMP OPTIONS	FINISH
1KV 1 Lt. Flat	SOPHI1880 18.2" Dia. Amber Matte	LED 24W LED 120V, 2500 lumens	BR Bronze
	SOPHI18CM 18.2" Dia. Cobalt Matte		SN Satin Nickel
	SOPHI18VM 18.2" Dia. Vanilla Matte		

Ex. 1KV-SOPHI18CM-LED-SN

Sophi 18 LED Suspension, Cobalt Matte Shade, Satin Nickel Finish

SUZI 14 / 18

120V PENDANTS

The Suzi collection features slender yet shapely handcrafted glasses with an open top and bottom.




412719
CARRERA




489707
OPAL MATTE

Suzi 14: #4897



Suzi 18: #4127



STD LAMP: 100W A19 120V, lamp not included.

LED: 9W Replaceable source, 120V, dimmable, 90+ CRI, 3000°K CCT, 800 lumens, 30,000 hours.

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp label

LOCATION: DAMP



For latest product information, scan QR code


CONNECTION	SHADE OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Cord Fixture	489707 14" Opal Matte	(blank) 100W A19 120V	BR Bronze	L 15' cord
1JC 1 Lt. Dome	489719 14" Carrera	LED 9W LED 120V, dimmable	SN Satin Nickel	LW Low wattage labeling
1JT 1 Lt. Flat	412707 18" Opal Matte			
	412719 18" Carrera			

Cable Fixture
1KX 1 Lt. Dome

Stem Fixture
1TT 1 Lt. Flat

Multi light (pg. 11)

J For Multi light Canopy



Multi-light Canopies Available, see page. 11

Ex. 1JT-489707-SN

Suzi Pendant w/ Opal Matte Glass, Satin Nickel Finish

STILO 12 / 16 / 18

Stilo is a narrow open-ended cylinder of handcrafted glass, creating a refined contemporary look.



120V PENDANTS



722407
OPAL MATTE




412807
OPAL MATTE




412019
CARRERA

*Shown with Stem Option (1TT)


Stilo 12: #4120



Stilo 16: #7224



Stilo 18: #4128



LAMP: 100W A19 120V, lamp not included

LED: 9W Replaceable source, 120V, dimmable, 90+ CRI, 3000°K CCT, 800 lumens, 30,000 hours.

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp label


LOCATION: DAMP



For latest product information, scan QR code

CONNECTION	SHADE OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Cord Fixture	412007 12" Opal Matte	(blank) 100W A19 120V	BR Bronze	L 15' cord
1JC 1 Lt. Dome	412019 12" Carrera	LED 9W LED 120V, dimmable	SN Satin Nickel	LW Low wattage labeling
1JT 1 Lt. Flat	722407 16" Opal Matte			
	722419 16" Carrera			
Cable Fixture	412807 18" Opal Matte			
1KX 1 Lt. Dome	412819 18" Carrera			
Stem Fixture				
1TT 1 Lt. Flat				
Multi light (pg. 11)				
J For Multi light Canopy				

Ex. 1JT-722419-SN
Stilo 16 Pendant w/ Carrera Glass, Satin Nickel Finish



Multilight Canopies Available, see page. 11

EUKA

120V PENDANTS

The compact sized Euka is a modern and pleasing teardrop shape, with open bottom, that will fit seamlessly into any contemporary space.




1720HN
HONEY



1720SK
SMOKE TWIST



1720BL
BLUE TWIST



LAMP: 60W A19 120V, lamp not included.

LED: 9W Replaceable source, 120V, dimmable, 90+ CRI, 3000°K CCT, 800 lumens, 30,000 hours.

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp label


LOCATION: DAMP



For latest product information, scan QR code

CONNECTION	SHADE OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Cord Fixture	1720BL Blue Twist	(blank) 60W A19 Incan	BR Bronze	L 15' cord
1JC 1 Lt. Dome	1720HN Honey	LED 9W LED 120V, dimmable	SN Satin Nickel	LW Low wattage labeling
1JT 1 Lt. Flat	1720SK Smoke Twist			

Multi light (pg. 11)
J For Multi light Canopy



Multi light Canopies Available, see page. 11

Ex. 1JT-1720HN-SN
Euka Pendant w/ Honey Glass, Satin Nickel Finish

The Juli pendant inverts a teardrop glass featuring a dazzling clear bottom, resulting in a unique addition to any environment.



412506
OPAL GLOSSY



412518
AMBER CLOUD




412541
GARNET



4125CE
CEYLON



412586
BLUE CLOUD



STD LAMP: 100W A19 120V, lamp not included.

LED: 9W Replaceable source, 120V, dimmable, 90+ CRI, 3000°K CCT, 800 lumens, 30,000 hours.

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp label

LOCATION: DAMP




For latest product information, scan QR code

CONNECTION	SHADE OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Cord Fixture	412506 Opal Glossy	(blank) 100W A19 Incan	BR Bronze	L 15' cord
1JC 1 Lt. Dome	412518 Amber Cloud	LED 9W LED 120V, dimmable	SN Satin Nickel	LW Low wattage labeling
1JT 1 Lt. Flat	412541 Garnet			
	412586 Blue Cloud			
	4125CE Ceylon			
Cable Fixture				
1KX 1 Lt. Dome				
Stem Fixture				
1TT 1 Lt. Flat				

Ex. 1JT-412506-SN
Juli Pendant w/ Opal Glossy Glass, Satin Nickel Finish

Multi light (pg. 11)
J For Multi light Canopy



Multi-light Canopies Available, see page. 11

CHRISSY


The Chrissy pendant features a softly radiused glass, that will gracefully blend into almost any decorating theme.



1509HN HONEY



150907 OPAL MATTE 1509VM VANILLA MATTE 150941 GARNET 150918 AMBER CLOUD



STD LAMP: 40W B10 or 50W Xenon E12 (candelabra-base) 120V, lamp not included.
MED: 40W B10 Medium-base 120V, lamp not included
HALOGEN: 40W G9 Lamp 120V, lamp included.
LED: 9W Replaceable source, 120V, dimmable, 90+ CRI, 3000°K CCT, 800 lumens, 30,000 hours.

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp label


LOCATION: DAMP



For latest product information, scan QR code

CONNECTION	SHADE OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Cord Fixture	150907 Opal Matte	(blank) 40W B10 Cand	BR Bronze	L 15' cord
1BC 1 Lt. Dome	150918 Amber Cloud	HAL 40W G9 Hal	SN Satin Nickel	LW Low wattage labeling
1BT 1 Lt. Flat	150941 Garnet	MED 40W A19 Med		
	1509HN Honey	LED 9W LED 120V, dimmable		
	1509VM Vanilla Matte			

Multi light (pg. 11)
B For Multi light Canopy




MultiLight Canopies Available, see page. 11

Ex. 1BT-1509HN-SN
 Chrissy Pendant w/ Honey Glass, Satin Nickel Finish

TESSA


Tessa has a broad bell shape that complements aesthetic, while also built for optimal illumination.



4201SL SOLARE



420107 WHITE 420131 RED MATTE
 420183 MOCHA 420152 MARBLE



STD LAMP: 75W A19 120V, lamp not included.
LED: 9W Replaceable source, 120V, dimmable, 90+ CRI, 3000°K CCT, 800 lumens, 30,000 hours.

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp label

LOCATION: DAMP



For latest product information, scan QR code

CONNECTION	SHADE OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Cord Fixture	420107 White	(blank) 75W A19 Incan	BR Bronze	L 15' cord
1JC 1 Lt. Dome	420131 Red Matte	LED 9W LED 120V, dimmable	SN Satin Nickel	LW Low wattage labeling
1JT 1 Lt. Flat	420152 Marble			
	420183 Mocha			
	4201SL Solare			

Cable Fixture
1KX 1 Lt. Dome

Stem Fixture
1TT 1 Lt. Flat

Multi light (pg. 11)
J For Multi light Canopy



MultiLight Canopies Available, see page. 11


Ex. 1JT-420183-SN
 Tessa Pendant w/ Mocha Glass, Satin Nickel Finish

RIVA 9

The Riva 9 pendant features a softly radiused glass, that will gracefully blend into almost any decorating theme.



151107
OPAL MATTE



STD LAMP: 75W A19 120V, lamp not included.

LED: 9W Replaceable source, 120V, dimmable, 90+ CRI, 3000°K CCT, 800 lumens, 30,000 hours.



1511VM
VANILLA MATTE



151180
AMBER MATTE



1511RM
RUBY MATTE



1511CM
COBALT BLUE MATTE

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp label

LOCATION: DAMP




For latest product information, scan QR code

CONNECTION	SHADE OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Cord Fixture	151107 Opal Matte	(blank) 75W A19 Incan	BR Bronze	L 15' cord
1JC 1 Lt. Dome	151180 Amber Matte	LED 9W LED 120V, dimmable	SN Satin Nickel	LW Low wattage labeling
1JT 1 Lt. Flat	1511CM Cobalt Blue Matte			
	1511RM Ruby Matte			
	1511VM Vanilla Matte			

Stem Fixture
1TT 1 Lt. Flat

Multi light (pg. 11)

J For Multi light Canopy



Multilight Canopies Available, see page. 11


Ex. 1JT-1511RM-SN
Riva 9 Pendant w/ Ruby Matte Glass, Satin Nickel Finish

TAO 10

The Tao 10 pendant features an open top radiused glass featuring a spun patterning of 4 colors, creating a casual look.



1512CH
CHERRY



STD LAMP: 100W A19 120V, lamp not included.

LED: 9W Replaceable source, 120V, dimmable, 90+ CRI, 3000°K CCT, 800 lumens, 30,000 hours.

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp label

LOCATION: DAMP



For latest product information, scan QR code



151207
OPAL MATTE



1512KR
CHALK



1512TN
TITAN



1512OK
OAK


CONNECTION	SHADE OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Cord Fixture	151207 Opal Matte	(blank) 100W A19 Incan	BR Bronze	L 15' cord
1JC 1 Lt. Dome	1512CH Cherry	LED 9W LED 120V, dimmable	SN Satin Nickel	LW Low wattage labeling
1JT 1 Lt. Flat	1512KR Chalk			
	1512OK Oak			
	1512TN Titan			

Cable Fixture
1KX 1 Lt. Dome

Stem Fixture
1TT 1 Lt. Flat

Multi light (pg. 11)

J For Multi light Canopy



Multilight Canopies Available, see page. 11

Ex. 1JT-1512OK-SN
Tao 10 Pendant w/ Oak Glass, Satin Nickel Finish

TRILO 15

120V PENDANTS

Trilo 15 is comprised of three complementary glass segments, resulting in a playful glass display.



451397
CHAMPAGNE




451325
FROST



451331
RED MATTE



451323
BLUE MATTE



STD LAMP: 75W A19 120V, lamp not included.

LOCATION: DAMP

LED: 9W Replaceable source, 120V, dimmable, 90+ CRI, 3000°K CCT, 800 lumens, 30,000 hours.



For latest product information, scan QR code

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp label

CONNECTION	SHADE OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Cord Fixture	451323 Blue Matte	(blank) 75W A19 Incan	BR Bronze	L 15' cord
1JC 1 Lt. Dome	451325 Frost	LED 9W LED 120V, dimmable	SN Satin Nickel	LW Low wattage labeling
1JT 1 Lt. Flat	451331 Red Matte			
	451397 Champagne			

Stem Fixture
1TT 1 Lt. Flat

*Consult factory for multi light options

Ex. 1JC-451397-SN
Trilo 15 Pendant w/ Champagne Glass, Satin Nickel Finish

COPA

Copa is a timeless open cylinder of handcrafted glass, that demonstrates contemporary sensibilities.



4930CE
CEYLON



493007
OPAL MATTE



4930VM
VANILLA MATTE



493080
AMBER MATTE




493019
CARRERA



493018
AMBER CLOUD



493041
GARNET



STD LAMP: 40W B10 or 50W Xenon E12 (candelabra-base) 120V, lamp not included.

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp label

MED: 40W B10 Medium-base 120V, lamp not included.

LOCATION: DAMP

HALOGEN: 40W G9 Lamp 120V, lamp included.


LED: 9W Replaceable source, 120V, dimmable, 90+ CRI, 3000°K CCT, 800 lumens, 30,000 hours.



For latest product information, scan QR code

CONNECTION	SHADE OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Cord Fixture	493007 Opal Matte	(blank) 40W B10 Cand	BR Bronze	L 15' cord
1BC 1 Lt. Dome	493018 Amber Cloud	MED 40W B10 Med	SN Satin Nickel	LW Low wattage labeling
1BT 1 Lt. Flat	493019 Carrera	HAL 40W G9 Hal		
	493041 Garnet	LED 9W LED 120V, dimmable		
Stem Fixture	493080 Amber Matte			
1TT 1 Lt. Flat	4930CE Ceylon			
	4930VM Vanilla Matte			

Multi light (pg. 11)
B For Multi light Canopy



Multi-light Canopies Available, see page. 11

Ex. 1BT-493019-SN
Copa Pendant w/ Carrera Glass, Satin Nickel Finish

CAMINO

Camino is a softly tapered narrow cylinder, creating a refined contemporary look.

120V PENDANTS



5674CM
COBALT BLUE MATTE



567407
OPAL MATTE



567480
AMBER MATTE



5674RM
RUBY MATTE



567419
CARRERA



STD LAMP: 40W B10 or 50W Xenon E12 (candelabra-base) 120V, lamp not included.

HALOGEN: 40W G9 Lamp 120V, lamp included.

LED: 5W Replaceable source, 120V, dimmable, 90+ CRI, 3000°K CCT, 1400 lumens, 25,000 hours, lamp included.

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp label


LOCATION: DAMP



For latest product information, scan QR code

CONNECTION	SHADE OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Cord Fixture	567407 Opal Matte	(blank) 40W B10 Cand	BR Bronze	L 15' cord
1BC 1 Lt. Dome	567419 Carrera	HAL 40W G9 Hal	SN Satin Nickel	LW Low wattage labeling
1BT 1 Lt. Flat	567480 Amber Matte	LED 5W LED, dimmable		
	5674CM Cobalt Blue Matte			
	5674RM Ruby Matte			
Stem Fixture				
1TT 1 Lt. Flat				

Multi light (pg. 11)
B For Multi light Canopy



Multilight Canopies Available, see page. 11

Ex. 1BT-5674RM-SN
Camino Pendant w/ Ruby Matte Glass, Satin Nickel Finish

CIERRO

Cierro is a softly tapered narrow cylinder, creating a refined contemporary look.



412435
CHARTREUSE



412407
OPAL MATTE



4124VM
VANILLA MATTE




412480
AMBER MATTE



4124RM
RUBY MATTE



4124CM
COBALT BLUE MATTE



LAMP: 100W A19 120, lamp not included.

LED: 9W Replaceable source, 120V, dimmable, 90+ CRI, 3000°K CCT, 800 lumens, 30,000 hours.

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp label


LOCATION: DAMP



For latest product information, scan QR code

CONNECTION	SHADE OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Cord Fixture	412407 Opal Matte	(blank) 100W A19 120V	BR Bronze	L 15' cord
1JC 1 Lt. Dome	412435 Chartreuse	LED 9W LED 120V, dimmable	SN Satin Nickel	LW Low wattage labeling
1JT 1 Lt. Flat	412480 Amber Matte			
	4124CM Cobalt Blue Matte			
	4124RM Ruby Matte			
	4124VM Vanilla Matte			
Cable Fixture				
1KX 1 Lt. Dome				
Stem Fixture				
1TT 1 Lt. Flat				

Multi light (pg. 11)
J For Multi light Canopy



Multilight Canopies Available, see page. 11

Ex. 1JT-412435-SN
Cierro Pendant w/ Chartreuse Glass, Satin Nickel Finish

BESALIGHTING.COM


STILO 7

Stilo 7 is a classic open-ended cylinder of handcrafted glass, a shape that will stand the test of time.

120V PENDANTS



4404HN
HONEY



LAMP: 40W B10 or 50W Xenon E12 (candelabra-base) 120V, lamp not included.

MED: 40W Medium base, 120V, lamp not included.

HALOGEN: 40W G9 Lamp 120V, lamp included.

LED: 5W Replaceable source, 120V, dimmable, 90+ CRI, 3000°K CCT, 1400 lumens, 25,000 hours, lamp included.

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp label

LOCATION: DAMP



For latest product information, scan QR code



440407 OPAL MATTE 440480 AMBER MATTE 440419 CARRERA 440441 GARNET 4404CE CEYLON



440486 BLUE CLOUD 4404OK OAK 4404CH CHERRY 4404KR CHALK 4404TN TITAN

CONNECTION	SHADE OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Cord Fixture	440407 Opal Matte	(blank) 40W B10 Cand	BR Bronze	L 15' cord
1BC 1 Lt. Dome	440419 Carrera	MED 40W B10 Med	SN Satin Nickel	LW Low wattage labeling
1BT 1 Lt. Flat	440441 Garnet	HAL 40W G9 Halogen		
	440480 Amber Matte	LED 5W LED 120V, dimmable		
Stem Fixture	440486 Blue Cloud			
1TT 1 Lt. Flat	4404CE Ceylon			
	4404CH Cherry			
Multi light (pg. 11)	4404HN Honey			
B For Multi light Canopy	4404KR Chalk			
	4404OK Oak			
	4404TN Titan			

Ex. 1BT-4404HN-SN
Stilo 7 Pendant w/ Honey Glass, Satin Nickel Finish




STILO 10

Stilo 10 is a classic open-ended cylinder of handcrafted glass, a shape that will stand the test of time.



412319
CARRERA



LAMP: 100W A19, 120V, lamp not included.

LED: 9W Replaceable source, 120V, dimmable, 90+ CRI, 3000°K CCT, 800 lumens, 30,000 hours.

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp label

LOCATION: DAMP




For latest product information, scan QR code



412307 OPAL MATTE 4123VM VANILLA MATTE 412318 AMBER CLOUD 412341 GARNET 4123CE CEYLON 412386 BLUE CLOUD

CONNECTION	SHADE OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Cord Fixture	412307 Opal Matte	(blank) 100W A19 Incan	BR Bronze	L 15' cord
1JC 1 Lt. Dome	412318 Amber Cloud	LED 9W LED 120V, dimmable	SN Satin Nickel	LW Low wattage labeling
1JT 1 Lt. Flat	412319 Carrera			
	412341 Garnet			
Cable Fixture	412386 Blue Cloud			
1KX 1 Lt. Dome	4123CE Ceylon			
	4123VM Vanilla Matte			


Ex. 1JC-412319-SN
Stilo 10 Pendant w/ Carrera Glass, Satin Nickel Finish



The Tu Tu is a slender yet shapely handcrafted glass with an open top and bottom.



4121MA
MAGMA




LAMP: 40W B10 or 50W Xenon E12 (candelabra-base) 120V, lamp not included.

MED: 40W Medium base, 120V, lamp not included.

HALOGEN: 40W G9 Lamp 120V, lamp included.

LED: 5W Replaceable source, 120V, dimmable, 90+ CRI, 3000°K CCT, 1400 lumens, 25,000 hours, lamp included.



412107 OPAL MATTE 412119 CARRERA 412118 AMBER CLOUD 4121HB HABANERO 412141 GARNET 4121CE CEYLON 412186 BLUE CLOUD

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp label


LOCATION: DAMP



For latest product information, scan QR code

CONNECTION	SHADE OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Cord Fixture	412107 Opal Matte	(blank) 40W B10 Cand	BR Bronze	L 15' cord
1BC 1 Lt. Dome	412118 Amber Cloud	MED 40W B10 Med	SN Satin Nickel	LW Low wattage labeling
1BT 1 Lt. Flat	412119 Carrera	HAL 40W G9 Halogen		
	412141 Garnet	LED 5W LED 120V, dimmable		
	412186 Blue Cloud			
	4121CE Ceylon			
	4121HB Habanero			
	4121MA Magma			

Multi light (pg. 11)
B For Multi light Canopy



Multilight Canopies Available, see page. 11


Ex. 1BT-4121MA-SN
Tu Tu Pendant w/ Magma Glass, Satin Nickel Finish

PERA 9

The Pera 9 is a curvy bell-bottomed shape, that fits nicely into any contemporary design.



412618
AMBER CLOUD



LAMP: 100W A19, 120V, lamp not included.

LED: 9W Replaceable source, 120V, dimmable, 90+ CRI, 3000°K CCT, 800 lumens, 30,000 hours.

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp label

LOCATION: DAMP




For latest product information, scan QR code



412607 OPAL MATTE 412680 AMBER MATTE 412619 CARRERA 4126MG MARBLE GRIGIO 412641 GARNET
4126HN HONEY 4126HB HABANERO 4126MA MAGMA 4126CE CEYLON 412686 BLUE CLOUD

CONNECTION	SHADE OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Cord Fixture	412607 Opal Matte	(blank) 100W A19 Incan	BR Bronze	L 15' cord
1JC 1 Lt. Dome	412618 Amber Cloud	LED 9W LED 120V, dimmable	SN Satin Nickel	LW Low wattage labeling
1JT 1 Lt. Flat	412619 Carrera			
	412641 Garnet			
	412680 Amber Matte			
	412686 Blue Cloud			
	4126CE Ceylon			
	4126HB Habanero			
	4126HN Honey			
	4126MA Magma			
	4126MG Marble Grigio			

Multi light
J For Multi light Canopy



Multilight Canopies Available, see page. 11


Ex. 1JC-412618-SN
Pera 9 Pendant w/ Amber Cloud Glass, Satin Nickel Finish

SASHA

Sasha has a classical bell shape that complements any aesthetic, while also built for optimal illumination.



757241
GARNET



LAMP: 40W B10 or 50W Xenon E12 (candelabra-base) 120V, lamp not included.
MED: 40W Medium base, 120V, lamp not included.
HALOGEN: 40W G9 Lamp 120V, lamp included.
LED: 9W Replaceable source, 120V, dimmable, 90+ CRI, 3000°K CCT, 800 lumens, 30,000 hours.

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp label

LOCATION: DAMP



For latest product information, scan QR code



757207 OPAL MATTE 757280 AMBER MATTE 757219 CARRERA 7572MG MARBLE GRIGIO 7572HV HALVA




7572HN HONEY 757218 AMBER CLOUD 7572HB HABANERO 7572CE CEYLON 757286 BLUE CLOUD

CONNECTION	SHADE OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Cord Fixture	757207 Opal Matte	(blank) 40W B10 Cand	BR Bronze	L 15' cord
1BC 1 Lt. Dome	757218 Amber Cloud	MED 40W B10 Med	SN Satin Nickel	LW Low wattage labeling
1BT 1 Lt. Flat	757219 Carrera	HAL 40W G9 Halogen		
	757241 Garnet	LED 9W LED 120V, dimmable		
Multi light (pg. 11)	757280 Amber Matte			
B For Multi light Canopy	757286 Blue Cloud			
	7572CE Ceylon			
	7572HB Habanero			
	7572HN Honey			
	7572HV Halva			
	7572MG Marble Grigio			

Ex. 1BT-757241-SN

Sasha Pendant w/ Garnet Glass, Satin Nickel Finish




Multilight Canopies Available, see page 11

VILA

Vila has a classical bell shape that complements any aesthetic, while also built for optimal illumination.



447086
BLUE CLOUD



LAMP: 60W A19, 120V, lamp not included.
LED: 9W Replaceable source, 120V, dimmable, 90+ CRI, 3000°K CCT, 800 lumens, 30,000 hours.

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp label

LOCATION: DAMP



For latest product information, scan QR code



447007 OPAL MATTE 447019 CARRERA 4470MG MARBLE GRIGIO 4470HN HONEY 4470HB HABANERO



447041 GARNET 4470MA MAGMA 4470CE CEYLON 4470GF GOLD FOIL

CONNECTION	SHADE OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Cord Fixture	447007 Opal Matte	(blank) 60W A19 Incan	BR Bronze	L 15' cord
1JC 1 Lt. Dome	447019 Carrera	LED 9W LED 120V, dimmable	SN Satin Nickel	LW Low wattage labeling
1JT 1 Lt. Flat	447041 Garnet			
	447086 Blue Cloud			
Cable Fixture	4470CE Ceylon			
1KX 1 Lt. Dome	4470GF Gold Foil			
	4470HB Habanero			
Stem Fixture	4470HN Honey			
1TT 1 Lt. Flat	4470MA Magma			
	4470MG Marble Grigio			

Ex. 1JC-447086-SN

Vila Pendant w/ Blue Cloud Glass, Satin Nickel Finish




Multilight Canopies Available, see page 11

BOLLA

The Bolla is a compact handcrafted glass, softly radiused to fit gracefully into contemporary spaces.



412260
COCOON



LAMP: 40W B10 or 50W Xenon E12 (candelabra-base) 120V, lamp not included.

MED: 40W Medium base, 120V, lamp not included.

HALOGEN: 40W G9 Lamp 120V, lamp included.

LED: 9W Replaceable source, 120V, dimmable, 90+ CRI, 3000°K CCT, 800 lumens, 30,000 hours.

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp label

LOCATION: DAMP



For latest product information, scan QR code



412207 OPAL MATTE 412280 AMBER MATTE 412219 CARRERA 4122HN HONEY 412218 AMBER CLOUD
4122HB HABANERO 4122MA MAGMA 412241 GARNET 4122CE CEYLON 412286 BLUE CLOUD

CONNECTION	SHADE OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Cord Fixture	412207 Opal Matte	(blank) 40W B10 Cand	BR Bronze	L 15' cord
1BC 1 Lt. Dome	412218 Amber Cloud	MED 40W B10 Med	SN Satin Nickel	LW Low wattage labeling
1BT 1 Lt. Flat	412219 Carrera	HAL 40W G9 Halogen		
	412241 Garnet	LED 9W LED 120V, dimmable		
Stem Fixture	412260 Cocoon			
1TT 1 Lt. Flat	412280 Amber Matte			
	412286 Blue Cloud			
Multi light (pg. 11)	4122CE Ceylon			
B For Multi light Canopy	4122HB Habanero			
	4122HN Honey			
	4122MA Magma			



Multilight Canopies Available, see page. 11


Ex. 1BT-412260-SN
Bolla Pendant w/ Cocoon Glass, Satin Nickel Finish

LUCIA

The Lucia is a classically curved open-bottom shape, that clearly transitions into virtually all designs.



169707
OPAL MATTE



LAMP: 75W A19, 120V, lamp not included.

LED: 9W Replaceable source, 120V, dimmable, 90+ CRI, 3000°K CCT, 800 lumens, 30,000 hours.

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp label

LOCATION: DAMP



For latest product information, scan QR code




1697VM VANILLA MATTE 1697HN HONEY 169718 AMBER CLOUD 169741 GARNET 1697CE CEYLON 169786 BLUE CLOUD

CONNECTION	SHADE OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Cord Fixture	169707 Opal Matte	(blank) 75W A19 Incan	BR Bronze	L 15' cord
1JC 1 Lt. Dome	169718 Amber Cloud	LED 9W LED 120V, dimmable	SN Satin Nickel	LW Low wattage labeling
1JT 1 Lt. Flat	169741 Garnet			
	169786 Blue Cloud			
Cable Fixture	1697CE Ceylon			
1KX 1 Lt. Dome	1697HN Honey			
	1697VM Vanilla Matte			

Stem Fixture
1TT 1 Lt. Flat

Multi light
J For Multi light Canopy



Multilight Canopies Available, see page. 11

Ex. 1JC-169707-SN
Lucia Pendant w/ Opal Matte Glass, Satin Nickel Finish

BUILD YOUR OWN
12V MULTI LIGHT MINI PENDANT



6-light Round 12V multiport canopy with six Juliette Mini Pendants in Vanilla Glossy.

- 1x T26X-SN
- 6x X-4096VM-SN



9-light Round 12V LED multiport canopy with nine Lasso 12V LED Mini Pendants in Glitter.

- 1x T29X-LED-SN
- 9x X-5612GL-LED-SN



STEP 1 SELECT THE 12V MULTIPOINT CEILING CANOPY

Select from 3, 4, 6, 7 or 9 lights canopies available as round or bar configurations.

3-LIGHT ROUND, FIXED CONNECT

For 12V Mini Pendants using 10" diameter shades MAX, with staggered heights.



3-LIGHT LARGE ROUND, FIXED CONNECT

For 12V Mini Pendants using 16" diameter shades MAX, with staggered heights.



6-LIGHT ROUND, FIXED CONNECT

For 12V Mini Pendants using 10" diameter shades MAX, with staggered heights.



3-LIGHT BAR, FIXED CONNECT

For 12V Mini Pendants using 20" diameter shades MAX, with staggered heights.



9-LIGHT ROUND, FIXED CONNECT

For 12V Mini Pendants using 10" diameter shades MAX, with staggered heights.




4-LIGHT BAR, FIXED CONNECT

For 12V Mini Pendants using 20" diameter shades MAX, with staggered heights.



7-LIGHT BAR, FIXED CONNECT

For 12V Mini Pendants using 14" diameter shades MAX, with staggered heights.



SWAG ACCESSORY

For 12V Cord Pendants that allow installer to position cord drops as desired.
Order: T100-BR/SN



MULTIPOINT CEILING CANOPY ORDERING

ITEM	LAMPING	FINISH	OPTIONS
T23X 3-light round	(blank) Halogen,	BR Bronze	277 277V
T23XL 3-light large round	includes 60W 12V	SN Satin Nickel	DIM010 0-10V
T26X 6-light round	Electronic Transformer		Dimming
T29X 9-light round	per port		
T23V 3-light bar	LED		
T24V 4-light bar	LED, includes		
T27V 7-light bar	60W LED 12V (no load)		
	Electronic Transformer		
	per port		

STEP 2 COMBINE THE CODES

Refer to the 12V pendants pages 79-115 to select your 12V pendants. Order your canopy with the selected 12V pendants multi light pendants (Indicated by "X" prefix) for the complete fixture.



Ordering code for the example shown to the left:

1x T23X-SN
1x X-461500-SN
1x X-461502-SN
1x X-461582-SN

*For LED pendants, LED Canopy must be ordered.

12V MINI PENDANTS




9-light round 12V LED multiport canopy with five Boca 3 12V LED Mini pendants in Clear Bubble and four Boca 5 12V LED Mini Pendants in Clear Bubble.

Ordering Code:
 1x T29X-LED-SN
 5x X-BOCA3BB-LED-SN
 4x X-BOCA5BB-LED-SN

MONOPOINT CORD HUNG

1XC 1 LIGHT PENDANT, DOME CANOPY



EASY INSTALL: NO CORD CUTTING REQUIRED

- Suitable for use on sloped ceilings
- 1x electronic 60W dimmable 120V transformer (No load type included with LED)
- Installs to standard 4" junction box
- 10' Field-adjustable braided coaxial-type cord with teflon jacket (clear or bronze tint) with 5" sleeve at socketholder
- Bronze or Satin Nickel

1XT 1 LIGHT PENDANT, FLAT CANOPY



- Suitable for use on sloped ceilings
- 1x electronic 60W dimmable 120V transformer (No load type included with LED), fits partially in junction box
- Installs to standard 4" junction box
- 10' Field-adjustable braided coaxial-type cord with teflon jacket (clear or bronze tint) with 5" sleeve at socketholder
- Bronze or Satin Nickel

MONOPOINT QUICK-CONNECT

XP PENDANT ELEMENT ONLY



- Pendant Shade and Cord/Socket Set
- 10' Field-adjustable braided coaxial-type cord with teflon jacket (clear or bronze tint) with 5" sleeve at socketholder
- Quick-Connect Jack provided
- Compatible with Besa Quick-Connect Canopies and Rail Adapter
- Bronze or Satin Nickel

RXP PENDANT + RAIL ADAPTER



READY FOR RAIL


- Pendant Shade and Cord/Socket Set, plus Rail Adapter
- 10' Field-adjustable braided coaxial-type cord with teflon jacket (clear or bronze tint) with 5" sleeve at socketholder
- Quick-Connect Jack provided
- Compatible with Besa Monorail System
- Bronze or Satin Nickel

1XP PENDANT + MONOPOINT FLAT CANOPY



- Pendant Shade and Cord/Socket Set, plus Flat Canopy
- 1x electronic 60W dimmable transformer (No load type included with LED), fits partially in junction box
- 10' Field-adjustable braided coaxial-type cord with teflon jacket (clear or bronze tint) with 5" sleeve at socketholder
- Quick-Connect Jack provided
- Integral Quick-Connect adapter
- Bronze or Satin Nickel

1XA ADJUSTABLE PENDANT + FLAT CANOPY



- Easy cord adjuster, just squeeze and move up/down
- Adjustable Cable/Socket set plus Flat Canopy
- 1x electronic 60W dimmable transformer, fits partially in junction box
- 8' Field-adjustable bare silver-color braided cable
- Swivel/pivot feature, suitable for use on sloped ceilings
- Integral Quick-Connect Jack
- Bronze or Satin Nickel metal finishes



The Boca LED Mini Pendant is comprised of an appealing globe-shaped clear or bubble-patterned solid crystal, accented by an inner frosted tube to diffuse the light source.



BOCA3BB
CLEAR BUBBLE



BOCA5CL
CLEAR



LAMP: 35W Low-pressure Halogen 12V Bi-Pin GY6.35, lamp included.

LED: 3W Replaceable 12V LED, dimmable, 90+ CRI, 3000°K CCT, 300 lumens, 25,000 hours. Lamp included.

LOCATION: DRY



For latest product information, scan QR code

CONNECTION	GLASS OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Quick-Connect	BOCA3BB 3.15" Clear Bubble	(blank) 35W Hal	BR Bronze	L 15' cord
XP Jack Only	BOCA3CL 3.15" Clear	LED 3W LED	SN Satin Nickel	277 277V
RXP Rail-Ready	BOCA5BB 4.75" Clear Bubble			DIM010 0-10V Dimming
1XP Flat Canopy	BOCA5CL 4.75" Clear			

Pendant Fixtures
1XC Dome Canopy
1XT Flat Canopy

Multi light
X For Multi light Canopy



Multilight Canopies Available, see page. 77

Ex. 1XT-BOCA5CL-LED-SN
 Boca 5 LED Pendant, Clear Shade, Satin Nickel Finish

SPUR

The Spur is a distinctive double-glass pendant, with an inner frosted cylinder centered within a transcolor softly radiused outer glass.



SPURSM SMOKE




SPURCL CLEAR

SPURRD RED

SPURBL BLUE

SPURPL PLUM



LAMP: 35W Low-pressure Halogen 12V Bi-Pin GY6.35, lamp included.

LED: 3W Replaceable 12V LED, dimmable, 90+ CRI, 3000°K CCT, 300 lumens, 25,000 hours. Lamp included.

LOCATION: DRY



For latest product information, scan QR code

CONNECTION	GLASS OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Quick-Connect	SPURBL Blue	(blank) 35W Hal	BR Bronze	L 15' cord
XP Jack Only	SPURCL Clear	LED 3W LED	SN Satin Nickel	277 277V
RXP Rail-Ready	SPURPL Plum			DIM010 0-10V
1XP Flat Canopy	SPURRD Red			Dimming
	SPURSM Smoke			

Ex. 1XT-SPURRD-SN
Spur Pendant, Red Glass, Satin Nickel Finish

Multi light
X For Multi light Canopy



Multilight Canopies Available, see page. 77

SPAZIO

The Spazio pendant features two softly radiused prismatic glasses, fused together to create a refined contemporary look.



6294RD RED/FROST




6294CL CLEAR/FROST

629406 OPAL GLOSSY



6294GD GOLD/FROST

6294BL BLUE/FROST



LAMP: 50W Low-pressure Halogen 12V Bi-Pin GY6.35, lamp included.

LED: 5W Replaceable 12V LED, dimmable, 90+ CRI, 3000°K CCT, 550 lumens, 25,000 hours. Lamp included

LOCATION: DRY



For latest product information, scan QR code

CONNECTION	GLASS OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Quick-Connect	629406 Opal Glossy	(blank) 50W Hal	BR Bronze	L 15' cord
XP Jack Only	6294BL Blue/Frost	LED 5W LED	SN Satin Nickel	277 277V
RXP Rail-Ready	6294CL Clear/Frost			DIM010 0-10V
1XP Flat Canopy	6294GD Gold/Frost			Dimming
	6294RD Red/Frost			

Ex. 1XT-629406-SN
Spazio Pendant w/ Opal Glossy Glass, Satin Nickel Finish

Pendant Fixtures
1XC Dome Canopy
1XT Flat Canopy

Adjustable
1XA Flat Canopy

Multi light
X For Multi light Canopy



Multilight Canopies Available, see page. 77

The Kiba Mini Pendant is a transitional design composed of a transcolor glass bell, with an interesting bubble pattern blown randomly throughout the glass.



KIBALT
LATTE BUBBLE



KIBACL
CLEAR BUBBLE



KIBAGD
GOLD BUBBLE




KIBAMS
MOSS BUBBLE



KIBABL
BLUE BUBBLE



KIBAPL
PLUM BUBBLE



LED: 3W Replaceable source, dimmable. 90+ CRI, 3000°K CCT, 300 lumens, 30,000 hours.

LOCATION: DRY



For latest product information, scan QR code

CONNECTION	GLASS OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Cord Fixtures	KIBABL Blue Bubble	LED 3W LED	BR Bronze	L 15' cord
1XC 1 Lt. Dome	KIBACL Clear Bubble		SN Satin Nickel	277 277V
1XT 1 Lt. Flat	KIBAGD Gold Bubble			DIM010 0-10V Dimming
	KIBALT Latte Bubble			
	KIBAMS Moss Bubble			
	KIBAPL Plum Bubble			

Multi light
X For Multi light Canopy



Multilight Canopies Available, see page 77

Ex. 1XT-KIBAMS-SN
Kiba Pendant, Moss Bubble Glass Shade, Satin Nickel Finish

PRINCE

12V MINI PENDANTS


The Prince Mini Pendant is a Modern design composed of a machined aluminum metal shade with a Aluminum plated finish. The deep metal body fully conceals the light source and casts an effective level of tasklighting, while the bottom horizontal cutouts project a subtle amount of pleasing sidelight.



PRINCECNBR
BRONZE



PRINCECNSN
SATIN NICKEL



LED: 9W Replaceable 12V LED MR16, dimmable. 82+ CRI, 3000°K CCT, 670 lumens, 25,000 hours.

LOCATION: DRY



For latest product information, scan QR code

CONNECTION

- Cord Fixtures
- 1XC** 1 Lt. Dome
- 1XT** 1 Lt. Flat

SHADE OPTIONS

- PRINCECNBR** Cone Bronze
- PRINCECNSN** Cone Satin Nickel

LAMP OPTIONS

LED 9W LED

METAL FINISH

- BR** Bronze
- SN** Satin Nickel

OPTIONS

- L** 15' cord
- 277** 277V
- DIM010** 0-10V Dimming

Multi light
X For Multi light Canopy



Multi light Canopies Available, see page 77

Ex. 1XT-PRINCEYBR-LED-SN
Prince Cone Pendant, Bronze Shade, Bronze Finish


Our industrial styled Creed mini pendant, composed of a parabolic-shaped metal reflector with an upper accent tightly wrapped in natural twine, offers a look that will easily merge into the recent urban decorating trend.



SATIN NICKEL/ INNER SILVER REFLECTOR



BRONZE/INNER CHAMPAGNE REFLECTOR



LED: 9W Replaceable 12V LED MR16, dimmable, 90+ CRI, 3000°K CCT, 525 lumens, 25,000 hours. Lamp included.

LOCATION: DRY




For latest product information, scan QR code

CONNECTION	SHADE OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Quick-Connect	CREED Creed	LED 9W LED	BR Bronze	L 15' cord
XP Jack Only			SN Satin Nickel	277 277V
RXP Rail-Ready				DIM010 0-10V Dimming
1XP Flat Canopy				

Pendant Fixtures
1XC Dome Canopy
1XT Flat Canopy

Multi light
X For Multi light Canopy



Multi-light Canopies Available, see page 77

Ex. 1XT-CREED-LED-SN
 Creed LED Pendant, Satin Nickel Finish

RONDO

12V MINI PENDANTS


Our Rondo metal shade LED Pendant is a sleek modern trumpet with aluminum finish and semi-specular alzak reflector for shielding the light source. The result is the perfect tasklight, providing functional illumination and a pleasing appearance from below.



SATIN NICKEL WITH SILVER ALZAK REFLECTOR



BRONZE WITH CHAMPAGNE ALZAK REFLECTOR



LED: 9W Replaceable source, dimmable. 90+ CRI, 3000°K CCT, 525 lumens, 30,000 hours.


LOCATION: DRY



For latest product information, scan QR code

CONNECTION	SHADE OPTION	LAMP OPTIONS	METAL FINISH	OPTIONS
Pendant Fixtures	RONDO Rondo	LED 9W LED	BR Bronze	L 15' cord
1XT Flat Canopy			SN Satin Nickel	277 277V
				DIM010 0-10V Dimming

Multi light
 For Multi light Canopy



Multilight Canopies Available, see page.77


Ex. 1XT-RONDO-LED-SN
 Rondo LED Pendant, Satin Nickel Finish

PERSIA

Our Persia metal shade LED Pendant is an updated RLM look with aluminum finish and semi-specular alzak reflector for shielding the light source. The result is the perfect tasklight, providing functional illumination and a pleasing appearance from below.



BRONZE WITH CHAMPAGNE ALZAK REFLECTOR



LED: 9W Replaceable source, dimmable. 90+ CRI, 3000°K CCT, 525 lumens, 30,000 hours.

LOCATION: DRY



For latest product information, scan QR code



SATIN NICKEL WITH SILVER ALZAK REFLECTOR

CONNECTION	SHADE OPTION	LAMP OPTIONS	METAL FINISH	OPTIONS
Pendant Fixtures	PERSIA Persia	LED 9W LED	BR Bronze	L 15' cord
1XT Flat Canopy			SN Satin Nickel	277 277V
				DIM010 0-10V Dimming

Multi light
X For Multi light Canopy



Multilight Canopies Available, see page. 77


Ex. 1XT-PERSIA-LED-SN
 Persia LED Pendant, Satin Nickel Finish

FELIX

Our Felix metal shade LED Pendant is a stylish globe with aluminum finish and semi-specular alzak reflector for shielding the light source. The result is the perfect tasklight, providing functional illumination and a pleasing appearance from below.



SATIN NICKEL WITH SILVER ALZAK REFLECTOR



LED: 9W Replaceable source, dimmable. 90+ CRI, 3000°K CCT, 525 lumens, 30,000 hours.

LOCATION: DRY



For latest product information, scan QR code



BRONZE WITH CHAMPAGNE ALZAK REFLECTOR

CONNECTION	SHADE OPTION	LAMP OPTIONS	METAL FINISH	OPTIONS
Pendant Fixtures	FELIX Felix	LED 9W LED	BR Bronze	L 15' cord
1XT Flat Canopy			SN Satin Nickel	277 277V
				DIM010 0-10V Dimming

Multi light
X For Multi light Canopy



Multilight Canopies Available, see page. 77

Ex. 1XT-FELIX-LED-SN
 Felix LED Pendant, Satin Nickel Finish

MODUS

12V MINI PENDANTS

Our classically RLM-shaped Modus mini pendant is equipped with a cement-based shade, while concealing a focused light source.




MODUSTN
TAN



MODUSNA
NATURAL



MODUSWH
WHITE



LED: 9W Replaceable 12V LED MR16, dimmable. 82+ CRI, 3000° CCT, 670 lumens, 25,000 hours.

LOCATION: DRY




For latest product information, scan QR code

CONNECTION	SHADE OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Quick-Connect	MODUSNA Natural	LED 9W LED	BR Bronze	L 15' cord
XP Jack Only	MODUSTN Tan		SN Satin Nickel	277 277V
RXP Rail-Ready	MODUSWH White			DIM010 0-10V Dimming
1XP Flat Canopy				

Pendant Fixtures
1XC Dome Canopy
1XT Flat Canopy

Multi light
X For Multi light Canopy



MultiLight Canopies Available, see page. 77


Ex. 1XT-MODUSTN-LED-SN
 Modus Pendant, Tan, Satin Nickel Finish

GLIDE

Our diminutive Glide mini pendant is equipped with a cement-based tubular shade, while concealing a focused light source.



GLIDEWH
WHITE



LED: 3W Replaceable 12V LED, dimmable, 90+ CRI, 3000°K CCT, 300 lumens, 25,000 hours. Lamp included.

LOCATION: DRY



For latest product information, scan QR code



GLIDETN
TAN



GLIDENA
NATURAL

CONNECTION	SHADE OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Quick-Connect	GLIDENA Natural	LED 3W LED	BR Bronze	L 15' cord
XP Jack Only	GLIDETN Tan		SN Satin Nickel	277 277V
RXP Rail-Ready	GLIDEWH White			DIM010 0-10V
1XP Flat Canopy				Dimming

Pendant Fixtures
1XC Dome Canopy
1XT Flat Canopy

Multi light
X For Multi light Canopy



Multilight Canopies Available, see page. 77

Ex. 1XT-GLIDEWH-LED-SN
 Glide Pendant, White, Satin Nickel Finish

SKIP

Our four sided geometrically-shaped Skip mini pendant is equipped with a cement-based angle cut shade, while concealing a focused light source.



SKIPNA
NATURAL



LED: 9W Replaceable 12V LED MR16, dimmable. 90+ CRI, 3000° CCT, 525 lumens, 25,000 hours.

LOCATION: DRY



For latest product information, scan QR code



SKIPTN
TAN



SKIPWH
WHITE

CONNECTION	SHADE OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Quick-Connect	SKIPNA Natural	LED 9W LED	BR Bronze	L 15' cord
XP Jack Only	SKIPTN Tan		SN Satin Nickel	277 277V
RXP Rail-Ready	SKIPWH White			DIM010 0-10V
1XP Flat Canopy				Dimming

Pendant Fixtures
1XC Dome Canopy
1XT Flat Canopy

Multi light
X For Multi light Canopy



Multilight Canopies Available, see page. 77

Ex. 1XT-SKIPWH-LED-SN
 Skip Pendant, White, Satin Nickel Finish

VIBE 8

12V MINI PENDANTS


The Vibe 8 LED Mini Pendant is comprised of an appealing clear tubular glass, accented by an interesting dimensioned metal spiral formed into the glass from top to the bottom. The splash of concealed LED downlight onto the encased metal winding makes the Vibe 8 a stunning display of light accents and shadows.



VIBE8SM
SMOKE



VIBE8CL
CLEAR



LED: 3W Replaceable 12V LED, dimmable, 90+ CRI, 3000°K CCT, 300 lumens, 25,000 hours. Lamp included.

LOCATION: DRY



For latest product information, scan QR code

CONNECTION	GLASS OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Quick-Connect	VIBE8CL 8.5" Clear	LED 3W LED	BR Bronze	L 15' cord
XP Jack Only	VIBE8SM 8.5" Smoke		SN Satin Nickel	277 277V
RXP Rail-Ready				DIM010 0-10V Dimming
1XP Flat Canopy				

Pendant Fixtures
1XC Dome Canopy
1XT Flat Canopy

Multi light
X For Multi light Canopy



Multi-light Canopies Available, see page 77

Ex. 1XT-VIBE8CL-LED-SN
 Vibe 8 LED Pendant, Clear Glass, Satin Nickel Finish

Our Timo 6 LED Mini Pendant is equipped with a black or white capped conical transparent shade, concealing a focused downlight source for effective task lighting.



TIMO6BC
CLEAR/BLACK




TIMO6WC
CLEAR/WHITE



TIMO6BS
SMOKE/BLACK



TIMO6WS
SMOKE/WHITE



LED: 9W Replaceable 12V LED MR16, dimmable, 90+ CRI, 3000°K CCT, 525 lumens, 25,000 hours. Lamp included.

LOCATION: DRY



For latest product information, scan QR code

CONNECTION	GLASS OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Quick-Connect	TIMO6BC 6" Clear/Black	LED 9W LED	BR Bronze	L 15' cord
XP Jack Only	TIMO6WC 6" Clear/White		SN Satin Nickel	277 277V
RXP Rail-Ready	TIMO6BS 6" Smoke/Black			DIM010 0-10V
1XP Flat Canopy	TIMO6WS 6" Smoke/White			Dimming

Pendant Fixtures
1XC Dome Canopy
1XT Flat Canopy

Multi light
X For Multi light Canopy



Multi-light Canopies Available, see page. 77

Ex. 1XT-TIMO6BC-LED-SN
 Timo 6 LED Pendant, Clear/Black Shade, Satin Nickel Finish

POGO

12V MINI PENDANTS

The Pogo is a playful double-glass pendant, with a globe-shaped opal glass suspended in a radiused glass ring with inner foil accent.



4293GF
BLACK/INNER GOLD FOIL




4293SF
WHITE/INNER SILVER FOIL



4293SS
SILVER/INNER SILVER FOIL



4293GG
GOLD/INNER GOLD FOIL



LAMP: 35W Low-pressure Halogen 12V Bi-Pin GY6.35, lamp included.

LED: 5W Replaceable 12V LED, dimmable, 90+ CRI, 3000°K CCT, 550 lumens, 25,000 hours. Lamp included

LOCATION: DRY




For latest product information, scan QR code

CONNECTION	GLASS OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Quick-Connect	4293GG Gold/Inner Gold Foil	(blank) 35W Hal	BR Bronze	L 15' cord
XP Jack Only	4293GF Black/Inner Gold Foil	LED 5W LED	SN Satin Nickel	277 277V
RXP Rail-Ready	4293SF White/Inner Silver Foil			DIM010 0-10V
1XP Flat Canopy	4293SS Silver/Inner Silver Foil			Dimming

Pendant Fixtures
1XC Dome Canopy
1XT Flat Canopy

Multi light
X For Multi light Canopy



Multilight Canopies Available, see page. 77


Ex. 1XT-4293GF-SN
Pogo Pendant w/ Black/Inner Gold Glass, Satin Nickel Finish

TERRA

The Terra LED Mini Pendant is comprised of an appealing heart-shaped clear glass, accented by an interesting dimensioned clear tip with dazzling clear crystals laid onto the bottom. The splash of concealed LED downlight onto the cut crystals makes the Terra a stunning display of light refractions.



TERRACL
CLEAR CRYSTALS



LED: 3W replaceable 12V LED MR11, dimmable, 90+ CRI, 3000°K CCT, 300 lumens, 25,000 hours. Lamp included.


LOCATION: DRY



For latest product information, scan QR code

CONNECTION	GLASS OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Pendant Fixtures	TERRACL Clear Crystals	LED 3W LED	BR Bronze	L 15' cord
1XT Flat Canopy			SN Satin Nickel	277 277V
				DIM010 0-10V Dimming

Multi light
X For Multi light Canopy



Multilight Canopies Available, see page. 77

Ex. 1XT-TERRACL-LED-SN
Terra LED Pendant, Clear Crystal Glass, Satin Nickel Finish


GROOVE

The Groove is a unique piece comprised of three segments of mirrored glass fused into an arc-shaped shade.



6773MR
MIRROR

*Groove shown unlit



LAMP: 50W Low-pressure Halogen 12V Bi-Pin GY6.35, lamp included.

LED: 5W Replaceable 12V LED, dimmable, 90+ CRI, 3000°K CCT, 550 lumens, 25,000 hours. Lamp included.

LOCATION: DRY




For latest product information, scan QR code

CONNECTION	GLASS OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Quick-Connect	6773MR Mirror	(blank) 50W Hal	BR Bronze	L 15' cord
XP Jack Only		LED 5W LED	SN Satin Nickel	277 277V
RXP Rail-Ready				DIM010 0-10V Dimming
1XP Flat Canopy				

Pendant Fixtures
1XC Dome Canopy
1XT Flat Canopy

Adjustable
1XA Flat Canopy

Multi light
X For Multi light Canopy



Multilight Canopies Available, see page. 77

Ex. 1XT-6773MR-SN
Groove Mini Pendant w/ Mirror-Frost Glass, Satin Nickel Finish

WANDA 12

12V MINI PENDANTS

The Wanda 12 LED Pendant is composed of a narrow transparent glass cylinder, with an interesting bubble pattern blown randomly throughout the glass.



WAND12CL
CLEAR BUBBLE



WAND12PL
PLUM BUBBLE



WAND12GD
GOLD BUBBLE




WAND12LT
LATTE BUBBLE



WAND12MS
MOSS BUBBLE



WAND12BL
BLUE BUBBLE



LED: 3W replaceable 12V LED, dimmable, 90+ CRI, 3000°K CCT, 300 lumens, 25,000 hours. Lamp included.

LOCATION: DRY



For latest product information, scan QR code

CONNECTION	GLASS OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Pendant Fixtures	WAND12BL Blue Bubble	LED 3W LED	BR Bronze	L 15' cord
1XT Flat Canopy	WAND12CL Clear Bubble		SN Satin Nickel	277 277V
	WAND12GD Gold Bubble			DIM010 0-10V Dimming
	WAND12LT Latte Bubble			
Multi light X For Multi light Canopy	WAND12MS Moss Bubble			
	WAND12PL Plum Bubble			



Multilight Canopies Available, see page. 77

Ex. 1XT-WAND12GD-LED-SN
Wanda LED Pendant, Gold Bubble Glass, Satin Nickel Finish

PIVOT

Our Pivot LED Pendant is a clean and simple machined aluminum design, with a fused 3-piece glass diffuser for shielding the light source.

12V MINI PENDANTS




PIVOTCL
OPAL GLOSSY/CLEAR



PIVOTAM
OPAL GLOSSY/AMBER



PIVOTSM
OPAL GLOSSY/SMOKE



LED: 3W replaceable 12V LED, dimmable, 90+ CRI, 3000°K CCT, 300 lumens, 25,000 hours. Lamp included.

LOCATION: DRY



For latest product information, scan QR code

CONNECTION	SHADE OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Pendant Fixtures	PIVOTAM Opal Glossy/Amber	LED 3W LED	BR Bronze	L 15' cord
1XT Flat Canopy	PIVOTCL Opal Glossy/Clear		SN Satin Nickel	277 277V
	PIVOTSM Opal Glossy/Smoke			DIM010 0-10V Dimming

Multi light
X For Multi light Canopy




Multilight Canopies Available, see page 77

Ex. 1XT-PIVOTAM-LED-SN
Pivot LED Pendant, Opal Glossy/Amber Glass, Satin Nickel Finish

EVE

12V MINI PENDANTS

Eve is a classic bell-shaped shade of handcrafted glass, a shape that stands the test of time. The decor is a clear blown glass with an outer texture of coarse sandstone, with distressed metal foil hand applied on the inner surface.




EVESS
STONE SILVER FOIL



EVEGS
STONE GOLD FOIL



EVECS
STONE COPPER FOIL



LAMP: 50W Low-pressure Halogen 12V Bi-Pin GY6.35, lamp included.

LED: 5W Replaceable 12V LED, dimmable, 90+ CRI, 3000°K CCT, 550 lumens, 25,000 hours. Lamp included

LOCATION: DRY



For latest product information, scan QR code

CONNECTION	GLASS OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Quick-Connect	EVECS Stone Copper Foil	(blank) 50W Hal	BR Bronze	L 15' cord
XP Jack Only	EVEGS Stone Gold Foil	LED 5W LED	SN Satin Nickel	277 277V
RXP Rail-Ready	EVESS Stone Silver Foil			DIM010 0-10V
1XP Flat Canopy				Dimming

Pendant Fixtures
1XC Dome Canopy
1XT Flat Canopy

Multi light
X For Multi light Canopy



Multi-light Canopies Available, see page. 77

Ex. 1XT-EVECS-LED-SN
 Eve LED Pendant, Stone Copper Foil Shade, Satin Nickel Finish


The Jade Mini pendant features a bicolor glass, melding the two complimentary colors to create a refined contemporary look. Our prismatic cone-shaped glass is internally stippled with a glossy outer finish, enhancing the appeal of the vibrant colors.



JADEEG
EMERALD/GOLD




JADEAC
AMBER/CREME



JADEPB
PURPLE/BLUE



JADEPB
BLACK/PLUM



LAMP: 50W Low-pressure Halogen 12V Bi-Pin GY6.35, lamp included.

LED: 3W Replaceable 12V LED, dimmable, 90+ CRI, 3000°K CCT, 300 lumens, 25,000 hours. Lamp included.

LOCATION: DRY



For latest product information, scan QR code

CONNECTION	GLASS OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Quick-Connect	JADEAC Amber/Creme	(blank) 50W Hal	BR Bronze	L 15' cord
XP Jack Only	JADEBP Black/Plum	LED 3W LED	SN Satin Nickel	277 277V
RXP Rail-Ready	JADEEG Emerald/Gold			DIM010 0-10V
1XP Flat Canopy	JADEPB Purple/Blue			Dimming

Pendant Fixtures
1XC Dome Canopy
1XT Flat Canopy

Multi light
X For Multi light Canopy



Multilight Canopies Available, see page 77

Ex. 1XT-JADEEG-LED-SN
 Jade LED Pendant, Emerald/Gold Shade, Satin Nickel Finish

FLOWER

12V MINI PENDANTS

Our Flower LED Pendant is a compactly radiused machined aluminum design with multiple tiered acrylic rings and a frosted acrylic diffuser for shielding the light source. The interesting play of light through the acrylic accents make for a bold appearance, and along with the strong burst of focused downlight makes the Flower ideal for task oriented applications in modern environments.



FLOW00-RD/BL
RED/BLUE




FLOW00-FRAM
FROST/AMBER




FLOW00-YLPL
YELLOW/PURPLE



FLOW00-BKGR
BLACK/GREEN



AM
AMBER




BL
BLUE



BK
BLACK




CL
CLEAR




GR
GREEN



FR
FROST



PL
PURPLE




RD
RED



SL
SILVER



YL
YELLOW



LED: 3W replaceable 12V LED, dimmable, 90+ CRI, 3000°K CCT, 300 lumens, 25,000 hours. Lamp included.

LOCATION: DRY



For latest product information, scan QR code

CONNECTION

Pendant Fixtures
1XT Flat Canopy

Multi light
X For Multi light Canopy



Multilight Canopies Available, see page 77

SHADE OPTIONS

FLOW00 Flower

- OUTER ACRYLIC

AM Amber
BL Blue
BK Black
CL Clear
GR Green
FR Frost
PL Purple
RD Red
SL Silver
YL Yellow

INNER ACRYLIC

AM Amber
BL Blue
BK Black
CL Clear
GR Green
FR Frost
PL Purple
RD Red
SL Silver
YL Yellow

- LAMP OPTIONS

LED 3W LED

- METAL FINISH

BR Bronze
SN Satin Nickel

OPTIONS

L 15' cord
277 277V
DIM010 0-10V Dimming

Ex. 1XT-FLOW00-BKGR-LED-SN


Flower LED Mini Pendant, Black/Green Acrylics, Satin Nickel Finish

SPUTNIK

Our Sputnik LED Pendant is a clean and simple machined aluminum design with a frosted acrylic diffuser for shielding the light source. The diminutive scale, along with the strong burst of focused downlight is ideal for task oriented applications in modern environments.



SPUTNIK



LED: 7W replaceable 12V LED, dimmable, 90+ CRI, 3000°K CCT, 500 lumens, 25,000 hours. Lamp included.

LOCATION: DRY



For latest product information, scan QR code

CONNECTION	SHADE OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Pendant Fixtures 1XT Flat Canopy	SPUTNK Sputnik	LED 7W LED	BR Bronze SN Satin Nickel	L 15' cord 277 277V DIM010 0-10V Dimming

Multi light
X For Multi light Canopy



Multilight Canopies Available, see page. 77

Ex. 1XT-SPUTNK-LED-SN
Sputnik LED Mini Pendant,
Satin Nickel Finish

BRIO 7


The Brio 7 is a wide yet compact handcrafted glass, softly radiused to fit gracefully into contemporary spaces. When illuminated the inner foil glows beautifully and bottom clear glass emits a sparkle.



2492GF
GOLD FOIL



2492SF
SILVER FOIL



LAMP: 35W Low-pressure Halogen 12V Bi-Pin GY6.35, lamp included.

LED: 5W Replaceable 12V LED, dimmable, 90+ CRI, 3000°K CCT, 550 lumens, 25,000 hours. Lamp included.

LOCATION: DRY



For latest product information, scan QR code

CONNECTION	GLASS OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Quick-Connect XP Jack Only RXP Rail-Ready 1XP Flat Canopy	2492GF Gold Foil 2492SF Silver Foil	(blank) 35W Hal LED 5W LED	BR Bronze SN Satin Nickel	L 15' cord 277 277V DIM010 0-10V Dimming

Pendant Fixtures
1XC Dome Canopy
1XT Flat Canopy

Multi light
X For Multi light Canopy



Multilight Canopies Available, see page. 77

Ex. 1XT-2492GF-SN
Brio 7 Mini Pendant w/ Gold Foil Glass,
Satin Nickel Finish

PICA 6

12V MINI PENDANTS

Pica 6 is a compact tapered glass treated with a band of natural sand applied to the interior with a broad angled top and a chamfer-cut bottom, its retro styling will gracefully blend into today's environments.



PIC6RD
RED SAND



PIC6WH
WHITE SAND




PIC6CR
CREME SAND



PIC6GD
GOLD SAND



PIC6BL
BLUE SAND



LAMP: 50W Low-pressure Halogen 12V Bi-Pin GY6.35, lamp included.
LED: 5W Replaceable 12V LED, dimmable, 90+ CRI, 3000°K CCT, 550 lumens, 25,000 hours. Lamp included.

LOCATION: DRY




For latest product information, scan QR code

CONNECTION	GLASS OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Quick-Connect	PIC6BL Blue Sand	(blank) 50W Hal	BR Bronze	L 15' cord
XP Jack Only	PIC6CR Creme Sand	LED 5W LED	SN Satin Nickel	277 277V
RXP Rail-Ready	PIC6GD Gold Sand			DIM010 0-10V Dimming
1XP Flat Canopy	PIC6RD Red Sand			
	PIC6WH White Sand			

Pendant Fixtures
1XC Dome Canopy
1XT Flat Canopy

Multi light
X For Multi light Canopy



Multilight Canopies Available, see page. 77

Ex. 1XT-PIC6TN-SN
 Pica 6 Mini Pendant w/ Tan Sand Glass, Satin Nickel Finish

Available in two sizes and three frosted colors, our Botella's are inspired by the timeless and cherished fermented grape beverages.



1685GF
GREEN-FROST





1684AF
AMBER-FROST



1684BF
BLUE-FROST

Botella 10: #1684

Botella 12: #1685



LAMP: 35W Low-pressure Halogen 12V Bi-Pin GY6.35, lamp included.

LED: 5W Replaceable 12V LED, dimmable, 90+ CRI, 3000°K CCT, 550 lumens, 25,000 hours. Lamp included.

LOCATION: DRY



For latest product information, scan QR code

CONNECTION	GLASS OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Quick-Connect	1684AF 10" Amber-Frost	(blank) 35W Hal	BR Bronze	L 15' cord
XP Jack Only	1684BF 10" Blue-Frost	LED 5W LED	SN Satin Nickel	277 277V
RXP Rail-Ready	1684GF 10" Green-Frost			DIM010 0-10V Dimming
1XP Flat Canopy	1685AF 12" Amber-Frost			
	1685BF 12" Blue-Frost			
	1685GF 12" Green-Frost			

Pendant Fixtures
1XC Dome Canopy
1XT Flat Canopy

Multi light
X For Multi light Canopy



Multilight Canopies Available, see page.77

Ex. 1XT-1684AF-SN
 Botella 10 Mini Pendant w/ 10" Amber-Frost Glass, Satin Nickel Finish

PAHU 4

12V MINI PENDANTS

The Pahu is a distinctive yet timeless double-glass pendant, with an inner opal cylinder centered within a transcolor outer glass.



G44007
TRANS. ARMAGNAC/OPAL



C44007
CLEAR/OPAL




S44007
TRANS. SMOKE/OPAL



L44007
TRANS. OLIVE/OPAL



A44007
TRANS. AMETHYST/OPAL



LAMP: 35W Low-pressure Halogen 12V Bi-Pin GY6.35, lamp included.

LED: 5W Replaceable 12V LED, dimmable, 90+ CRI, 3000°K CCT, 550 lumens, 25,000 hours. Lamp included.

LOCATION: DRY




For latest product information, scan QR code

CONNECTION	GLASS OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Quick-Connect	A44007 Trans. Amethyst/Opal	(blank) 35W Hal	BR Bronze	L 15' cord
XP Jack Only	C44007 Clear/Opal	LED 5W LED	SN Satin Nickel	277 277V
RXP Rail-Ready	G44007 Trans. Armagnac/Opal			DIM010 0-10V Dimming
1XP Flat Canopy	L44007 Trans. Olive/Opal			
	S44007 Trans. Smoke/Opal			

Pendant Fixtures
1XC Dome Canopy
1XT Flat Canopy

Multi light
X For Multi light Canopy



Multilight Canopies Available, see page. 77

Ex. 1XT-C44007-SN
Pahu 4 Mini Pendant w/ Clear/Opal Glass, Satin Nickel Finish

WILLOW


Willow is an exciting composition created by a clear tubular glass, which showcases sparkling crystal-like beads on chrome rods.



12V MINI PENDANTS



1688WW
CRYSTAL RODS



LED: 3W Replaceable 12V LED MR11, dimmable, 90+ CRI, 3000°K CCT, 200 lumens, 25,000 hours. Lamp included.


LOCATION: DRY



For latest product information, scan QR code

CONNECTION	GLASS OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Pendant Fixtures	1688WW Crystal Rods	LED 3W LED	BR Bronze	L 15' cord
1XT Flat Canopy			SN Satin Nickel	277 277V
				DIM010 0-10V Dimming

Multi light
X For Multi light Canopy



Multilight Canopies Available, see page. 77

Ex. 1XT-1688WW-LED-SN
Willow LED Mini Pendant w/ Clear-Crystal Rods, Satin Nickel Finish


LASSO

The Lasso is a wide yet compact handcrafted glass, with distinctive ridges, softly radiused to enhances virtually any architecture.

12V MINI PENDANTS



5612GL
GLITTER



LAMP: 50W Low-pressure Halogen 12V Bi-Pin GY6.35, lamp included.

LED: 5W Replaceable 12V LED, dimmable, 90+ CRI, 3000°K CCT, 550 lumens, 25,000 hours. Lamp included.

LOCATION: DRY



For latest product information, scan QR code



561207
OPAL MATTE



5612GD
GOLD GLITTER

CONNECTION	GLASS OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Quick-Connect	561207 Opal Matte	(blank) 50W Hal	BR Bronze	L 15' cord
XP Jack Only	5612GD Gold Glitter	LED 5W LED	SN Satin Nickel	277 277V
RXP Rail-Ready	5612GL Glitter			DIM010 0-10V Dimming
1XP Flat Canopy				

Pendant Fixtures
1XC Dome Canopy
1XT Flat Canopy

Adjustable
1XA Flat Canopy

Multi light
X For Multi light Canopy



Multilight Canopies Available, see page. 77

Ex. 1XT-5612GL-SN
Lasso Mini Pendant w/ Glitter Glass, Satin Nickel Finish

KRISTALL 6

The Kristall is a transcolor globe shape, with distinctive ridges, that fits gracefully into contemporary spaces.

12V MINI PENDANTS



461502
SMOKE




461500
CLEAR



461582
AMBER



4615GL
GLITTER



LAMP: 35W Low-pressure Halogen 12V Bi-Pin GY6.35, lamp included.

LED: 5W Replaceable 12V LED, dimmable, 90+ CRI, 3000°K CCT, 550 lumens, 25,000 hours. Lamp included.

LOCATION: DRY



For latest product information, scan QR code

CONNECTION	GLASS OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Quick-Connect	461500 6" Clear	(blank) 35W Hal	BR Bronze	L 15' cord
XP Jack Only	461502 6" Smoke	LED 5W LED	SN Satin Nickel	277 277V
RXP Rail-Ready	461582 6" Amber			DIM010 0-10V
1XP Flat Canopy	4615GL 6" Glitter			Dimming

Pendant Fixtures
1XC Dome Canopy
1XT Flat Canopy

Adjustable
1XA Flat Canopy

Multi light
X For Multi light Canopy



Multilight Canopies Available, see page.77

Ex. 1XT-461502-SN
Kristall 6 Mini Pendant w/ Smoke Glass, Satin Nickel Finish

SCOPE

12V MINI PENDANTS

Scope is a compact cylinder of handcrafted glass with a transcolor design accented by the frosted band, that demonstrates contemporary sensibilities.



6524EL
TRANS. OLIVE/FROST



6524EC
CLEAR/FROST




6524ES
TRANS. SMOKE/FROST



6524EG
TRANS. ARMAG/FROST
* shown with Bronze finish



6524EA
TRANS. AMETHYST/FROST



Scope is made of borosilicate glass
LAMP: 50W Shielded Flood 12V MR16, lamp included.

LED: 5W Replaceable 12V LED MR16 with backlight, dimmable. 82+ CRI, 3000°K CCT, 300 lumens, 25,000 hours.

LOCATION: DRY




For latest product information, scan QR code

CONNECTION	GLASS OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Quick-Connect	6524EA Amethyst/Frost	(blank) 50W Hal MR16	BR Bronze	L 15' cord
XP Jack Only	6524EC Clear/Frost	LED 5W LED,	SN Satin Nickel	277 277V
RXP Rail-Ready	6524EG Armagnac/Frost	dimmable		DIM010 0-10V
1XP Flat Canopy	6524EL Olive/Frost			Dimming
	6524ES Smoke/Frost			

Pendant Fixtures
1XC Dome Canopy
1XT Flat Canopy

Multi light
X For Multi light
Canopy



Multilight Canopies Available, see page. 77

Ex. 1XT-6524EC-SN
Scope Mini Pendant w/ Clear/Frost Glass, Satin Nickel Finish

The Focus has a glossy Opal body with a fused lens at the bottom, with a choice of four lens styles. The cool or warm dicro lens cast colored light onto adjacent surfaces.



2633CD
COOL DICRO




2633CL
CLEAR



2633FR
FROST



2633WD
WARM DICRO



LAMP: 35W Low-pressure Halogen 12V Bi-Pin GY6.35, lamp included.

LED: 3W Replaceable 12V LED, dimmable, 90+ CRI, 3000°K CCT, 300 lumens, 25,000 hours. Lamp included.

LOCATION: DRY



For latest product information, scan QR code

CONNECTION	GLASS OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Quick-Connect	2633CD Cool Dicro	(blank) 35W Hal	BR Bronze	L 15' cord
XP Jack Only	2633CL Clear	LED 3W LED	SN Satin Nickel	277 277V
RXP Rail-Ready	2633FR Frost			DIM010 0-10V
1XP Flat Canopy	2633WD Warm Dicro			Dimming

Pendant Fixtures
1XC Dome Canopy
1XT Flat Canopy

Multi light
X For Multi light Canopy



Multilight Canopies Available, see page. 77

Ex. 1XT-2633FR-SN
 Focus Mini Pendant w/ Opal Glass/Frost Lens, Satin Nickel Finish

DIVI

Divi has a classical bell shape with either a spun metal or glass/foil shade.



1758CF
COPPER FOIL




1758GF
GOLD FOIL

1758SF
SILVER FOIL

1858MN
METAL NICKEL

1858MB
METAL BRONZE



LAMP: 50W Shielded Flood 12V MR16, lamp included.

LED: 9W Replaceable 12V LED MR16 Flood, dimmable. 90+ CRI, 3000°K CCT, 670 lumens, 25,000 hours.

LOCATION: DRY




For latest product information, scan QR code

CONNECTION	SHADE OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Quick-Connect	1758CF Copper Foil	(blank) 50W Hal	BR Bronze	L 15' cord
XP Jack Only	1758GF Gold Foil	LED 9W LED	SN Satin Nickel	277 277V
RXP Rail-Ready	1758SF Silver Foil			DIM010 0-10V
1XP Flat Canopy	1858MB Metal Bronze			Dimming
	1858MN Metal Satin Nickel			

Pendant Fixtures
1XC Dome Canopy
1XT Flat Canopy

Multi light
X For Multi light Canopy



Multilight Canopies Available, see page. 77

Ex. 1XT-1758GF-SN


Divi Mini Pendant w/ Gold Foil Shade, Satin Nickel Finish

JODI

The Jodi is a striking piece comprised of multiple segments of radiused white glass, with clear glass segments fused at each end.



673006
OPAL GLOSSY



LAMP: 50W Low-pressure Halogen 12V Bi-Pin GY6.35, lamp included.

LED: 5W Replaceable 12V LED, dimmable, 90+ CRI, 3000°K CCT, 550 lumens, 25,000 hours. Lamp included.

LOCATION: DRY




For latest product information, scan QR code

CONNECTION	GLASS OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Quick-Connect	673006 Opal Glossy	(blank) 50W Hal	BR Bronze	L 15' cord
XP Jack Only		LED 5W LED	SN Satin Nickel	277 277V
RXP Rail-Ready				DIM010 0-10V
1XP Flat Canopy				Dimming

Pendant Fixtures
1XC Dome Canopy
1XT Flat Canopy

Adjustable
1XA Flat Canopy

Multi light
X For Multi light Canopy



Multilight Canopies Available, see page. 77

Ex. 1XT-673006-SN

Jodi Mini Pendant w/ Opal Glossy Glass, Satin Nickel Finish

NICO 4

Nico 4 features a tapered drum shape with a natural stone texture.



5125SF
STONE SILVER FOIL

5125OS
OPAL STONE




512500
CLEAR STONE

5125GL
GLITTER STONE

5125GF
STONE GOLD FOIL

5125CF
STONE COPPER FOIL



LAMP: 35W Low-pressure Halogen 12V Bi-Pin GY6.35, lamp included.

LED: 5W Replaceable 12V LED, dimmable, 90+ CRI, 3000°K CCT, 550 lumens, 25,000 hours. Lamp included.

LOCATION: DRY




For latest product information, scan QR code

CONNECTION	GLASS OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Quick-Connect	512500 Clear Stone	(blank) 35W Hal	BR Bronze	L 15' cord
XP Jack Only	5125CF Stone Copper Foil	LED 5W LED	SN Satin Nickel	277 277V
RXP Rail-Ready	5125GF Stone Gold Foil			DIM010 0-10V
1XP Flat Canopy	5125GL Glitter Stone			Dimming
	5125OS Opal Stone			
	5125SF Stone Silver Foil			

Pendant Fixtures
1XC Dome Canopy
1XT Flat Canopy

Adjustable
1XA Flat Canopy

Multi light
X For Multi light Canopy




Multilight Canopies Available, see page 77

Ex. 1XT-512500-SN
Nico 4 Mini Pendant w/ Clear Stone Glass, Satin Nickel Finish

SWIRL



550493
DICRO SWIRL



LAMP: 50W Low-pressure Halogen 12V Bi-Pin GY6.35, lamp included.

LED: 3W Replaceable 12V LED, dimmable, 90+ CRI, 3000°K CCT, 300 lumens, 25,000 hours. Lamp included.

LOCATION: DRY




For latest product information, scan QR code

CONNECTION	GLASS OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Quick-Connect	550493 Dicro Swirl	(blank) 50W Hal	BR Bronze	L 15' cord
XP Jack Only		LED 3W LED	SN Satin Nickel	277 277V
RXP Rail-Ready				DIM010 0-10V
1XP Flat Canopy				Dimming

Pendant Fixtures
1XC Dome Canopy
1XT Flat Canopy

Adjustable
1XA Flat Canopy

Multi light
X For Multi light Canopy



Multilight Canopies Available, see page 77

Ex. 1XT-550493-SN
Swirl Mini Pendant w/ Dicro Swirl Glass, Satin Nickel Finish

HOPPI

The Hoppi pendant features a wide cone-shaped glass, that demonstrates contemporary sensibilities.

12V MINI PENDANTS



181304
MARBLE/CLEAR

Asymmetric glass design


LAMP: 50W Low-pressure Halogen 12V Bi-Pin GY6.35, lamp included.

LED: 3W Replaceable 12V LED, dimmable, 90+ CRI, 3000°K CCT, 300 lumens, 25,000 hours. Lamp included.

LOCATION: DRY



For latest product information, scan QR code



191383
MOCHA



191352
MARBLE



181305
MOCHA/CLEAR

CONNECTION	GLASS OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Quick-Connect	181304 Marble/Clear	(blank) 50W Hal	BR Bronze	L 15' cord
XP Jack Only	181305 Mocha/Clear	LED 3W LED	SN Satin Nickel	277 277V
RXP Rail-Ready	191352 Marble			DIM010 0-10V
1XP Flat Canopy	191383 Mocha			Dimming

Pendant Fixtures
1XC Dome Canopy
1XT Flat Canopy

Adjustable
1XA Flat Canopy

Multi light
X For Multi light Canopy



Multilight Canopies Available, see page. 77

Ex. 1XT-191352-SN
Hoppi Mini Pendant w/ Marble Glass, Satin Nickel Finish

KANI

The Kani pendant features a compact cone-shaped glass, that will gracefully blend into almost any decorating theme.



512107
OPAL MATTE


LAMP: 50W Low-pressure Halogen 12V Bi-Pin GY6.35, lamp included.

LED: 5W Replaceable 12V LED, dimmable, 90+ CRI, 3000°K CCT, 550 lumens, 25,000 hours. Lamp included.

LOCATION: DRY



For latest product information, scan QR code



5121VM
VANILLA MATTE



5121RM
RUBY MATTE




5121CM
COBALT BLUE MATTE

CONNECTION	GLASS OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Quick-Connect	512107 Opal Matte	(blank) 50W Hal	BR Bronze	L 15' cord
XP Jack Only	5121CM Cobalt Blue Matte	LED 5W LED	SN Satin Nickel	277 277V
RXP Rail-Ready	5121RM Ruby Matte			DIM010 0-10V
1XP Flat Canopy	5121VM Vanilla Matte			Dimming

Pendant Fixtures
1XC Dome Canopy
1XT Flat Canopy

Adjustable
1XA Flat Canopy

Multi light
X For Multi light Canopy




Multilight Canopies Available, see page. 77

Ex. 1XT-512107-SN
Kani Mini Pendant w/ Opal Matte Glass, Satin Nickel Finish

The Peri is a compact handcrafted glass, softly radiused to fit gracefully into contemporary spaces.



541035
CHARTREUSE



LAMP: 50W Low-pressure Halogen 12V Bi-Pin GY6.35, lamp included.

LED: 5W Replaceable 12V LED, dimmable, 90+ CRI, 3000°K CCT, 550 lumens, 25,000 hours. Lamp included.

LOCATION: DRY



For latest product information, scan QR code



541007
OPAL MATTE

5410VM
VANILLA MATTE

541080
AMBER MATTE

541087
BLUE MATTE

CONNECTION	GLASS OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Quick-Connect	541007 Opal Matte	(blank) 50W Hal	BR Bronze	L 15' cord
XP Jack Only	541035 Chartreuse	LED 5W LED	SN Satin Nickel	277 277V
RXP Rail-Ready	541080 Amber Matte			DIM010 0-10V
1XP Flat Canopy	541087 Blue Matte			Dimming
	5410VM Vanilla Matte			

Pendant Fixtures
1XC Dome Canopy
1XT Flat Canopy

Adjustable
1XA Flat Canopy

Multi light
X For Multi light Canopy



Multilight Canopies Available, see page.77


Ex. 1XT-541035-SN
Peri Mini Pendant w/ Chartreuse Glass, Satin Nickel Finish

TRILO 7

Trilo 7 is comprised of three complementary glass segments, resulting in a playful glass display.



271897
CHAMPAGNE



LAMP: 50W Low-pressure Halogen 12V Bi-Pin GY6.35, lamp included.

LED: 5W Replaceable 12V LED, dimmable, 90+ CRI, 3000°K CCT, 550 lumens, 25,000 hours. Lamp included.

LOCATION: DRY



For latest product information, scan QR code



271825
FROST

271831
RED MATTE

271823
BLUE MATTE

CONNECTION	GLASS OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Quick-Connect	271823 Blue Matte	(blank) 50W Hal	BR Bronze	L 15' cord
XP Jack Only	271825 Frost	LED 5W LED	SN Satin Nickel	277 277V
RXP Rail-Ready	271831 Red Matte			DIM010 0-10V
1XP Flat Canopy	271897 Champagne			Dimming

Pendant Fixtures
1XC Dome Canopy
1XT Flat Canopy

Adjustable
1XA Flat Canopy

Multi light
X For Multi light Canopy



Multilight Canopies Available, see page.77

Ex. 1XT-271823-SN
Trilo 7 Mini Pendant w/ Blue Matte Glass, Satin Nickel Finish

ZUMI

The Zumi is a slender yet shapely handcrafted glass with a look that transitions well into any design.



439519
CARRERA

439507
OPAL MATTE



LAMP: 35W Low-pressure Halogen 12V Bi-Pin GY6.35, lamp included.

LED: 5W Replaceable 12V LED, dimmable, 90+ CRI, 3000°K CCT, 550 lumens, 25,000 hours. Lamp included.


LOCATION: DRY



For latest product information, scan QR code

CONNECTION	GLASS OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Quick-Connect	439507 Opal Matte	(blank) 35W Hal	BR Bronze	L 15' cord
XP Jack Only	439519 Carrera	LED 5W LED	SN Satin Nickel	277 277V
RXP Rail-Ready				DIM010 0-10V
1XP Flat Canopy				Dimming

Pendant Fixtures
1XC Dome Canopy
1XT Flat Canopy



Ex. 1XP-439519-SN
 Zumi Mini Pendant w/ Carrera Glass, Satin Nickel Finish

JULIETTE

The Juliette pendant inverts a narrow teardrop glass, resulting in a unique addition to any environment.



409641
GARNET



4096VG
VANILLA GLOSSY


409618
AMBER CLOUD

4096CE
CEYLON


409686
BLUE CLOUD

CONNECTION	GLASS OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Quick-Connect	409618 Amber Cloud	(blank) 35W Hal	BR Bronze	L 15' cord
XP Jack Only	409641 Garnet	LED 5W LED	SN Satin Nickel	277 277V
RXP Rail-Ready	409686 Blue Cloud			DIM010 0-10V
1XP Flat Canopy	4096CE Ceylon			Dimming
	4096VG Vanilla Glossy			

Pendant Fixtures
1XC Dome Canopy
1XT Flat Canopy



Ex. 1XT-409618-SN
 Juliette Mini Pendant w/ Amber Cloud Glass, Satin Nickel Finish



LAMP: 35W Low-pressure Halogen 12V Bi-Pin GY6.35, lamp included.

LED: 5W Replaceable 12V LED, dimmable, 90+ CRI, 3000°K CCT, 550 lumens, 25,000 hours. Lamp included.

LOCATION: DRY




For latest product information, scan QR code

SPRITE

The compact sized Sprite is a modern and pleasing ovoid shape, with open bottom, that will fit seamlessly into any contemporary space.



1716BL
BLUE TWIST



LAMP: 50W Low-pressure Halogen 12V Bi-Pin GY6.35, lamp included.

LED: 5W Replaceable 12V LED, dimmable, 90+ CRI, 3000°K CCT, 550 lumens, 25,000 hours. Lamp included.

LOCATION: DRY



For latest product information, scan QR code



1716HN
HONEY



1716SK
SMOKE TWIST

CONNECTION	GLASS OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Quick-Connect	1716BL Blue Twist	(blank) 50W Hal	BR Bronze	L 15' cord
XP Jack Only	1716HN Honey	LED 5W LED	SN Satin Nickel	277 277V
RXP Rail-Ready	1716SK Smoke Twist			DIM010 0-10V
1XP Flat Canopy				Dimming

Pendant Fixtures
1XC Dome Canopy
1XT Flat Canopy

Multi light
X For Multi light Canopy




Multilight Canopies Available, see page. 77

Ex. 1XT-1716BL-SN
Sprite Mini Pendant w/ Blue Twist Glass, Satin Nickel Finish



5658MA
MAGMA



LAMP: 50W Low-pressure Halogen 12V Bi-Pin GY6.35, lamp included.

LED: 5W Replaceable 12V LED, dimmable, 90+ CRI, 3000°K CCT, 550 lumens, 25,000 hours. Lamp included.

LOCATION: DRY



For latest product information, scan QR code



565807
OPAL MATTE



565819
CARRERA



5658HB
HABANERO

CONNECTION	GLASS OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Quick-Connect	565807 Opal Matte	(blank) 50W Hal	BR Bronze	L 15' cord
XP Jack Only	565819 Carrera	LED 5W LED	SN Satin Nickel	277 277V
RXP Rail-Ready	5658HB Habanero			DIM010 0-10V
1XP Flat Canopy	5658MA Magma			Dimming

Pendant Fixtures
1XC Dome Canopy
1XT Flat Canopy

Adjustable
1XA Flat Canopy

Multi light
X For Multi light Canopy



Multilight Canopies Available, see page. 77

Ex. 1XT-5658MA-SN
Palla 5 Mini Pendant w/ Magma Glass, Satin Nickel Finish

DOMI


Domi has a compact bell shape that complements aesthetic, while also built for optimal illumination.



CHOICE
COLLECTION



1743CH
CHERRY



LAMP: 50W Low-pressure Halogen 12V Bi-Pin GY6.35, lamp included.

LED: 3W Replaceable 12V LED, dimmable, 90+ CRI, 3000°K CCT, 300 lumens, 25,000 hours. Lamp included.

LOCATION: DRY



For latest product information, scan QR code



174307
WHITE

174352
MARBLE

174383
MOCHA

1743SL
SOLARE



1743KR
CHALK



1743TN
TITAN



1743OK
OAK

CONNECTION	GLASS OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Quick-Connect	174307 White	(blank) 50W Hal	BR Bronze	L 15' cord
XP Jack Only	174352 Marble	LED 3W LED	SN Satin Nickel	277 277V
RXP Rail-Ready	174383 Mocha			DIM010 0-10V
1XP Flat Canopy	1743CH Cherry			Dimming
	1743KR Chalk			
Pendant Fixtures	1743OK Oak			
1XC Dome Canopy	1743SL Solare			
1XT Flat Canopy	1743TN Titan			

Ex. 1XT-1743CH-SN
Domi Mini Pendant w/ Cherry Glass, Satin Nickel Finish

Adjustable

1XA Flat Canopy

Multi light

X For Multi light Canopy



Multilight Canopies Available, see page. 77

BRELLA


Brella has a compact bell shape that complements aesthetic, while also built for optimal illumination.



CHOICE
COLLECTION



4679SL
SOLARE



LAMP: 50W Low-pressure Halogen 12V Bi-Pin GY6.35, lamp included.

LED: 5W Replaceable 12V LED, dimmable, 90+ CRI, 3000°K CCT, 550 lumens, 25,000 hours. Lamp included.

LOCATION: DRY



For latest product information, scan QR code



467907
WHITE

467983
MOCHA

4679KR
CHALK



4679TN
TITAN



4679OK
OAK



4679CH
CHERRY

CONNECTION	GLASS OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Quick-Connect	467907 White	(blank) 50W Hal	BR Bronze	L 15' cord
XP Jack Only	467983 Mocha	LED 5W LED	SN Satin Nickel	277 277V
RXP Rail-Ready	4679CH Cherry			DIM010 0-10V
1XP Flat Canopy	4679KR Chalk			Dimming
	4679OK Oak			
Pendant Fixtures	4679SL Solare			
1XC Dome Canopy	4679TN Titan			
1XT Flat Canopy				


Ex. 1XT-4679SL-SN
Brella Mini Pendant w/ Solare Glass, Satin Nickel Finish

Adjustable

1XA Flat Canopy

Multi light

X For Multi light Canopy



Multilight Canopies Available, see page. 77

KONA


The Kona pendant features a wide cone-shaped glass, that demonstrates contemporary sensibilities.



12V MINI PENDANTS



117681
SUNSET



LAMP: 50W Low-pressure Halogen 12V Bi-Pin GY6.35, lamp included.

LED: 3W Replaceable 12V LED, dimmable, 90+ CRI, 3000°K CCT, 300 lumens, 25,000 hours. Lamp included.

LOCATION: DRY



For latest product information, scan QR code



CONNECTION	GLASS OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Quick-Connect	117607 White	(blank) 50W Hal	BR Bronze	L 15' cord
XP Jack Only	117652 Marble	LED 3W LED	SN Satin Nickel	277 277V
RXP Rail-Ready	117681 Sunset			DIM010 0-10V
1XP Flat Canopy	117691 Bi-Color			Dimming
Pendant Fixtures	282453 White Starpoint			
1XC Dome Canopy	282484 Blue Starpoint			
1XT Flat Canopy	282490 Mango Starpoint			

Ex. 1XT-117681-SN
Kona Mini Pendant w/ Sunset Glass, Satin Nickel Finish

Adjustable
1XA Flat Canopy


Multi light
X For Multi light Canopy



Multilight Canopies Available, see page. 77



1779MG
MARBLE GRIGIO



LAMP: 50W Low-pressure Halogen 12V Bi-Pin GY6.35, lamp included.

LED: 5W Replaceable 12V LED, dimmable, 90+ CRI, 3000°K CCT, 550 lumens, 25,000 hours. Lamp included.

LOCATION: DRY



For latest product information, scan QR code

MIA

Mia has an elongated bell shape that complements any aesthetic, while also built for optimal illumination.



CONNECTION	GLASS OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Quick-Connect	177907 Opal Matte	(blank) 50W Hal	BR Bronze	L 15' cord
XP Jack Only	177918 Amber Cloud	LED 5W LED	SN Satin Nickel	277 277V
RXP Rail-Ready	177919 Carrera			DIM010 0-10V
1XP Flat Canopy	177941 Garnet			Dimming
Pendant Fixtures	177986 Blue Cloud			
1XC Dome Canopy	1779CE Ceylon			
1XT Flat Canopy	1779HB Habanero			
	1779HN Honey			
	1779MG Marble Grigio			
	1779MA Magma			

Ex. 1XT-1779MG-SN
Mia Mini Pendant w/ Marble Grigio Glass, Satin Nickel Finish

Adjustable
1XA Flat Canopy

Multi light
X For Multi light Canopy



Multilight Canopies Available, see page. 77

KARLI


The Karli features a softly radiused glass, that will gracefully blend into almost any decorating theme.

12V MINI PENDANTS

CHOICE
COLLECTION



719819
CARRERA



LAMP: 50W Low-pressure Halogen 12V Bi-Pin GY6.35, lamp included.

LED: 5W Replaceable 12V LED, dimmable, 90+ CRI, 3000°K CCT, 550 lumens, 25,000 hours. Lamp included.

LOCATION: DRY



For latest product information, scan QR code



719807
OPAL MATTE

719818
AMBER CLOUD

7198HN
HONEY

719841
GARNET


7198CE
CEYLON

719886
BLUE CLOUD

CONNECTION	GLASS OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Quick-Connect	719807 Opal Matte	(blank) 50W Hal	BR Bronze	L 15' cord
XP Jack Only	719818 Amber Cloud	LED 5W LED	SN Satin Nickel	277 277V
RXP Rail-Ready	719819 Carrera			DIM010 0-10V
1XP Flat Canopy	719841 Garnet			Dimming
	719886 Blue Cloud			
Pendant Fixtures	7198CE Ceylon			
1XC Dome Canopy	7198HN Honey			
1XT Flat Canopy				

Ex. 1XT-719819-SN
Karli Mini Pendant w/ Carrera Glass, Satin Nickel Finish

Multi light
X For Multi light Canopy



Multilight Canopies Available, see page. 77


TAY TAY

The Tay Tay is a compact handcrafted glass, softly radiused to fit gracefully into contemporary spaces.

CHOICE
COLLECTION



5605MA
MAGMA



LAMP: 50W Low-pressure Halogen 12V Bi-Pin GY6.35, lamp included.

LED: 5W Replaceable 12V LED, dimmable, 90+ CRI, 3000°K CCT, 550 lumens, 25,000 hours. Lamp included.

LOCATION: DRY



For latest product information, scan QR code



560507
OPAL MATTE

5605VM
VANILLA MATTE

560580
AMBER MATTE

560519
CARRERA

560560
COCOON

5605HN
HONEY



560518
AMBER CLOUD

5605HB
HABANERO

560541
GARNET

5605CE
CEYLON

560586
BLUE CLOUD

CONNECTION	GLASS OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Quick-Connect	560507 Opal Matte	(blank) 50W Hal	BR Bronze	L 15' cord
XP Jack Only	560518 Amber Cloud	LED 5W LED	SN Satin Nickel	277 277V
RXP Rail-Ready	560519 Carrera			DIM010 0-10V
1XP Flat Canopy	560541 Garnet			Dimming
	560560 Cocoon			
Pendant Fixtures	560580 Amber Matte			
1XC Dome Canopy	560586 Blue Cloud			
1XT Flat Canopy	5605CE Ceylon			
	5605HB Habanero			
Adjustable	5605HN Honey			
1XA Flat Canopy	5605MA Magma			
	5605VM Vanilla Matte			

Ex. 1XT-5605MA-SN
Tay Tay Mini Pendant w/ Magma Glass, Satin Nickel Finish

Multi light
X For Multi light Canopy



Multilight Canopies Available, see page. 77

PERA 6

The Pera 6 is a curvy bell-bottomed shape, that fits nicely into any contemporary design.

CHOICE
COLLECTION

12V MINI PENDANTS



1713HN
HONEY



171307
OPAL MATTE


1713VM
VANILLA MATTE

171380
AMBER MATTE

171319
CARRERA




1713MG
MARBLE GRIGIO



171318
AMBER CLOUD



1713HB
HABANERO




171341
GARNET




1713MA
MAGMA



1713CE
CEYLON



171386
BLUE CLOUD



LAMP: 50W Low-pressure Halogen
12V Bi-Pin GY6.35, lamp included.

LED: 5W Replaceable 12V LED,
dimmable, 90+ CRI, 3000°K CCT,
550 lumens, 25,000 hours. Lamp
included.


LOCATION: DRY



For latest product
information, scan
QR code

CONNECTION	GLASS OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Quick-Connect	171307 Opal Matte	(blank) 50W Hal	BR Bronze	L 15' cord
XP Jack Only	171318 Amber Cloud	LED 5W LED	SN Satin Nickel	277 277V
RXP Rail-Ready	171319 Carrera			DIM010 0-10V
1XP Flat Canopy	171341 Garnet			Dimming
	171380 Amber Matte			
Pendant Fixtures	171386 Blue Cloud			
1XC Dome Canopy	1713CE Ceylon			
1XT Flat Canopy	1713HB Habanero			
	1713HN Honey			
	1713MA Magma			
Multi light	1713MG Marble Grigio			
X For Multi light Canopy	1713VM Vanilla Matte			

Ex. 1XT-1713HN-SN
Pera 6 Mini Pendant w/ Honey Glass,
Satin Nickel Finish




Multilight Canopies Available,
see page. 77

12V SPOTLIGHTS

Either as a complement to our 12V mini pendants or employed by themselves, our spotlights are an excellent combination of form & function.

SCOPE

Scope is a compact cylinder of handcrafted glass with a transcolor design accented by the frosted band, that demonstrates contemporary sensibilities.




6524EC
CLEAR/FROST

6524ES
SMOKE/FROST




6524EG
ARMAGNAC/FROST

6524EA
AMETHYST/FROST



6524EL
OLIVE/FROST



LAMP: 50W Shielded Flood 12V MR16, lamp included.

LED: 7W Replaceable 12V LED MR16 with backlight, dimmable, 90+ CRI, 3000°K CCT, 500 lumens, 25,000 hours, lamp included.

LOCATION: DRY



For latest product information, scan QR code

QUICK-CONNECT	SHADE OPTIONS	LAMP OPTIONS	STEM OPTIONS	METAL FINISH
SP Jack Only	6524EA Amethyst/Frost	(blank) 50W Hal MR16	(blank) Standard	BR Bronze
RSP Rail-Ready	6524EC Clear/Frost	LED 7W LED MR16, dimmable	06 6"	SN Satin Nickel
1SP 1 Lt Flat	6524EG Armagnac/Frost		12 12"	
	6524EL Olive/Frost		18 18"	
	6524ES Smoke/Frost			

* Quick-Connect Canopy information and options: pg. 123

Ex. 1SP-6524EL-SN
Scope Spotlight w/ Olive/Frost Shade, Satin Nickel Finish

MOJO


Mojo is a compact spun metal spotlight, softly radiused to fit gracefully into modern spaces.



BRONZE



SATIN NICKEL



LAMP: 50W Shielded Flood 12V MR16, lamp included.

LED: 9W Replaceable 12V LED MR16 Flood, dimmable, 90+ CRI, 3000°K CCT, 670 lumens, 25,000 hours, lamp included.

LOCATION: DRY



For latest product information, scan QR code

QUICK-CONNECT	SHADE OPTIONS	LAMP OPTIONS	STEM OPTIONS	METAL FINISH
SP Jack Only	MOJOMB Metal Bronze	(blank) 50W Hal MR16	(blank) Standard	BR Bronze
RSP Rail-Ready	MOJOMN Metal Nickel	LED 9W LED MR16, dimmable	06 6"	SN Satin Nickel
1SP 1 Lt Flat			12 12"	
			18 18"	

* Quick-Connect Canopy information and options: pg. 123

Ex. 1SP-MOJOMN-SN
Mojo Spotlight w/ Metal Nickel Shade, Satin Nickel Finish

DIVI METAL

12V SPOTLIGHTS

Divi has a classical bell shape with either a spun metal or glass/foil shade.



1758GF
GOLD FOIL



1758SF
SILVER FOIL




1758CF
COPPER FOIL



1858MN
METAL SATIN NICKEL



1858MB
METAL BRONZE



LAMP: 50W Shielded Flood 12V MR16, lamp included.

LED: 9W Replaceable 12V LED MR16 Flood, dimmable, 90+ CRI, 3000°K CCT, 670 lumens, 25,000 hours, lamp included.

LOCATION: DRY



For latest product information, scan QR code

QUICK-CONNECT	SHADE OPTIONS	LAMP OPTIONS	STEM OPTIONS	METAL FINISH
SP Jack Only	1758CF Copper Foil	(blank) 50W Hal MR16	(blank) Standard	BR Bronze
RSP Rail-Ready	1758GF Gold Foil	LED 9W LED MR16, dimmable	06 6"	SN Satin Nickel
1SP 1 Lt Flat	1758SF Silver Foil		12 12"	
	1858MB Metal Bronze		18 18"	
	1858MN Metal Satin Nickel			

* Quick-Connect Canopy information and options: pg. 123

Ex. 1SP-1758GF-SN
Divi Spotlight w/ Gold Foil Shade, Satin Nickel Finish


TIPSTER

The Tipster spotlight features an off-axis wing for easy aiming. Minimalist design Halogen or LED lamping options.



QF3-BR
BRONZE

QF3-SN
SATIN NICKEL
**shown with LED MR16*



LAMP: 50W Shielded Flood 12V MR16, lamp included.

LED: 9W Replaceable 12V LED MR16 Flood, dimmable, 90+ CRI, 3000°K CCT, 670 lumens, 25,000 hours, lamp included.

LOCATION: DRY



For latest product information, scan QR code

QUICK-CONNECT	SHADE OPTIONS	LAMP OPTIONS	STEM OPTIONS	METAL FINISH
SP Jack Only	QF3 No Shade	(blank) 50W Hal MR16	(blank) Standard	BR Bronze
RSP Rail-Ready		LED 9W LED MR16, dimmable	06 6"	SN Satin Nickel
1SP 1 Lt Flat			12 12"	
			18 18"	

**Quick-Connect Canopy information and options: pg. 123*

Ex. 1SP-QF3-SN
Tipster Spotlight w/ No Shade, Satin Nickel Finish

DIVI

Divi has a classical bell shape that complements any aesthetic, while also built for optimal illumination.



185819
CARRERA




185807
OPAL MATTE



1858VB
BLACK DICRO VINE



1858DW
BLACK DICRO WAVY



LAMP: 50W Shielded Flood 12V MR16, lamp included.

LED: 7W Replaceable 12V LED MR16 with backlight, dimmable, 90+ CRI, 3000°K CCT, 500 lumens, 25,000 hours, lamp included.

LOCATION: DRY



For latest product information, scan QR code

QUICK-CONNECT	SHADE OPTIONS	LAMP OPTIONS	STEM OPTIONS	METAL FINISH
SP Jack Only	185807 Opal Matte	(blank) 50W Hal MR16	(blank) Standard	BR Bronze
RSP Rail-Ready	185819 Carrera	LED 7W LED MR16, dimmable	06 6"	SN Satin Nickel
1SP 1 Lt Flat	1858DW Black Dicro Wavy		12 12"	
	1858VB Black Dicro Vine		18 18"	

**Quick-Connect Canopy information and options: pg. 123*

Ex. 1SP-185841-SN
Divi Spotlight w/ Garnet Shade, Satin Nickel Finish

NICO 3

Nico 3 features a tapered drum shape with a natural stone texture.

12V SPOTLIGHTS



514500
CLEAR STONE

*shown with LED MR16




5145GF
STONE GOLD FOIL



5145SF
STONE SILVER FOIL



5145CF
STONE COPPER FOIL



LAMP: 50W Shielded Flood 12V MR16, lamp included.

LED: 9W Replaceable 12V LED MR16 Flood, dimmable, 90+ CRI, 3000°K CCT, 670 lumens, 25,000 hours, lamp included.

LOCATION: DRY



For latest product information, scan QR code

QUICK-CONNECT -	SHADE OPTIONS -	LAMP OPTIONS -	STEM OPTIONS -	METAL FINISH
SP Jack Only	514500 Clear Stone	(blank) 50W Hal MR16	(blank) Standard	BR Bronze
RSP Rail-Ready	5145CF Stone Copper Foil	LED 9W LED MR16, dimmable	06 6"	SN Satin Nickel
1SP 1 Lt Flat	5145GF Stone Gold Foil		12 12"	
	5145SF Stone Silver Foil		18 18"	

* Quick-Connect Canopy information and options: pg. 123

Ex. 1SP-514500-SN
Nico 3 Spotlight w/ Clear Stone Shade, Satin Nickel Finish


PALLA 3

The Palla 3 spotlight features a diminutive orb-shaped glass, that merges easily in modern environments.




155907
OPAL MATTE

155919
CARRERA




155918
AMBER CLOUD

155941
GARNET



1559CE
CEYLON



LAMP: 35W Shielded Flood 12V MR11, lamp included.

LED: 3W Replaceable source, dimmable, 90+ CRI, 3000°K CCT, 300 lumens, 30,000 hours, lamp included.

LOCATION: DRY



For latest product information, scan QR code

QUICK-CONNECT -	SHADE OPTIONS -	LAMP OPTIONS -	STEM OPTIONS -	METAL FINISH
SP Jack Only	155907 Opal Matte	(blank) 35W Hal MR11	(blank) Standard	BR Bronze
RSP Rail-Ready	155918 Amber Cloud	LED 3W LED	06 6"	SN Satin Nickel
1SP 1 Lt Flat	155919 Carrera		12 12"	
	155941 Garnet		18 18"	
	1559CE Ceylon			

* Quick-Connect Canopy information and options: pg. 123

Ex. 1SP-1559CE-SN

Palla 3 Spotlight w/ Ceylon Shade, Satin Nickel Finish


CANTO 3

Canto 3 features a tapered drum shape that shows its versatility in all designs.



5042VM
VANILLA MATTE

504280
AMBER MATTE




50420P
BICOLOR ORANGE/PINA

5042GY
BICOLOR GREEN/YELLOW



5042SL
SOLARE



LAMP: 35W Shielded Flood 12V MR11, lamp included.

LED: 3W Replaceable source, dimmable, 90+ CRI, 3000°K CCT, 300 lumens, 30,000 hours, lamp included.

LOCATION: DRY



For latest product information, scan QR code

QUICK-CONNECT -	SHADE OPTIONS -	LAMP OPTIONS -	STEM OPTIONS -	METAL FINISH
SP Jack Only	504280 Amber Matte	(blank) 35W Hal MR11	(blank) Standard	BR Bronze
RSP Rail-Ready	5042GY Bicolor Green/Yellow	LED 3W LED	06 6"	SN Satin Nickel
1SP 1 Lt Flat	50420P Bicolor Orange/Pina		12 12"	
	5042SL Solare		18 18"	
	5042VM Vanilla Matte			

* Quick-Connect Canopy information and options: pg. 123

Ex. 1SP-5042SL-SN

Canto 3 Spotlight w/ Solare Shade, Satin Nickel Finish

ANDI

Andi has an elongated bell shape that complements aesthetic, while also built for optimal illumination.



5044SL
SOLARE



504431
RED MATTE

5044OP
BICOLOR ORANGE/
PINA

5044GY
BICOLOR GREEN/
YELLOW




5044MG
MARBLE GRIGIO



5044HB
HABANERO



5044MA
MAGMA



LAMP: 35W Shielded Flood 12V MR11, lamp included.

LED: 3W Replaceable source, dimmable, 90+ CRI, 3000°K CCT, 300 lumens, 30,000 hours, lamp included.

LOCATION: DRY



For latest product information, scan QR code

QUICK-CONNECT -	SHADE OPTIONS -	LAMP OPTIONS -	STEM OPTIONS -	METAL FINISH
SP Jack Only	504431 Red Matte	(blank) 35W Hal MR11	(blank) Standard	BR Bronze
RSP Rail-Ready	5044GY Bicolor Green/Yellow	LED 3W LED	06 6"	SN Satin Nickel
1SP 1 Lt Flat	5044HB Habanero		12 12"	
	5044MA Magma		18 18"	
	5044MG Marble Grigio			
	5044OP Bicolor Orange/Pina			
	5044SL Solare			

* Quick-Connect Canopy information and options: pg. 123

Ex. 1SP-5044SL-SN
Andi Spotlight w/ Solare Glass, Satin Nickel Finish

TAMMI 3

Tammi 3 features a tapered drum shape, open at the top, that fits beautifully in transitional spaces.



5118CH
CHERRY



5118VM
VANILLA MATTE




511880
AMBER MATTE



5118AM
APRICOT MATTE



5118OK
OAK



LAMP: 50W Shielded Flood 12V MR16, lamp included.

LED: 7W Replaceable 12V LED MR16 with backlight, dimmable, 90+ CRI, 3000°K CCT, 500 lumens, 25,000 hours, lamp included.

LOCATION: DRY



For latest product information, scan QR code

QUICK-CONNECT -	SHADE OPTIONS -	LAMP OPTIONS -	STEM OPTIONS -	METAL FINISH
SP Jack Only	511880 Amber Matte	(blank) 50W Hal MR16	(blank) Standard	BR Bronze
RSP Rail-Ready	5118AM Apricot Matte	LED 7W LED MR16, dimmable	06 6"	SN Satin Nickel
1SP 1 Lt Flat	5118CH Cherry		12 12"	
	5118OK Oak		18 18"	
	5118VM Vanilla Matte			

* Quick-Connect Canopy information and options: pg. 123

Ex. 1SP-5118CH-SN
Tammi 3 Spotlight w/ Cherry Glass, Satin Nickel Finish

STEP 1 SELECT THE QUICK CONNECT CEILING CANOPY

Select from 1, 3 or 6 light Quick connect canopies available as round or bar configurations.

1-LIGHT FLAT, QUICK CONNECT



3-LIGHT ROUND, QUICK CONNECT



3-LIGHT LINEAR ROUND, QUICK CONNECT



3-LIGHT LARGE ROUND, QUICK CONNECT



6-LIGHT ROUND, QUICK CONNECT



QUICK CONNECT CEILING CANOPY ORDERING

ITEM	LAMPING	FINISH	OPTIONS
T21Q	1-light flat (blank) Halogen	BR Bronze	277 277V
T23XQ	3-light round LED LED	SN Satin Nickel	
T23BQ	3-light linear round		
T23XQL	3-light large round		
T26XQ	6-light round		

STEP 2 COMBINE THE CODES

Refer to the 12V spotlights pages 117-122 to select your 12V spotlights. Order your canopy with the selected 12V spotlights multi light pendants (no monopoint canopy) for the complete fixture.



Ordering code for the example shown to the left:

- 1x T23XQ-SN
- 1x SP-1758GF-06-SN
- 1x SP-1758SF-12-SN
- 1x SP-1758CF-18-SN

12V MONORAIL



ACTUAL SIZE

LOW-PROFILE RAIL

- Less than half inch tall, one of the smallest rails on the market
- Hand-bendable, no tools required
- Brass rail keep its shape
- Field-cuttable



EASY TO PLAN & ORDER

- Available as components or kits
- Simple 4 step planning guide builds your system ordering list(pg. 128-129)
- Designed to utilize our full line of 12v pendants and spotlights

MAXIMUM SYSTEM FLEXIBILITY

- Designed to achieve almost any system need
- Standoffs and transformers include optional hardware to accommodate multiple applications
- Simple line of components covers even complex plans such as sloped or high ceilings
- Low profile system options
- Support hardware designed to work with all power supply options. No confusion about which parts go with which transformers

MONORAIL COMPONENTS

12V MONORAIL

RAIL & FITTING

RAIL SECTIONS

Low profile brass rail is hand-bendable and field-cutable for a variety of configurations.

4FT: 48" L x 0.18" W x 0.4" H

8FT: 96" L x 0.18" W x 0.4" H



4' Rail Item / Finish

R12-RAIL4-BR Bronze
R12-RAIL4-SN Satin Nickel

8' Rail Item / Finish

R12-RAIL8-BR Bronze
R12-RAIL8-SN Satin Nickel

LIVE RAIL CONNECTOR

Physically & electrically connects two rail sections on same transformer.

Item / Finish

R12-ICONN-BR Bronze
R12-ICONN-SN Satin Nickel



ISOLATING RAIL CONNECTOR

Physically connects two rail sections, on separate transformers.

Item / Finish

R12-DCONN-BR Bronze
R12-DCONN-SN Satin Nickel



LIVE "L" RAIL CONNECTOR

Physically & electrically connects two rail sections on same transformer.

Item / Finish

R12-LCONN-BR Bronze
R12-LCONN-SN Satin Nickel



END CAP

Finish off the end of the rail.

Item / Finish

R12-NDCAP-BR Bronze
R12-NDCAP-SN Satin Nickel



SUPPORT HARDWARE

RIGID STANDOFF

For use with all power supplies. Includes dual height hardware, for either 2" or 4.75"

Item / Finish

R12-STAN1-BR Bronze
R12-STAN1-SN Satin Nickel



EXTENSION POSTS

Field-cutable posts for longer suspensions with Besa standoffs (Rigid or Swivel).

R12-EXT06-BR 6"
R12-EXT06-SN

R12-EXT12-BR 12"
R12-EXT12-SN

R12-EXT18-BR 18"
R12-EXT18-SN



RAIL ADAPTER

For connecting Spotlight or Pendant Elements to Besa monorail systems. Available separately for use with #SP or #XP series elements, or included as part of the #RSP and #RXP element configurations.

Item / Finish

R12-QCADP-BR Bronze
R12-QCADP-SN Satin Nickel



ADJUSTABLE CABLE SUPPORT

For longer drops, includes 5' of cable. Recommended for use with minimal curves. Rail connection includes an adjustable cable retainer, for ease of use.

Item / Finish

R12-CBL60-BR 5' Bronze
R12-CBL60-SN 5' Satin Nickel
R12-CBL120-BR 10' Bronze
R12-CBL120-SN 10' Satin Nickel



T-BAR CLIPS:

All Besa standoffs and cable supports are compatible with standard T-Bar clips, for use with suspended ceiling systems. Standard clips utilize a 1/4-20 threaded post, 5/8" long.

LOCATION: Besa monorail components are listed **DRY**

96W & 150W ELECTRONIC SURFACE TRANSFORMER:

Supports up to 96W and 150W output spotlights or pendants. 120V input.

5.5" Dia. x 3.25" H, overall height with rail connector 4.75"

R12-SA96-BR	96W, Bronze
R12-SA96-SN	96W, Satin Nickel
R12-SA150-BR	150W, Bronze
R12-SA150-SN	150W, Satin Nickel



LOCATION: DRY

60W ELECTRONIC LED SURFACE TRANSFORMER:

Low-profile LED rail power supply, specifically for use with LED spotlights and pendants.

60W no-load 12V dimmable electronic transformer fits in the junction box. No remote transformer required.

5" Dia. x 0.75" H, overall height with rail connector 2.0"

R12-SA60LED-BR	Bronze, 120V
R12-SA60LED-BR-DIM010	Bronze, 0-10V Dimming
R12-SA60LED-SN	Satin Nickel, 120V
R12-SA60LED-SN-DIM010	Satin Nickel, 0-10V Dimming



96W & 150W ELECTRONIC LED SURFACE TRANSFORMER:

Supports up to 150W output spotlights or pendants. 120V input.

5.5" Dia. x 3.25" H, overall height with rail connector 4.75"

R12-SA96LED-BR	96W, Bronze
R12-SA96LED-SN	96W, Satin Nickel
R12-SA150LED-BR	150W, Bronze
R12-SA150LED-SN	150W, Satin Nickel



LOCATION: DRY

150W & 300W REMOTE TRANSFORMER:

Provides 150W AC output at 12V

R12-RA150-120	150W, 120V, Electronic AC
R12-RA300-120	300W, 120V, Electronic AC

96W, 150W & 300W REMOTE LED AND MAGNETIC TRANSFORMER:

R12-RM150-120	150W, 120V, Magnetic AC
R12-RM150-277	150W, 277V, Magnetic AC
R12-RM300-120	300W, 120V, Magnetic AC
R12-RM300-277	300W, 277V, Magnetic AC

R12-RA96LED-120	96W, 120V, LED
R12-RA150LED-120	150W, 120V, LED
R12-RA300LED-120	300W, 120V, LED

LOCATION: DRY

REMOTE FEED CANOPY

For use with Remote Transformer applications, includes 2' of 10AWG Flexible Feed Cable.

5" Dia. x 0.75" H, overall height with rail connector 2.0"



Remote Feed Canopy / Finish

R12-REMFC-BR	Bronze
R12-REMFC-SN	Satin Nickel

FLEXIBLE FEED CABLE

Cable for longer reach. 10AWG.




Feed Cable / Finish

R12-FLX60-BR	5' Bronze
R12-FLX60-CL	5' Clear
R12-FLX120-BR	10' Bronze
R12-FLX120-CL	10' Clear

LOCATION: Besa monorail power supplies are listed **DRY**

PACKAGED MONORAIL KITS WITH SURFACE TRANSFORMERS



8' Monorail System shown above

STEP 1 SELECT LENGTH FOR THE RAIL KIT

- 08** 8' Rail length, includes: 1x 8' Rail Section, 3x Rigid Standoff, 2x Rail Endcaps
- 12** 12' Rail length, includes: 1x 8' Rail Section, 1x 4' Rail Section, 3x Rigid Standoff, 1x Live Rail Connector, 2x Rail Endcaps
- 16** 16' Rail length, includes: 2x 8' Rail Section, 4x Rigid Standoff, 1x Live Rail Connector, 2x Rail Endcaps
- 20** 20' Rail length, includes: 2x 8' Rail Section, 1x 4' Rail Section, 5x Rigid Standoff, 3x Live Rail Connector, 2x Rail Endcaps
- 24** 24' Rail length, includes: 3x 8' Rail Section, 6x Rigid Standoff, 3x Live Rail Connector, 2x Rail Endcaps

STEP 2 SELECT A SURFACE TRANSFORMER

- SA60LED** 60W LED Surface Transformer, 120V
- SA60LEDDIM010** 60W LED Surface Transformer, 120V, 0/10V Dimming
- SA96LED** 96W LED Surface Transformer, 120V
- SA150** 150W Electronic Surface Transformer, 120V
- SA150LED** 150W LED Surface Transformer, 120V



STEP 3 SELECT A METAL FINISH

- BR** Bronze finish
- SN** Satin Nickel finish




STEP 4 USE ORDERING GUIDE TO CREATE ITEM NUMBER

SYSTEM	LENGTH	POWER TRANSFORMER	METAL FINISH
R12 Monorail System	08 8' Length	SA60LED 60W LED Transformer	BR Bronze
	12 12' Length	SA60LEDDIM010 60W LED Transformer, 0-10V	SN Satin Nickel
	16 16' Length	SA96LED 96W LED Transformer	
	20 20' Length	SA150 150W Electronic Transformer	
	24 24' Length	SA150LED 150W LED Transformer	

Ex. R12-08-SA60LED-SN
8' Monorail kit with 60W LED Surface Transformer in Satin Nickel.

PACKAGED MONORAIL KITS WITH REMOTE TRANSFORMERS



8' Monorail System shown above

STEP 1 SELECT LENGTH FOR THE RAIL KIT

- 08** 8' Rail length, includes: 1x 8' Rail Section, 3x Rigid Standoff, 2x Rail Endcaps
- 12** 12' Rail length, includes: 1x 8' Rail Section, 1x 4' Rail Section, 3x Rigid Standoff, 1x Live Rail Connector, 2x Rail Endcaps
- 16** 16' Rail length, includes: 2x 8' Rail Section, 4x Rigid Standoff, 1x Live Rail Connector, 2x Rail Endcaps
- 20** 20' Rail length, includes: 2x 8' Rail Section, 1x 4' Rail Section, 5x Rigid Standoff, 3x Live Rail Connector, 2x Rail Endcaps
- 24** 24' Rail length, includes: 3x 8' Rail Section, 6x Rigid Standoff, 3x Live Rail Connector, 2x Rail Endcaps

STEP 2 SELECT A REMOTE TRANSFORMER

- RA60LED** 60W LED Remote Transformer, 120V
- RA150** 150W Electronic Remote Transformer, 120V
- RA300** 300W Electronic Transformer, 120V
- RM150** 150W Magnetic Remote Transformer, 120V
- RM300** 300W Magnetic Remote Transformer, 120V
- RA150LED** 150W LED Remote Transformer, 120V
- RA300LED** 300W LED Remote Transformer, 120V



60W, 150W & 300W

*Kit includes a Remote Feed Canopy shown above

STEP 3 SELECT A METAL FINISH

- BR** Bronze finish
- SN** Satin Nickel finish



BR
BRONZE



SN
SATIN NICKEL

STEP 4 USE ORDERING GUIDE TO CREATE ITEM NUMBER

SYSTEM	LENGTH	POWER TRANSFORMER	METAL FINISH
R12 Monorail System	08 8' Length	RA60LED 60W LED Remote Transformer	BR Bronze
	12 12' Length	RA150 150W Electronic Remote Transformer	SN Satin Nickel
	16 16' Length	RA300 300W Electronic Remote Transformer	
	20 20' Length	RM150 150W Magnetic Remote Transformer	
	24 24' Length	RM300 300W Magnetic Remote Transformer	
		RA150LED 150W LED Remote Transformer	
		RA300LED 300W LED Remote Transformer	

Ex. R12-08-RA60LED-SN

8' Monorail kit with 60W LED Surface Transformer in Satin Nickel.

CEILING LUMINAIRES



From transitional to clean & contemporary, our ceiling collection includes a wide variety of styles.



VIVA 13 / 16


The Viva ceiling fixture has an Opal Matte perimeter accented with a sparkling prismatic disc fused to the clear bottom center.

FLUSH MOUNT CEILING




OPAL/CLEAR

Viva 13:



Viva 16:



LED: 16W or 24W Integrated source, 120V, CL dimmable. 90+ CRI, 3000°K CCT, 50,000 hours.

LOCATION: DAMP



For latest product information, scan QR code

FIXTURE OPTIONS

VIVA13C 13" Opal/Clear

LAMP OPTIONS

LED 16W LED
1500 lumens

FIXTURE OPTIONS

VIVA16C 16" Opal/Clear

LAMP OPTIONS

LED 24W LED
2500 lumens

Ex. VIVA13C-LED

Viva 13 Ceiling, Opal/Clear Shade,

CUE

FLUSH MOUNT CEILING



Our Cue LED semi flush is composed of a laser cut and formed circular aluminum body and fabricated mounting plate, with an inner LED array and frosted acrylic overlay applied to the concealed face.



WHITE



BLACK



LED: 15W Integrated LED, ELV dimmable. 90+ CRI, 3000°K CCT, 1450 lumens, 30,000 hours.

LOCATION: DAMP



For latest product information, scan QR code

FIXTURE	LAMP OPTIONS	METAL FINISH
CUE Cue	LED 15W LED	BK Black WH White

Ex. CUE-LED-WH
Cue Semi-flush Mount Ceiling,
White Finish

MATRIX

Our Matrix LED semi flush is composed of a laser cut and formed square aluminum body and fabricated mounting plate, with an inner LED array and frosted acrylic overlay applied to the concealed face.



FLUSH MOUNT CEILING



BLACK



WHITE



LED: 15W Integrated LED, ELV dimmable. 90+ CRI, 3000°K CCT, 1450 lumens, 30,000 hours.

LOCATION: DAMP



For latest product information, scan QR code

FIXTURE	LAMP OPTIONS	METAL FINISH
MATRIX Matrix	LED 15W LED	BK Black WH White

Ex. MATRIX-LED-WH
Matrix Semi-flush Mount Ceiling,
White Finish

TUCA 15 / 19

Tuca LED flush mount marries a clean white handcrafted glass diffuser with a decorative glass ring, consisting of a glossy clear face and distressed metal foil applied to the back.




TUCA19SFC
OPAL/SILVER FOIL




TUCA19GFC
OPAL/GOLD FOIL

Tuca 15:



Tuca 19:



LED: 16W or 24W Integrated source, 120V, CL dimmable. 90+ CRI, 3000°K CCT, 50,000 hours.

LOCATION: DAMP



For latest product information, scan QR code

FIXTURES

TUCA15GFC 15.75" Opal/Gold Foil
TUCA15SFC 15.75" Opal/Silver Foil

LAMP OPTIONS

LED 16W LED,
1500 lumens

FIXTURES

TUCA19GFC 19.25" Opal/Gold Foil
TUCA19SFC 19.25" Opal/Silver Foil

LAMP OPTIONS

LED 24W LED,
2500 lumens

The Uno 16 semi-flush mount uses a visually appealing weave patterning hand applied onto the translucent cloud-shaped glass diffuser.




9289SMC
SMOKE

*Shown with Edison lamp
(EDI)



9289CLC
CLEAR

*Shown with Edison lamp
(EDI)



STD. LAMP: 100W A19 120V, lamp not included.

EDI: 40W Edison lamp, lamp included.

EDIL: 8W Replaceable A19 LED Filament lamp, 120V, CL dimmable, 90+ CRI, 800 lumens, 25,000 hours, lamp included.

LOCATION: DAMP



For latest product information, scan QR code

FIXTURE/DECOR

9289CLC Uno 15.75" Clear
9289SMC Uno 15.75" Smoke

LAMP OPTIONS

(blank) 2x 100W Incan
EDI 2x 40W Edison
EDIL 2x 5W LED Filament

Ex. 9289SMC
Uno 16 Ceiling, Smoke Shade

TOPPER 12

FLUSH MOUNT CEILING


The low-profile Topper 12 flush mount uses a multi-layered glass, with an upper white ring and lower transparent ring fused together onto a flat white glass.



TOPPER12CLC
OPAL/CLEAR



TOPPER12SMC
OPAL/SMOKE



STANDARD HALOGEN: 40W G9 Halogen, lamp included, suitable for dimming.

LED: 16W integrated source, 120V, CL dimmable, 85+ CRI, 3000°K CCT, 30,000 hours.

LOCATION: DAMP



For latest product information, scan QR code

FIXTURE/DECOR	LAMP OPTIONS
TOPPER12CLC 12" Dia. Opal/Clear	HAL 2x40W G9 Hal
TOPPER12SMC 12" Dia. Opal/Smoke	LED 16W LED, 1500 lumens

Ex. TOPPER12CLC-LED
Topper 12 Ceiling, Opal/Clear Stone Shade

PACO 12


The low-profile Paco 12 flush mount uses a multi-layered glass design, with an upper opal cylinder and lower textured cylinder fused together onto a flat white glass.



PACO12CLC
OPAL/CLEAR STONE



PACO12SMC
OPAL/SMOKE STONE



STANDARD HALOGEN: 40W G9 Halogen, lamp included, suitable for dimming

LED: 16W integrated source, 120V, CL dimmable, 85+ CRI, 3000°K CCT, 30,000 hours.

LOCATION: DAMP



For latest product information, scan QR code

FIXTURE/DECOR	LAMP OPTIONS
PACO12CLC 12" Dia. Opal/Clear Stone	HAL 2x40W G9 Hal
PACO12SMC 12" Dia. Opal/Smoke Stone	LED 16W LED, 1500 lumens

Ex. PACO12CLC-LED
Paco 12 Ceiling, Opal/Clear Stone Shade

SOPHI 14 / 18

FLUSH MOUNT CEILING

Our low-profile Sophi collection offers Opal and two swirl-style decors, finished off with a bottom frosted glass diffuser.



AMBER CLOUD




WHITE CLOUD




CEYLON

Sophi 14:



Sophi 18:



STD LAMPS: 40W G9 Halogen, lamp included, suitable for dimming

LED: 16W or 24W integrated source, 120V, dimmable, 85+ CRI, 3000°K CCT, 30,000 hours.

LOCATION: DAMP



For latest product information, scan QR code

FIXTURE/DECOR	LAMP OPTIONS
SOPHI14ACC 14.8" Dia. Amber Cloud	(blank) 2x 40W Hal
SOPHI14CEC 14.8" Dia. Ceylon	LED 16W LED,
SOPHI14WCC 14.8" Dia. White Cloud	1500 lumens

FIXTURE/DECOR	LAMP OPTIONS
SOPHI18ACC 18.2" Dia. Amber Cloud	(blank) 3x 40W Hal
SOPHI18CEC 18.2" Dia. Ceylon	LED 24W LED,
SOPHI18WCC 18.2" Dia. White Cloud	2500 lumens

Ex. SOPHI18WCC
Sophi 18 Ceiling, White Cloud Glass

Our Pella Flush mount is a low profile contemporary design, composed of a softly radiused blown opal glass shade which can suit any classic or modern decor.



CHALK



OPAL MATTE




CHERRY



OAK

Pella 13:




LED: 16W or 24W integrated source, 120V, CL dimmable, 90+ CRI, 3000°K CCT, 50,000 hours.

LOCATION: DAMP



For latest product information, scan QR code

Pella 16:



FIXTURE/DECOR

LAMP OPTIONS

- PELLA1307C** 12.5" Opal Matte
- PELLA13CHC** 12.5" Cherry
- PELLA130KC** 12.5" Oak
- PELLA13KRC** 12.5" Chalk

- LED** 16W LED, 1500 lumens

FIXTURE/DECOR

LAMP OPTIONS

- PELLA1607C** 15.75" Opal Matte
- PELLA16CHC** 15.75" Cherry
- PELLA160KC** 15.75" Oak
- PELLA16KRC** 15.75" Chalk

- LED** 24W LED, 2500 lumens

Ex. PELLA13CHC-LED
Pella 13 LED Ceiling, Cherry

RENFRO 16 / 20

FLUSH MOUNT CEILING

The ultra low-profile Renfro is a multi-layered glass, with two radiused glossy white sections fused together.




WHITE SPARKLE




OPAL GLOSSY

Renfro 16:



Renfro 20:



HALOGEN: 40W G9 Halogen 120V, lamps included.

LED: 16W or 24W integrated source, 120V, CL dimmable, 85+ CRI, 3000°K CCT, 30,000 hours.

90°C supply wire required

LOCATION: DAMP



For latest product information, scan QR code

FIXTURE/DECOR

- RENFR016** 15.75" Dia. Opal Glossy
- RENFR016WS** 15.75" Dia. White Sparkle

LAMP OPTIONS

- HAL** 2x 40W G9 Hal
- LED** 16W LED, 1500 lumens

FIXTURE/DECOR

- RENFR020** 19.75" Dia. Opal Glossy
- RENFR020WS** 19.75" Dia. White Sparkle

LAMP OPTIONS

- HAL** 3x 40W G9 Hal
- LED** 24W LED, 2500 lumens

Ex. RENFR020-HAL
Renfro 20 Ceiling w/ Opal Glossy Glass

MANTA 13 / 18


FLUSH MOUNT CEILING

The ultra low-profile Manta is a multi-layered glass, with a glossy white diffuser applied to a sparkling clear glass ring.




OPAL GLOSSY

Manta 13: #9129



Manta 18: #9130



HALOGEN: 40W G9 Halogen 120V, lamps included.

LED: 16W or 24W integrated source, 120V, CL dimmable, 85+ CRI, 3000°K CCT, 30,000 hours.

90°C supply wire required

LOCATION: DAMP



For latest product information, scan QR code

FIXTURE/DECOR

912939C 13.5" Dia. Opal Glossy

LAMP OPTIONS

HAL 2x 40W G9 Hal
LED 16W LED,
1500 lumens

FIXTURE/DECOR

913039C 17.75" Dia. Opal Glossy

LAMP OPTIONS

HAL 3x 40W G9 Hal
LED 24W LED,
2500 lumens

Ex. 912939C-HAL
Manta 13 Ceiling w/ Opal Glossy Glass

GLEEM 12 / 16


FLUSH MOUNT CEILING

The Gleem ceiling fixture collection is comprised of an Opal Glossy perimeter accented with dazzling clear crystals fused to the clear bottom center.




OPAL GLOSSY/CLEAR

Gleem 12:



Gleem 16:



Handcrafted glass attaches with twist & lock bayonet action

STD LAMPS: 60W A19 120V, lamp not included.

LED: 17W or 28W integrated source, 120V, CL dimmable, 90+ CRI, 3000°K CCT, 50,000 hours.

LOCATION: DAMP



For latest product information, scan QR code

FIXTURE/DECOR	LAMP OPTIONS
GLEEM12CLC 12.5" Opal Glossy/Clear	(blank) 2x 60W A19 Incan LED 17W LED, 1200 lumens

FIXTURE/DECOR	LAMP OPTIONS
GLEEM16CLC 15.75" Opal Glossy/Clear	(blank) 3x 60W A19 Incan LED 28W LED, 2160 lumens

Ex. GLEEM12CLC
Gleem 12 Ceiling, Clear Glass, Satin Nickel Finish


GLITTER 15

The Glitter Ceiling, utilizing tightly ridged contours and technologically advanced inner crystal coating, projects an awe-inspiring sparkle effect.

FLUSH MOUNT CEILING



GLITTER



Handcrafted glass attaches with twist & lock bayonet action.

STD LAMPS: 60W A19 Clear 120V, *lamps not included, suitable for dimming*

LED: 28W integrated source, 120V, CL dimmable, 90+ CRI, 3000°K CCT, 50,000 hours.

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp label

90°C supply wire required

LOCATION: DAMP



For latest product information, scan QR code

FIXTURE/DECOR	LAMP OPTIONS	OPTIONS
9116GLC 14.5" Dia.	(blank) 3x 60W A19 Clear Incan LED 28W LED, 2160 lumens	LW Low Wattage labeling

Ex. 9116GLC
Glitter 15 Ceiling w/ Glitter Glass

PICA 11 / 14 / 17

Our Pica flush mount begins with a clear blown glass, with glossy outer finish and frosted bottom. We then, using a handcrafting technique, carefully apply a band of actual fine-grained sand to the inner surface of the glass, where colour is fully saturated into the coating for a bold statement.



WHITE SAND




CREME SAND




GOLD SAND


Pica 11: #9664



Pica 14: #9663



Pica 17: #9662



Handcrafted glass attaches with twist & lock bayonet action.

STD LAMPS: 60W A19 120V, lamp not included.

LED: 9W Replaceable source, 120V, dimmable, 90+ CRI, 3000°K CCT, 800 lumens, 30,000 hours, lamps included.

LOCATION: DAMP



For latest product information, scan QR code

FIXTURE/DECOR	LAMP OPTIONS
9664CRC 11.0" Dia. Creme Sand	(blank) 1x 60W A19 Incan
9664GDC 11.0" Dia. Gold Sand	LED 1x 9W LED
9664WHC 11.0" Dia. White Sand	

FIXTURE/DECOR	LAMP OPTIONS
9663CRC 13.4" Dia. Creme Sand	(blank) 2x 60W A19 Incan
9663GDC 13.4" Dia. Gold Sand	LED 2x 9W LED
9663WHC 13.4" Dia. White Sand	

FIXTURE/DECOR	LAMP OPTIONS
9662CRC 16.6" Dia. Creme Sand	(blank) 3x 60W A19 Incan
9662GDC 16.6" Dia. Gold Sand	LED 3x 9W LED
9662WHC 16.6" Dia. White Sand	

Ex. 9662GDC
Pica 17 Ceiling, Gold Sand Glass

LUMA 12 / 14 / 18


Luma features hand-blown glossy Opal glass with a stunning "halo" clear-edge effect.

FLUSH MOUNT CEILING




OPAL GLOSSY/CLEAR


Luma 12: #9095



Luma 14: #9096



Luma 18: #9097



Handcrafted glass attaches with twist & lock bayonet action

STD LAMPS: 60W A19 120V, lamp not included, suitable for dimming

LED: 10W, 17W or 28W Integrated source, 120V, CL dimmable, 90+ CRI, 3000°K CCT, 50,000 hours.

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp label

90°C supply wire required

LOCATION: DAMP



For latest product information, scan QR code

FIXTURE	DECOR	LAMP OPTIONS	OPTIONS
1CS 11.875" Dia.	909539 Opal Glossy/Clear	(blank) 1x 60W A19 Incan LED 10W LED, 750 lumens	LW Low Wattage labeling

FIXTURE	DECOR	LAMP OPTIONS	OPTIONS
2CS 14.375" Dia.	909639 Opal Glossy/Clear	(blank) 2x 60W A19 Incan LED 17W LED, 1200 lumens	LW Low Wattage labeling

FIXTURE	DECOR	LAMP OPTIONS	OPTIONS
3CS 17.75" Dia.	909739 Opal Glossy/Clear	(blank) 3x 60W A19 Incan LED 28W LED, 2160 lumens	LW Low Wattage labeling

Ex. 1CS-909539
Luma 12 Slim Ceiling w/ Opal Glossy/Clear Glass

PINTA 12 / 15

FLUSH MOUNT CEILING

Pinta's unique optical lines are a sophisticated refinement to clear glass, where the lines visually play with the image of the exposed light source.




PINTA 15
CLEAR




PINTA 12
CLEAR

Pinta 12: #9062



Pinta 15: #9063



Handcrafted glass attaches with twist & lock bayonet action.

STD LAMPS: A19 Clear 120V, lamp not included, suitable for dimming

EDI: 40W Edison A-style lamp, 120V, lamp included.

EDIL: 7W Replaceable LED Filament A-style lamp, 120V, CL dimmable, lamp included.

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp label

90°C supply wire required

LOCATION: DAMP



For latest product information, scan QR code

FIXTURE/DECOR	LAMP OPTIONS	OPTIONS
906288C 11.75" Dia. Clear	(blank) 1x 100W A19 Clear Incan EDI 1x 40W Edison EDIL 1x 7W LED Filament	LW Low Wattage labeling

FIXTURE/DECOR	LAMP OPTIONS	OPTIONS
906388C 15.0" Dia. Clear	(blank) 3x 60W A19 Clear Incan EDI 3x 40W Edison EDIL 3x 7W LED Filament	LW Low Wattage labeling

Ex. 906288C

Pinta 12 Ceiling w/ Clear Glass

The Wave is a half globe-shaped clear glass, with a romantic wrap of glass rope that spirals around the exterior.



WAVE 15
CLEAR




WAVE 12
CLEAR



WAVE 12
SMOKE

Wave 12: #9062




Handcrafted glass attaches with twist & lock bayonet action.

STD LAMPS: A19 Clear 120V, lamp not included, suitable for dimming

EDI: 40W Edison A-style lamp, 120V, lamp included.

EDIL: 7W Replaceable LED Filament A-style lamp, 120V, CL dimmable, lamp included.

Wave 15: #9063



LOW WATTAGE LABELING:

Incandescent fixture supplied with 16 watt relamp label

90°C supply wire required

LOCATION: DAMP



For latest product information, scan QR code

FIXTURE/DECOR	LAMP OPTIONS	OPTIONS
906202C 11.75" Dia. Smoke	(blank) 1x 100W A19 Clear Incan	LW Low Wattage labeling
906261C 11.75" Dia. Clear	EDI 1x 40W Edison EDIL 1x 7W LED Filament	

FIXTURE/DECOR	LAMP OPTIONS	OPTIONS
906302C 15.0" Dia. Smoke	(blank) 3x 60W A19 Clear Incan	LW Low Wattage labeling
906361C 15.0" Dia. Clear	EDI 3x 40W Edison EDIL 3x 7W LED Filament	

Ex. 906202C
Wave 12 Ceiling w/ Smoke Glass

SONYA 13 / 17 / 20

FLUSH MOUNT CEILING

Sonya's glass is suspended near the ceiling by three decorative twist-lock clips.



GLITTER




SATIN FROST



Hardware detail

Sonya 13 #8417:



STD LAMPS: 100W G9 Halogen, lamp included, suitable for dimming

MED: 100W A19, 120V, lamp not included, suitable for dimming

LED: 11W Replaceable source, 120V, CL dimmable, 90+ CRI, 3000°K CCT, 1100 lumens, 30,000 hours.


90°C supply wire required

LOCATION: DAMP




For latest product information, scan QR code

Sonya 17 #8418:



Sonya 20 #8419:



GLASS OPTIONS	LAMP OPTIONS	METAL FINISH
841725 13.0" Satin Frost	(blank) 1x 100W G9 Hal	BR Bronze
8417GL 13.0" Glitter	MED 1x 100W A19 Incan	PN Polished Nickel
	LED 1x 11W LED 120V, dimmable	SN Satin Nickel
		WH White

GLASS OPTIONS	LAMP OPTIONS	METAL FINISH
841825 17.0" Satin Frost	(blank) 2x 100W G9 Hal	BR Bronze
8418GL 17.0" Glitter	MED 2x 100W A19 Incan	PN Polished Nickel
	LED 2x 11W LED 120V, dimmable	SN Satin Nickel
		WH White

GLASS OPTIONS	LAMP OPTIONS	METAL FINISH
841925 20.875" Satin Frost	(blank) 3x 100W G9 Hal	BR Bronze
8419GL 20.875" Glitter	MED 3x 100W A19 Incan	PN Polished Nickel
	LED 3x 11W LED 120V, dimmable	SN Satin Nickel
		WH White

Ex. 8417GD-SN

Sonya 13 Ceiling w/ Gold Glitter Glass, Satin Nickel Clips

Trio showcases a contemporary glass diffuser suspended from the low profile pan via three decorative metal clips.



WHITE



MARBLE




STUCCO



Hardware detail

Trio 12 #9682:



STD. LAMPS: 100W A19, 120V, lamp not included, suitable for dimming

LED: 11W Replaceable source, 120V, CL dimmable, 90+ CRI, 3000°K CCT, 1100 lumens, 30,000 hours.

LOW WATTAGE LABELING:

Incandescent fixture supplied with 16 watt relamp label

90°C supply wire required


LOCATION: DAMP



For latest product information, scan QR code

GLASS OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
968207 11.875" White	(blank) 1x 100W A19 Incan	BR Bronze	LW Low
968252 11.875" Marble	LED 1x 11W LED 120V, dimmable	PN Polished Nickel	Wattage labeling
96825T 11.875" Stucco		SN Satin Nickel	
		WH White	


Trio 16: #9681



HALOGEN: 150W 3.125" Double-ended 120V thermally protected, lamp included, suitable for dimming

GLASS OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
968107 15.75" White	(blank) 2x 100W A19 Incan	BR Bronze	LW Low
968152 15.75" Marble	LED 2x 11W LED 120V, dimmable	PN Polished Nickel	Wattage labeling
96815T 15.75" Stucco		SN Satin Nickel	
		WH White	

Trio 20: #9680



GLASS OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
968007 19.75" White	(blank) 3x 100W A19 Incan	BR Bronze	LW Low
968052 19.75" Marble	LED 3x 11W LED 120V, dimmable	PN Polished Nickel	Wattage labeling
96805T 19.75" Stucco		SN Satin Nickel	
		WH White	

Ex. 96805T-SN
Trio 20 Ceiling w/ Stucco Glass, Satin Nickel Clips


AURA 12 / 16

FLUSH MOUNT CEILING


Our Aura opal Flush mount is a low profile contemporary design, composed of an interestingly radiused blown opal glass shade which can suit any classic or modern decor.



Aura 12:



Aura 16:



LED: 17W or 28W integrated source, 120V, CL dimmable, 90+ CRI, 3000°K CCT, 50,000 hours.

LOCATION: DAMP



For latest product information, scan QR code

FIXTURE OPTIONS	LAMP OPTIONS
AURA1207C 12.5" Opal Matte	LED 17W LED, 1200 lumens

FIXTURE OPTIONS	LAMP OPTIONS
AURA1607C 16" Opal Matte	LED 28W LED, 2160 lumens


Ex. AURA1207C-LED
Aura 12 Ceiling, Opal Matte Shade

PRIMO 11 / 14

Our Primo opal Flush mount is a low profile contemporary design, composed of an soft cornered square-shaped blown opal glass shade which can suit any classic or modern decor.



Primo 11:




LED: 17W or 28W integrated source, 120V, CL dimmable, 90+ CRI, 3000°K CCT, 50,000 hours.

LOCATION: DAMP

FIXTURE OPTIONS	LAMP OPTIONS
PRIMO11C 11.5" Opal Matte	LED 17W LED, 1200 lumens

Primo 14:



For latest product information, scan QR code

FIXTURE OPTIONS	LAMP OPTIONS
PRIMO14C 14" Opal Matte	LED 28W LED, 2160 lumens

Ex. PRIMO11C-LED
Primo 11 Ceiling, Opal Matte Shade

SLOPE



LED: 17W integrated source, 120V, CL dimmable, 90+ CRI, 3000°K CCT, 50,000 hours.

LOCATION: DAMP

FIXTURE OPTIONS	LAMP OPTIONS
SLOPE11C 11" Opal Matte	LED 17W LED, 1200 lumens



For latest product information, scan QR code

KATIE 10 / 12


Katie features handcrafted Opal glass with radiating ribs and a matte finish, to realize a look both contemporary and natural.

FLUSH MOUNT CEILING




OPAL MATTE

Katie 10: #9451



Katie 12: #9450



Handcrafted glass attaches to aluminum pan with set-screws.

STD LAMPS: 60W A19 120V, *lamp not included*, suitable for dimming.

LED: 10W or 17W Integrated source, 120V, CL dimmable, 90+ CRI, 3000°K CCT, 50,000 hours.

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp label

90°C supply wire required

LOCATION: DAMP



For latest product information, scan QR code

DECOR	LAMP OPTIONS	OPTIONS
945107C 10.5" Dia. Opal Matte	(blank) 1x 60W A19 Incan LED 10W LED, 750 lumens	LW Low Wattage labeling

DECOR	LAMP OPTIONS	OPTIONS
945007C 12.0" Dia. Opal Matte	(blank) 2x 60W A19 Incan LED 17W LED, 1200 lumens	LW Low Wattage labeling

Ex. 945007C

Katie 12 Ceiling w/ Opal Matte Glass


GEO 9 / 11

Geo is a simple, contemporary flushmount featuring handcrafted Opal glass.




OPAL MATTE

Geo 9: #888407



Geo 11: #888307



Handcrafted glass attaches to aluminum pan with set-screws.

STD LAMPS: 60W A19 120V, *lamp not included*, suitable for dimming.

LED: 10W or 17W Integrated source, 120V, CL dimmable, 90+ CRI, 3000°K CCT, 50,000 hours.

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp label

90°C supply wire required

LOCATION: DAMP



For latest product information, scan QR code

DECOR	LAMP OPTIONS	OPTIONS
888407C 9.0" Sq. Opal Matte	(blank) 1x 60W A19 Incan LED 10W LED, 750 lumens	LW Low Wattage labeling

DECOR	LAMP OPTIONS	OPTIONS
888307C 11.0" Sq. Opal Matte	(blank) 2x 60W A19 Incan LED 17W LED, 1200 lumens	LW Low Wattage labeling

Ex. 888407C

Geo 9 Ceiling w/ Opal Matte Glass

Nova is clean and contemporary
handcrafted glass.



CARRERA




WHITE



MARBLE

Nova 10: #9772



Handcrafted glass attaches with twist & lock bayonet action

STD LAMPS: 60W A19 120V, lamp not included, suitable for dimming.


LED: 10W, 17W or 28W Integrated source, 120V, CL dimmable, 90+ CRI, 3000°K CCT, 50,000 hours.

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp label


90°C supply wire required

LOCATION: DAMP

Nova 13: #9771



Nova 16: #9770



For latest product information, scan QR code

DECOR	LAMP OPTIONS	OPTIONS
977207C 10.25" Dia. White	(blank) 1x 60W A19 Incan	LW Low Wattage labeling
977219C 10.25" Dia. Carrera	LED 10W LED,	
977252C 10.25" Dia. Marble	750 lumens	

DECOR	LAMP OPTIONS	OPTIONS
977107C 12.5" Dia. White	(blank) 2x 60W A19 Incan	LW Low Wattage labeling
977119C 12.5" Dia. Carrera	LED 17W LED,	
977152C 12.5" Dia. Marble	1200 lumens	

DECOR	LAMP OPTIONS	OPTIONS
977007C 15.75" Dia. White	(blank) 3x 60W A19 Incan	LW Low Wattage labeling
977019C 15.75" Dia. Carrera	LED 28W LED,	
977052C 15.75" Dia. Marble	2160 lumens	

Ex. 977019C
Nova 16 Ceiling w/ Carrera Glass

SOLA 10 / 12 / 16

FLUSH MOUNT CEILING

Sola features a contemporary round shape with low profile, created in handcrafted glass with a low-profile aluminum pan.




OPAL MATTE



MARBLE

Sola 10: #9432



Handcrafted glass attaches to aluminum pan with set-screws.

STD LAMPS: 60W A19 120V, lamp not included, suitable for dimming.

LED: 10W, 17W or 28W Integrated source, 120V, CL dimmable, 90+ CRI, 3000°K CCT, 50,000 hours.

LOW WATTAGE LABELING:

Incandescent fixture supplied with 16 watt relamp label

90°C supply wire required

LOCATION: DAMP



For latest product information, scan QR code

DECOR	LAMP OPTIONS	OPTIONS
943207C 10.0" Dia. Opal Matte	(blank) 1x 60W A19 Incan	LW Low Wattage labeling
943252C 10.0" Dia. Marble	LED 10W LED, 750 lumens	


DECOR	LAMP OPTIONS	OPTIONS
943107C 12.5" Dia. Opal Matte	(blank) 2x 60W A19 Incan	LW Low Wattage labeling
943152C 12.5" Dia. Marble	LED 17W LED, 1200 lumens	

DECOR	LAMP OPTIONS	OPTIONS
943007C 16.0" Dia. Opal Matte	(blank) 3x 60W A19 Incan	LW Low Wattage labeling
943052C 16.0" Dia. Marble	LED 28W LED, 2160 lumens	


Ex. 943007C

Sola 16 Ceiling w/ Opal Matte Glass

Sola 12: #9431



Sola 16: #9430



BOBBI 10 / 12

Bobbi's swirling threads of white woven into the matte hand-blown glass create a suggestion of natural marble.




OPAL CUT



MARBLE

Bobbi 10: #9111



Handcrafted glass attaches to aluminum pan with set-screws.

STD LAMPS: 60W A19 120V, lamp not included, suitable for dimming.

LED: 10W or 17W Integrated source, 120V, CL dimmable, 90+ CRI, 3000°K CCT, 50,000 hours.

LOW WATTAGE LABELING:

Incandescent fixture supplied with 16 watt relamp label

90°C supply wire required

LOCATION: DAMP



For latest product information, scan QR code


DECOR	LAMP OPTIONS	OPTIONS
911152C 10.0" Dia. Marble	(blank) 1x 60W A19 Incan	LW Low Wattage labeling
911110C 10.0" Dia. Opal Cut	LED 10W LED, 750 lumens	

DECOR	LAMP OPTIONS	OPTIONS
911052C 12.0" Dia. Marble	(blank) 2x 60W A19 Incan	LW Low Wattage labeling
911010C 12.0" Dia. Opal Cut	LED 17W LED, 1200 lumens	

Ex. 911052C

Bobbi 12 Ceiling w/ Marble Glass

Bobbi 12: #9110



RING 13 / 15 / 19

Ring marries a clean white handcrafted glass diffuser with a decorative glass ring.



WHITE/CLEAR




WHITE/FROST



WHITE/SMOKE

Ring 13: #9772



Handcrafted glass attaches with twist & lock bayonet action

STD. LAMPS: 60W A19, 120V, lamp not included, suitable for dimming

LED: 10W, 17W or 28W Integrated source, 120V, CL dimmable, 90+ CRI, 3000°K CCT, 50,000 hours.

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp label


90°C supply wire required

LOCATION: DAMP




For latest product information, scan QR code

Ring 15: #9771



Ring 19: #9770



	FIXTURE/DECOR	LAMP OPTIONS	OPTIONS
977200C	12.625" White/Clear Ring	(blank) 1x 60W A19 Incan	LW Low
977202C	12.625" White/Smoke Ring	LED 10W LED,	Wattage labeling
977225C	12.625" White/Frost Ring	750 lumens	

	FIXTURE/DECOR	LAMP OPTIONS	OPTIONS
977100C	15.5" White/Clear Ring	(blank) 2x 60W A19 Incan	LW Low
977102C	15.5" White/Smoke Ring	LED 17W LED,	Wattage labeling
977125C	15.5" White/Frost Ring	1200 lumens	

	FIXTURE/DECOR	LAMP OPTIONS	OPTIONS
977000C	19" White/Clear Ring	(blank) 3x 60W A19 Incan	LW Low
977002C	19" White/Smoke Ring	LED 28W LED,	Wattage labeling
977025C	19" White/Frost Ring	2160 lumens	

Ex. 977100C

Ring 15 Ceiling w/ White/Clear Ring Glass

VENUS


SEMI-FLUSH MOUNT CEILING

The urban stylings of our Venus LED semi-flush mount are ideal for today's modern architecture, composed of intricately cut layers of tan corrugated cardboard.



VENUS

**White Acrylic diffuser can be removed for an optional open bottom appearance.*



LED: 9W Replaceable source, 120V, CL dimmable, 90+ CRI, 3000°K CCT, 800 lumens, 30,000 hours. Lamp included.

LOCATION: DRY



For latest product information, scan QR code

FIXTURE/DECOR	LAMP OPTIONS	METAL FINISH
VENUSC Venus Corrugated Cardboard	LED 9W LED 120V, dimmable	BR Bronze SN Satin Nickel

Ex. VENUSC-LED-SN
Venus Ceiling, Satin Nickel Finish


KIRK 12

The urban stylings of our Kirk 12 LED semi-flush mount are ideal for today's modern architecture, composed of intricately cut layers of tan corrugated cardboard.



KIRK 12

**White Acrylic diffuser can be removed for an optional open bottom appearance.*



LED: 9W Replaceable source, 120V, CL dimmable, 90+ CRI, 3000°K CCT, 800 lumens, 30,000 hours. Lamp included.

LOCATION: DRY



For latest product information, scan QR code

FIXTURE/DECOR	LAMP OPTIONS	METAL FINISH
KIRK12C Kirk 12 Corrugated Cardboard	LED 9W LED 120V, dimmable	BR Bronze SN Satin Nickel

Ex. KIRK12C-LED-SN
Kirk 12 Ceiling, Satin Nickel Finish

SPEZZA 13 / 18

Our industrial styled Spezza flushmount, with its artistic display of woven metal rods, offers a look that will easily merge into the recent urban decorating trend. The exposed hardware is designed to be celebrated, and offers perfect synergy when combined with the illuminated exposed light source.

SEMI-FLUSH MOUNT CEILING




SPEZZA 13
BRONZE
*Shown with
Edison Lamp (EDI)




SPEZZA 18
SATIN NICKEL

Spezza 13:



Spezza 18:



STD LAMPS: A19 Clear 120V, lamp not included, suitable for dimming.

EDI: 40W Edison A19 lamp, 120V, lamp included.

EDIL: 9W LED Filament A19 lamp, 120V, CL dimmable, 90+ CRI, 3000°K CCT, 800 lumens, 25,000, lamp included.

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp label

90°C supply wire required

LOCATION: DAMP



For latest product information, scan QR code

FIXTURE	LAMP OPTIONS	METAL FINISH	OPTIONS
SPEZZA13C 13" Dia.	(blank) 3x 100W A19 Clear Incan EDI 3x 40W Edison EDIL 3x 9W LED Filament	BR Bronze SN Satin Nickel	LW Low Wattage labeling

FIXTURE	LAMP OPTIONS	METAL FINISH	OPTIONS
SPEZZA18C 18" Dia.	(blank) 4x 100W A19 Clear Incan EDI 4x 40W Edison EDIL 4x 9W LED Filament	BR Bronze SN Satin Nickel	LW Low Wattage labeling

Ex. SPEZZA18C-SN

Spezza 18 Ceiling w/ Satin Nickel Finish

CRUISE

SEMI-FLUSH MOUNT CEILING

The Cruise is composed of a broad glass cylinder, with interesting stretched oval optical patterns blown throughout the interior of the glass. The dramatic play of light through the accents and onto adjacent surfaces make for a striking affect, along with the modest display of the lamp filament behind the glass.




CRUISECL
CLEAR



CRUISEAM
AMBER



CRUISESM
SMOKE



STD LAMP: 60W T10 120V, lamp not included.

EDI: 40W Edison S-style lamp, 120V, lamp included.

EDIL: 9W LED Filament A19 lamp, 120V, CL dimmable, 90+ CRI, 3000°K CCT, 800 lumens, 25,000, lamp included.

LOCATION: DAMP



For latest product information, scan QR code

FIXTURE/DECOR	LAMP OPTIONS	METAL FINISH
CRUISEAMC Amber	(blank) 60W T10 Incan	BR Bronze
CRUISECLC Clear	EDI 40W Edison	SN Satin Nickel
CRUISESMC Smoke	EDIL 9W LED Filament	

Ex. CRUISESMC-SN
Cruise Ceiling, Smoke Glass,
Satin Nickel Finish

BOMBAY

The Bombay is employs a glass globe, with interesting stretched circular optical patterns blown throughout the interior of the glass. The dramatic play of light through the accents and onto adjacent surfaces make for a striking affect, along with the modest display of the lamp filament behind the glass.

SEMI-FLUSH MOUNT CEILING




BOMBAYCL
CLEAR



BOMBAYAM
AMBER



BOMBAYSM
SMOKE



STD LAMP: 60W A19 120V, lamp not included.

EDI: 40W Edison S-style lamp, 120V, lamp included.

EDIL: 9W LED Filament A19 lamp, 120V, CL dimmable, 90+ CRI, 3000°K CCT, 800 lumens, 25,000, lamp included.

LOCATION: DAMP



For latest product information, scan QR code

FIXTURE/DECOR	LAMP OPTIONS	METAL FINISH
BOMBAYAMC Amber	(blank) 60W A19 Incan	BR Bronze
BOMBAYCLC Clear	EDI 40W Edison	SN Satin Nickel
BOMBAYSMC Smoke	EDIL 9W LED Filament	

Ex. BOMBAYSMC-SN
Bombay Ceiling, Smoke Glass,
Satin Nickel Finish

NILES 10

SEMI-FLUSH MOUNT CEILING

The Niles consists of a broad transparent glass cylinder, with an interesting bubble pattern blown randomly throughout the glass and exposed light source.



NILES10BO
BLUE BUBBLE/OPAL





NILES10CL
CLEAR BUBBLE



NILES10AM
AMBER BUBBLE



NILES10SM
SMOKE BUBBLE



STD. LAMP: 60W T10 120V, lamp not included.

LED: 5W Replaceable source, 120V, CL dimmable, 90+ CRI, 550 lumens, 30,000 hours, lamp included. (For with Inner Opal only)

EDI: 40W Edison S-style lamp, lamp included. (For without Inner Opal only)

EDIL: 4W Replaceable LED Filament T-shape lamp, CL dimmable, lamp included. (For without Inner Opal only)

LOCATION: DAMP



For latest product information, scan QR code

FIXTURE/DECOR

NILES10AMC Amber Bubble
NILES10BLC Blue Bubble
NILES10CLC Clear Bubble
NILES10SMC Smoke Bubble
NILES10AOC Amber Bubble/Opal
NILES10BOC Blue Bubble/Opal
NILES10COC Clear Bubble/Opal
NILES10SOC Smoke Bubble/Opal

LAMP OPTIONS

(blank) 60W T10 Incan
LED 5W LED
(For Inner Opal)
EDI 40W Edison
(For No Inner Opal)
EDIL 4W LED Filament
(For No Inner Opal)

METAL FINISH

BR Bronze
SN Satin Nickel

Ex. NILES10BLC-SN

Niles 10 Ceiling, Blue Bubble Shade, Satin Nickel Finish

The Pogo Ceiling is an exceptional radiused drum-shaped glass shade accented with inner foil, with a white glass lamp shield.



POGOSF
WHITE/INNER SILVER FOIL




POGOSS
SILVER/INNER SILVER FOIL



POGOGG
GOLD/INNER GOLD FOIL



POGOGF
BLACK/INNER GOLD FOIL



STD. LAMP: 60W A19 120V,
lamp not included.

28W integrated source, 120V,
CL dimmable, 90+ CRI, 3000°K
CCT, 50,000 hours.

LOCATION: DAMP



For latest product
information, scan
QR code

FIXTURE	SHADE OPTIONS	LAMP OPTIONS	METAL FINISH
1KM Flat Canopy	POGOGG Gold/Inner Gold Foil POGOGF Black/Inner Gold Foil POGOSF White/Inner Silver Foil POGOSS Silver/Inner Silver Foil	(blank) 3x 60W Incan LED 28W LED, 2160 lumens	BR Bronze SN Satin Nickel

Ex. 1KM-POGOSF-SN
Pogo Ceiling, White/ Inner Silver Foil,
Satin Nickel Finish

PAHU 8 / 12 / 16

SEMI-FLUSH MOUNT CEILING

The Pahu is a distinctive double-glass pendant, with an inner opal cylinder centered within a translucent outer glass.



PAHU 8
CLEAR
(WITHOUT INNER GLASS)




PAHU 12
TRANS. ARMAGNAC
(WITHOUT INNER GLASS)



PAHU 16
TRANS. SMOKE
(WITHOUT INNER GLASS)

Pahu 8:



STD LAMP: 120V, lamp not included.

LED: 11W Replaceable source, 120V, CL dimmable, 80+ CRI, 3000°K CCT, 1100 lumens, 30,000 hours. (Not available for No Inner Glass option)

ED: 40W Edison S-style lamp, lamp included. (For No Inner Glass option)

EDIL: 7W Replaceable S-style LED filament lamp, 120V, CL dimmable, lamp included. (For No Inner Glass option)

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp label

LOCATION: DAMP



For latest product information, scan QR code

FIXTURE	SHADE OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
1KM Ceiling	A00607 8" Trans. Amethyst/Opal C00607 8" Clear/Opal G00607 8" Trans. Armagnac/Opal L00607 8" Trans. Olive/Opal S00607 8" Trans. Smoke/Opal	(blank) 100W A19 Incan ED1 40W Edison, (For NI Option) EDIL 7W LED Filament, (For NI Option) LED 11W LED 120V, dimmable	BR Bronze SN Satin Nickel	NI No Inner glass, 1 Lt. LW Lower Wattage labeling

Ex. 1KM-C00707-SN
Pahu 16 Ceiling w/ Clear/Opal Glass, Satin Nickel Finish

The Pahu is a distinctive double-glass pendant, with an inner opal cylinder centered within a translucent outer glass.



PAHU 16
TRANS. OLIVE/OPAL



PAHU 8
CLEAR/OPAL



PAHU 8
TRANS. SMOKE/OPAL




PAHU 12
TRANS. AMETHYST/OPAL




PAHU 12
TRANS. ARMAGNAC/OPAL

Pahu 12:




(Without Inner Glass)




(With Inner Glass)

Pahu 16:



(Without Inner Glass)



(With Inner Glass)

FIXTURE	SHADE OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
1KM Ceiling	A18407 12" Trans. Amethyst/Opal	(blank) 100W A19 Incan	BR Bronze	NI No Inner glass, 3 Lt.
	C18407 12" Clear/Opal	EDI 40W Edison, (For NI Option)	SN Satin Nickel	LW Lower Wattage labeling
	G18407 12" Trans. Armagnac/Opal	EDIL 7W LED Filament, (For NI Option)		
	L18407 12" Trans. Olive/Opal	LED 11W LED 120V, dimmable		
	S18407 12" Trans. Smoke/Opal			

FIXTURE	SHADE OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
1KM Ceiling	A00707 16" Trans. Amethyst/Opal	(blank) 150W A21 Incan	BR Bronze	NI No Inner glass, 3 Lt.
	C00707 16" Clear/Opal	EDI 40W Edison, (For NI Option)	SN Satin Nickel	LW Lower Wattage labeling
	G00707 16" Trans. Armagnac/Opal	EDIL 7W LED Filament, (For NI Option)		
	L00707 16" Trans. Olive/Opal	LED 11W LED 120V, dimmable		
	S00707 16" Trans. Smoke/Opal			

TAMBURO 16

Tamburo is a classic open-ended cylinder of handcrafted glass, a shape that will stand the test of time.




SEMI-FLUSH MOUNT CEILING



4008CH
CHERRY



4008KR
CHALK



4008TN
TITAN



4008OK
OAK



400807
OPAL MATTE

Includes frosted glass glare shield

STD. LAMPS: 60W A19, 120V, lamp not included, suitable for dimming.

LED: 28W integrated source, 120V, CL dimmable, 90+ CRI, 3000°K CCT, 50,000 hours.

LOW WATTAGE LABELING:

Incandescent fixture supplied with 16 watt relamp label

90°C supply wire required

LOCATION: DAMP



For latest product information, scan QR code

FIXTURE	GLASS OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
1KM Ceiling	400807 Opal Matte	(blank) 3x 60W A19 Incan	BR Bronze	LW Low Wattage
	4008CH Cherry	LED 28W LED,	SN Satin Nickel	labeling
	4008KR Chalk	2160 lumens		
	4008OK Oak			
	4008TN Titan			

Ex. 1KM-4008OK-SN
3 Lt. Flat Ceiling w/ Oak Glass, Satin Nickel Finish

TAMBURO 16 STONE

Tamburo is a classic open-ended cylinder of handcrafted glass, a shape that will stand the test of time.

SEMI-FLUSH MOUNT CEILING



4008SS
STONE SILVER FOIL



4008GS
STONE GOLD FOIL




4008CS
STONE COPPER FOIL



4008GL
GLITTER STONE



400800
CLEAR STONE



Includes frosted glass glare shield

STD. LAMPS: 60W A19, 120V, lamp not included, suitable for dimming.

LED: 28W integrated source, 120V, CL dimmable, 90+ CRI, 3000°K CCT, 50,000 hours.

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp label

90°C supply wire required

LOCATION: DAMP



For latest product information, scan QR code

FIXTURE	GLASS OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
1KM Ceiling	400800 Clear Stone 4008CS Stone Copper Foil 4008GL Glitter Stone 4008GS Stone Gold Foil 4008SS Stone Silver Foil	(blank) 3x 60W A19 Incan LED 28W LED, 2160 lumens	BR Bronze SN Satin Nickel	LW Low Wattage labeling

Ex. 1KM-4008SS-SN
3 Lt. Flat Ceiling w/ Stone Silver Foil Glass,
Satin Nickel Finish

WALL LUMINAIRES

The imagination, the passion, and the personal experience of the individual glass artisan is infused into every piece.



SOSA 18

The Sosa 18 wall sconce is a large scale design, with an angled-cut glass and inner foil applique.


WALL SCONCE



SOSA18GF
BLACK/INNER GOLD FOIL



SOSA18SF
WHITE/INNER SILVER FOIL



STD LAMP: 100W A19 120V, lamp not included.

LED: 8W source, dimmable. 80+ CRI, 3000°K CCT, 800 lumens, 30,000 hours.

LOCATION: DAMP



For latest product information, scan QR code

FIXTURE	LAMP OPTIONS
SOSA18GF Black/Inner Gold Foil	(blank) 100W A19 Incan
SOSA18SF White/Inner Silver Foil	LED 8W LED


Ex. SOSA18SF-LED
Sosa 18 Sconce, White/Inner Silver Foil Shade

ARC


The Arc LED indoor sconce employs a dual angle-cut aluminum body and fabricated mounting plate, with an inner LED array applied to the concealed face.




ADA
COMPLIANT



ARC
WHITE/SILVER



ARC
BLACK/SILVER



FIXTURE	LAMP OPTIONS	METAL FINISH	OPTIONS
ARC Arc	LED 6W LED	BK Black WH White	277 277V DIM010 0-10 Dimming

Ex. ARC-LED-BK
Arc Sconce, Black Finish


LED: 6W Integrated source, dimmable. 90+ CRI, 3000°K CCT, 600 lumens, 30,000 hours.

LOCATION: DAMP



For latest product information, scan QR code


The Montour LED indoor scone is composed of an aluminum faceplate designed to pivot onto the inside mounting plate, with an inner LED array applied to the concealed face. The pleasing play of adjustable indirect LED light onto the mounting surface makes for a pleasing source of illumination.



MONTOUR
BLACK



MONTOUR
WHITE



FIXTURE	LAMP OPTIONS	METAL FINISH	OPTIONS
MONTOUR Montour	LED 6W LED	BK Black WH White	277 277V DIM010 0-10 Dimming

LED: 6W Integrated source, dimmable. 90+ CRI, 3000°K CCT, 600 lumens, 30,000 hours.

LOCATION: DAMP



For latest product information, scan QR code

Ex. MONTOUR-LED-BK
Montour Sconce, Black Finish

OPTOS

WALL SCONCE


The Optos wall sconce uses two separate optical-effect lenses to produce interesting displays of up/down light. The aluminum body allows for 359 degree rotation and holds the lenses with clips.



CL
CLEAR




CD
COOL DICRO



WD
WARM DICRO



FR
FROST



Wall-mount only

STD. LAMP: 40W G9 Halogen 120V, lamp included.

LED: 5W Replaceable source, 120V, CL dimmable, 90+ CRI, 3000°K CCT, 450 lumens, 25,000 hours.

LOCATION: DAMP



For latest product information, scan QR code

FIXTURE/DECOR	LENS COMBINATION	LAMP OPTIONS	METAL FINISH
OPTOS1W Sconce	CD CD Cool Dichro/Cool Dichro CD WD Cool Dichro/Warm Dichro CL CD Clear/Cool Dichro CL CL Clear/Clear CL FR Clear/Frost CL WD Clear/Warm Dichro FR FR Frost/Frost FR CD Frost/Cool Dichro FR WD Frost/Warm Dichro WD WD Warm Dichro/Warm Dichro	(blank) 40W G9 Hal LED 5W LED 120V, dimmable	BA Brushed Alum. CR Chrome

Ex. OPTOS1W-CLCL-BA

Optos Wall Sconce w/ Clear and Clear Lens Combination, Brushed Aluminum Finish


KIRK 6

Our geometrically inspired Kirk 6 LED is ideal for urban spaces, composed of intricately cut layers of tan corrugated cardboard, that are fused together in a diminutive cube shade.

WALL SCONCE



KIRK6



LED: 8W Replaceable A19 LED source, 120V, CL dimmable, 90+ CRI, 800 lumens, 25,000 hours. Lamp included.

LOCATION: DRY



For latest product information, scan QR code

FIXTURE	SHADE OPTIONS	LAMP OPTIONS	METAL FINISH
1WG Sconce	KIRK6 Kirk 6	LED 5W LED	BK Black

Ex. 1WG-KIRK6-LED-BK
Kirk 6 Sconce, Black Finish

KILLIAN 26


WALL SCONCE

The visually pleasing Killian wall sconce features a clean tubular satin opal glass diffuser with plated metal endcaps, ideal for vanity applications.



ADA

COMPLIANT



STD LAMP: 3x 40W G9 Halogen, 120V, lamp included.

LED: 5W source, 120V, CL dimmable, 90+ CRI, 3000°K CCT, 550 lumens, 30,000 hours, lamp included.

LOCATION: DAMP



For latest product information, scan QR code

FIXTURE	LAMP OPTIONS	METAL FINISH
KILLIAN26 Satin White	(blank) 3x 40W G9 Hal LED 3x 5W LED	CR Chrome SN Satin Nickel



KILLIAN26-LED-CR
CHROME

KILLIAN26-LED-SN
SATIN NICKEL

PLATO

The Plato is a playful double-glass pendant, with a cylindrical-shaped opal glass centered in a radiused outer transparent glass ring.

WALL PENDANT



PLATOCL
CLEAR/OPAL




PLATOAM
TRANS. AMBER/OPAL



PLATOSM
TRANS SMOKE/OPAL



PLATOBL
TRANS. BLUE/OPAL



STD. LAMP: 60W B10 120V, lamp not included.

LED: 5W source, 120V, CL dimmable, 90+ CRI, 3000°K CCT, 550 lumens, 30,000 hours, lamp included.

EDI: 40W Edison S-style lamp, lamp included. (For No Inner (NI) only)

LOCATION: DAMP



For latest product information, scan QR code

FIXTURE	SHADE OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
1WP Wall Pendant	PLATOAM Trans. Amber/Opal PLATOBL Trans. Blue/Opal PLATOCL Clear/Opal PLATOSM Trans. Smoke/Opal	(blank) 60W Incan LED 5W LED 120V, dimmable EDI 40W Edison (For NI option)	BR Bronze SN Satin Nickel	NI No Inner Glass

Ex. 1WP-PLATOCL-SN
Plato Wall Pendant, Clear/Opal, Satin Nickel Finish

CRUISE

WALL PENDANT

The Cruise is composed of a broad glass cylinder, with interesting stretched oval optical patterns blown throughout the interior of the glass. The dramatic play of light through the accents and onto adjacent surfaces make for a striking affect, along with the modest display of the lamp filament behind the glass.




CRUSAM
AMBER



CRUSCL
CLEAR



CRUSSM
SMOKE



Adjustable 10' cord provided

STD. LAMP: 60W T10 120V, lamp not included.

EDI: 40W Edison S-style lamp, lamp included.

EDIL: 4W Replaceable LED Filament T-shape lamp, 120V, CL dimmable, lamp included.

LOCATION: DAMP



For latest product information, scan QR code

FIXTURE	SHADE OPTIONS	LAMP OPTIONS	METAL FINISH
1WP Wall Pendant	CRUSAM Amber CRUSCL Clear CRUSSM Smoke	(blank) 60W T10 Incan EDI 40W Edison EDIL 4W LED Filament	BR Bronze SN Satin Nickel

Ex. 1WP-CRUSAM-SN

Cruise Wall, Amber, Satin Nickel Finish

The Juni is composed of a glass cylinder, with an interesting bubble pattern blown randomly throughout the glass. The pleasing play of light through the bubble accents make for a striking affect.



JUNI10CL
CLEAR BUBBLE



JUNI10GD
GOLD BUBBLE


JUNI10LT
LATTE BUBBLE

JUNI10MS
MOSS BUBBLE



JUNI10BL
BLUE BUBBLE

JUNI10PL
PLUM BUBBLE



Adjustable 10' cord provided

STD. LAMP: 60W T10 120V, lamp not included.

EDI: 40W Edison S-style lamp, lamp included.

EDIL: 4W Replaceable LED Filament T-shape lamp, 120V, CL dimmable, lamp included.

LOCATION: DAMP



For latest product information, scan QR code

FIXTURE	SHADE OPTIONS	LAMP OPTIONS	METAL FINISH
1WP Wall Pendant	JUNI10BL Blue Bubble JUNI10CL Clear Bubble JUNI10GD Gold Bubble JUNI10LT Latte Bubble JUNI10MS Moss Bubble JUNI10PL Plum Bubble	(blank) 60W T10 Incan EDI 40W Edison EDIL 4W LED Filament	BR Bronze SN Satin Nickel

Ex. 1WP-JUNI10BL-SN
Juni 10 Wall, Blue Bubble, Satin Nickel Finish

METRO

WALL SCONCE

Metro has contemporary style with formal sensibilities. The slender Opal glass cylinder is matched with a gently radiused bracket.



ADA
COMPLIANT




1WE-118607-PN
OPAL MATTE



1WE-118607-SN
OPAL MATTE



1WE-118607-BR
OPAL MATTE



Open-top handcrafted glass: 2.375" Dia. x 10" H
STD. LAMP: 60W B10 120V, *lamp not included*, suitable for dimming.

LED: 5W source, 120V, CL dimmable, 90+ CRI, 3000°K CCT, 550 lumens, 30,000 hours, *lamp included*.

75°C supply wire required

LOCATION: DAMP



For latest product information, scan QR code

FIXTURE	DECOR	LAMP OPTIONS	METAL FINISH
1WE 1 Light	118607 Opal Matte	(blank) 60W B10 Incan LED 5W LED 120V, dimmable	BR Bronze PN Polished Nickel SN Satin Nickel

Ex. 1WE-118607-SN

Metro Wall Sconce w/ Opal Matte Glass, Satin Nickel Finish

HALO 10

Our Halo 10 sconce is an ultra low profile disc with LED edge lighting, designed to cast a soft glow back onto the mounting surface.


WALL SCONCE

ADA


COMPLIANT



BLACK



WHITE



LED: 7W integrated source, 120V, ELV dimmable, 85+ CRI, 3000°K CCT, 600 lumens, 30,000 hours.

LOCATION: DAMP



For latest product information, scan QR code

FIXTURE	LAMP OPTIONS	METAL FINISH	OPTIONS
HALO10 Halo 10	LED 7W LED	BK Black WH White	277 277V DIM010 0-10 Dimming

Ex. HALO10-LED-BK
Halo 10 Wall, Black Finish

TAMBURO STONE

WALL SCONCE

The cylindrical open ended Tamburo wall sconce has minimal hardware to properly display the beautiful stone-textured glass.



ADA

COMPLIANT




7090SF
STONE SILVER FOIL



7090GF
STONE GOLD FOIL



7090CF
STONE COPPER FOIL



STD. LAMP: 75W A19 120V, *not included*, suitable for dimming

LED: 8W source, 120V, CL dimmable, 90+ CRI, 3000°K CCT, 800 lumens, 30,000 hours.

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp

75°C supply wire required

LOCATION: DAMP



For latest product information, scan QR code

FIXTURE/DECOR	LAMP OPTIONS	METAL FINISH	OPTIONS
7090CF Stone Copper Foil	(blank) 75W A19 Incan	BK Black	LW Low
7090GF Stone Gold Foil	LED 8W LED 120V, dimmable	BR Bronze	Wattage labeling
7090SF Stone Silver Foil		PN Polished Nickel	
		SN Satin Nickel	
		WH White	

Ex. 7090SF-SN
Tamburo Stone Wall Sconce w/ Silver Stone Foil Glass, Satin Nickel Finish

SPEZZA 7

Our industrial styled Spezza sconce, with its artistic display of woven metal rods, offers a look that will easily merge into the recent urban decorating trend. The exposed hardware is designed to be celebrated, and offers perfect synergy when combined with the illuminated exposed light source

WALL SCONCE




1WZ-SPEZZA-EDI-BR
BRONZE

**Shown with Edison Lamp (EDI) and in Bronze finish*



1WZ-SPEZZA-SN
SATIN NICKEL



Wall-mount sconce only

STD LAMP: 100W A19 120V, lamp not included.

EDI: 40W Edison S-style lamp, lamp included.

EDIL: 8W Replaceable LED Filament A19 lamp, 120V, CL dimmable, 90+ CRI, 3000°K CCT, 800 lumens, 25,000 hours. lamp included.

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp label

LOCATION: DAMP



For latest product information, scan QR code

FIXTURE	GLASS DIFFUSER	LAMPING OPTIONS	METAL FINISH	OPTIONS
1WZ Sconce	SPEZZA Spezza	(blank) 100W A19 Incan EDI 40W Edison EDIL 8W LED Filament	BR Bronze SN Satin Nickel	LW Low Wattage labeling

Ex. 1WZ-SPEZZA-SN
Spezza Sconce w/ Wireform Shade, Satin Nickel Finish

TINO 13 / 18

Contemporary Tino sconce features tapered vertical handcrafted glass.




OPAL MATTE



MARBLE

Tino 13: #7804




Closed-ended handcrafted glass
Wall-mount only

STD. LAMP: 40W B10 120V, lamp not included, suitable for dimming.

LED: 5W source, 120V, CL dimmable, 90+ CRI, 3000°K CCT, 550 lumens, 30,000 hours, lamp included.

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp

Tino 18: #7805



75°C supply wire required

LOCATION: DAMP



For latest product information, scan QR code

FIXTURE/DECOR	LAMP OPTIONS	METAL FINISH	OPTIONS
780407 Opal Matte	(blank) 2x 40W B10 Incan	BR Bronze	LW Low Wattage
780452 Marble	LED 1x 5W LED 120V	PN Polished Nickel	labeling
		SN Satin Nickel	

FIXTURE/DECOR	LAMP OPTIONS	METAL FINISH	OPTIONS
780507 Opal Matte	(blank) 3x 40W B10 Incan	BR Bronze	LW Low Wattage
780552 Marble	LED 2x 5W LED 120V	PN Polished Nickel	labeling
		SN Satin Nickel	

Ex. 780452-SN
Tino 13 Wall Sconce w/ Marble Glass, Satin Nickel Finish

AERO 16 / 21

Aero is a shapely, contemporary sconce featuring open-ended handcrafted glass. Can be mounted horizontally or vertically.



ADA
COMPLIANT


WALL SCONCE



2729ST-SN
STUCCO

272807-SN
OPAL MATTE

Aero 16: #2728



STD. LAMP: 60W A15 120V, lamp not included, suitable for dimming.

LED: 5W source, 120V, CL dimmable, 90+ CRI, 3000°K CCT, 550 lumens, 30,000 hours, lamp included.

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp


75°C supply wire required

LOCATION: DAMP



For latest product information, scan QR code

Aero 21: #2729



FIXTURE/DECOR	LAMP OPTIONS	METAL FINISH	OPTIONS
272807 Opal Matte	(blank) 2x 60W A15 Incan	BR Bronze	LW Low Wattage
2728ST Stucco	LED 1x 5W LED 120V	PN Polished Nickel	labeling
		SN Satin Nickel	

FIXTURE/DECOR	LAMP OPTIONS	METAL FINISH	OPTIONS
272907 Opal Matte	(blank) 3x 60W A15 Incan	BR Bronze	LW Low Wattage
2729ST Stucco	LED 2x 5W LED 120V	PN Polished Nickel	labeling
		SN Satin Nickel	

Ex. 2728ST-SN

Aero 16 Wall Sconce w/ Stucco Glass, Satin Nickel Finish

MIRANDA 26

WALL SCONCE

The handsome Miranda wall sconce features decorative plated metal endcaps on the handcrafted opal glass, ADA-Compliant.




ADA
COMPLIANT



MIRANDA26-SW-SN
SATIN WHITE

MIRANDA26-SW-CR
SATIN WHITE



Wall-mount only
STD. LAMP: 3x 40W G9 Halogen 120V, lamp included.
LED: 5W source, 120V, CL dimmable, 90+ CRI, 3000°K CCT, 550 lumens, 30,000 hours, lamp included.
 Orient vertically or horizontally, wall-mount only
 75°C supply wire required
LOCATION: DAMP



For latest product information, scan QR code

FIXTURE	DECOR	LAMP OPTIONS	METAL FINISH
MIRANDA26 Sconce	SW Satin White	(blank) 3x 40W G9 Halogen LED 3x 5W LED 120V	CR Chrome SN Satin Nickel

Ex. MIRANDA26-SW-CR
 Miranda 26 Wall Sconce w/ Satin White Glass, Chrome Finish

MISTRAL


The graceful Mistral wall sconce has minimal hardware to show off the beautiful open-ended handcrafted glass. Its elongated vertical shape has greater scale for larger spaces.

ADA
COMPLIANT

WALL SCONCE



711207-SN
Opal Matte



STD. LAMP: 2x 100W A19 120V, lamp not included, suitable for dimming.

LED: 11W source, 120V, CL dimmable, 90+ CRI, 3000°K CCT, 1100 lumens, 30,000 hours.

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp

75°C supply wire required

LOCATION: DAMP



For latest product information, scan QR code

FIXTURE/DECOR	LAMP OPTIONS	METAL FINISH	OPTIONS
711207 Opal Matte	(blank) 2x 100W A19 Incan LED 2x 11W LED 120V, dimmable	BK Black BR Bronze PN Polished Nickel SN Satin Nickel WH White	LW Low Wattage labeling


Ex. 711207-SN
Mistral Wall Sconce w/ Opal Matte Glass,
Satin Nickel Finish

DORIAN 10 / 17

Dorian is a broad half-cylinder design featuring open top and bottom handcrafted glass. This versatile sconce may be mounted either vertically or horizontally.



ADA
COMPLIANT




119007
OPAL MATTE



118952
MARBLE

Dorian 10: #1189



STD. LAMP: 60W A19 120V, lamp not included, suitable for dimming.

LED: 8W source, 120V, CL dimmable, 90+ CRI, 3000°K CCT, 800 lumens, 30,000 hours.

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp


75°C supply wire required

LOCATION: DAMP



For latest product information, scan QR code

Dorian 17: #1190



FIXTURE/DECOR	LAMP OPTIONS	OPTIONS
118907 Opal Matte	(blank) 1x 60W A19 Incan	LW Low Wattage labeling
118952 Marble	LED 1x 8W LED 120V, dimmable	

FIXTURE/DECOR	LAMP OPTIONS	OPTIONS
119007 Opal Matte	(blank) 2x 60W A19 Incan	LW Low Wattage labeling
119052 Marble	LED 2x 8W LED 120V, dimmable	

Ex. 119007
Dorian 17 Wall Sconce w/ Opal Matte Glass

LINA


The handsome Lina wall sconce has minimal hardware to show off the beautiful open-top handcrafted glass.



ADA

COMPLIANT

WALL SCONCE



STD. LAMP: 75W A19 120V, lamp not included, suitable for dimming.

LED: 8W source, 120V, CL dimmable, 90+ CRI, 3000°K CCT, 800 lumens, 30,000 hours.

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp

75°C supply wire required

LOCATION: DAMP



For latest product information, scan QR code

FIXTURE/DECOR	LAMP OPTIONS	METAL FINISH	OPTIONS
708307 Opal Matte	(blank) 75W A19 Incan LED 8W LED 120V, dimmable	BK Black BR Bronze PN Polished Nickel SN Satin Nickel WH White	LW Low Wattage labeling

Ex. 708307-SN
Lina Wall Sconce w/ Opal Matte Glass, Satin Nickel Finish

708307
OPAL MATTE

TORRE FOIL 14 / 18 / 22

WALL SCONCE

The classic colonnade-shaped Torre wall sconce has minimal hardware to show off the beautiful open-ended handcrafted glass.



ADA

COMPLIANT



819207-SN
WHITE



8192GF-SN
GOLD FOIL



8193SF-SN
SILVER FOIL



8194CF-SN
COPPER FOIL

STD. LAMP: 75W A19 120V, lamp not included, suitable for dimming.

LED: 8W source, 120V, CL dimmable, 90+ CRI, 3000°K CCT, 800 lumens, 30,000 hours. (For Torre 14 & Torre 18)


LED: 11W source, 120V, CL dimmable, 90+ CRI, 3000°K CCT, 1100 lumens, 30,000 hours. (For Torre 22)

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp

75°C supply wire required

LOCATION: DAMP

Torre 14 Wall #8192:



FIXTURE/DECOR	LAMP OPTIONS	METAL FINISH	OPTIONS
819207 White	(blank) 75W A19 Incan	BK Black	LW Low Wattage labeling
8192CF Copper Foil	LED 8W LED 120V, dimmable	BR Bronze	
8192CH Cherry		PN Polished Nickel	
8192GF Gold Foil		SN Satin Nickel	
8192KR Chalk		WH White	
8192OK Oak			
8192SF Silver Foil			
8192TN Titan			

Torre 14:



Torre 18:



Torre 22:



For latest product information, scan QR code

The classic colonnade-shaped Torre wall sconce has minimal hardware to show off the beautiful open-ended handcrafted glass.



8192OK-SN
OAK



8192CH-SN
CHERRY




8193TN-SN
TITAN




8194KR-SN
CHALK

Torre 18 Wall #8193:



FIXTURE/DECOR	LAMP OPTIONS	METAL FINISH	OPTIONS
819307 White	(blank) 2x 75W A19 Incan	BK Black	LW Low
8193CF Copper Foil	LED 2x 8W LED 120V, dimmable	BR Bronze	Wattage labeling
8193CH Cherry		PN Polished Nickel	
8193GF Gold Foil		SN Satin Nickel	
8193KR Chalk		WH White	
8193OK Oak			
8193SF Silver Foil			
8193TN Titan			

Torre 22 Wall #8194:



FIXTURE/DECOR	LAMP OPTIONS	METAL FINISH	OPTIONS
819407 White	(blank) 2x 100W A19 Incan	BK Black	LW Low
8194CF Copper Foil	LED 2x 11W LED 120V, dimmable	BR Bronze	Wattage labeling
8194CH Cherry		PN Polished Nickel	
8194GF Gold Foil		SN Satin Nickel	
8194KR Chalk		WH White	
8194OK Oak			
8194SF Silver Foil			
8194TN Titan			

Ex. 8192CH-SN
Torre 14 Wall Sconce w/ Cherry Glass,
Satin Nickel Finish

BAAZ 16 / 20

WALL SCONCE

Baaz features a handcrafted half-cylinder Opal glass that is enclosed, concealing view of the lightsource. Mount horizontal or vertical.




786007-SN
OPAL MATTE




770207-SN
OPAL MATTE

Baaz 16: #7702



Baaz 20: #7860



Wall-mount only

STD. LAMP: 40W B10 120V, lamp not included, suitable for dimming.

LED: 5W source, 120V, CL dimmable, 90+ CRI, 3000°K CCT, 550 lumens, 30,000 hours, lamp included.

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp

75°C supply wire required

LOCATION: DAMP



For latest product information, scan QR code

FIXTURE/DECOR	LAMP OPTIONS	METAL FINISH	OPTIONS
770207 Opal Matte	(blank) 2x 40W B10 Incan LED 1x 5W LED 120V	BR Bronze PN Polished Nickel SN Satin Nickel	LW Low Wattage labeling

FIXTURE/DECOR	LAMP OPTIONS	METAL FINISH	OPTIONS
786007 Opal Matte	(blank) 3x 40W B10 Incan LED 2x 5W LED 120V	BR Bronze PN Polished Nickel SN Satin Nickel	LW Low Wattage labeling

Ex. 770207-SN

Baaz 16 Wall Sconce w/ Opal Matte Glass, Satin Nickel Finish

Darci is a contemporary sconce that features open-ended handcrafted glass in Opal. Can be mounted horizontally or vertically.


ADA
COMPLIANT




272607-SN
OPAL MATTE

272507-SN
OPAL MATTE

Darci 16: #2725



Darci 21: #2726



STD. LAMP: 60W A15 120V, lamp not included, suitable for dimming.

LED: 5W source, 120V, CL dimmable, 90+ CRI, 3000°K CCT, 550 lumens, 30,000 hours, lamp included.

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp

75°C supply wire required

LOCATION: DAMP



For latest product information, scan QR code

FIXTURE/DECOR	LAMP OPTIONS	METAL FINISH	OPTIONS
272507 Opal Matte	(blank) 2x 60W A15 Incan LED 1x 5W LED 120V	BR Bronze PN Polished Nickel SN Satin Nickel	LW Low Wattage labeling
272607 Opal Matte	(blank) 3x 60W A15 Incan LED 2x 5W LED 120V	BR Bronze PN Polished Nickel SN Satin Nickel	LW Low Wattage labeling

Ex. 272507-SN
Darci 16 Wall Sconce w/ Opal Matte Glass, Satin Nickel Finish

KAILEE

The graceful Kailee sconce has minimal hardware to show off the curved handcrafted glass.




ADA
COMPLIANT



701719
CARRERA



701707
OPAL MATTE



STD. LAMP: 60W E12 120V, lamp not included, suitable for dimming.

LED: 8W source, 120V, CL dimmable, 90+ CRI, 3000°K CCT, 800 lumens, 30,000 hours.

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp

75°C supply wire required

LOCATION: DAMP



For latest product information, scan QR code

FIXTURE/DECOR	LAMP OPTIONS	METAL FINISH	OPTIONS
701707 Opal Matte	(blank) 60W E12 Incan	BK Black	LW Low
701719 Carrera	LED 8W LED 120V, dimmable	BR Bronze	Wattage
		PN Polished Nickel	Labeling
		SN Satin Nickel	
		WH White	

Ex. 701741-SN
Kailee Wall Sconce w/ Garnet Glass, Satin Nickel Finish

TOMAS

The handsome Tomas sconce has minimal hardware to show off the open-ended softly curved handcrafted glass.



ADA
COMPLIANT



704107
OPAL MATTE



7041VM
VANILLA MATTE




704180
AMBER MATTE



7041RM
RUBY MATTE



7041CM
COBALT BLUE MATTE



Open-ended handcrafted glass

STD. LAMP: 75W A19 120V, lamp not included, suitable for dimming.

LED: 8W source, 120V, CL dimmable, 90+ CRI, 3000°K CCT, 800 lumens, 30,000 hours.

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp

75°C supply wire required

LOCATION: DAMP



For latest product information, scan QR code

FIXTURE/DECOR	LAMP OPTIONS	METAL FINISH	OPTIONS
704107 Opal Matte	(blank) 75W A19 Incan	BK Black	LW Low
704180 Amber Matte	LED 8W LED 120V, dimmable	BR Bronze	Wattage
7041CM Cobalt Blue Matte		PN Polished Nickel	Labeling
7041RM Ruby Matte		SN Satin Nickel	
7041VM Vanilla Matte		WH White	

Ex. 704180-SN
Tomas Wall Sconce w/ Amber Matte Glass, Satin Nickel Finish

CHELSEA

Our lithe and lovely Chelsea sconce has minimal hardware to show off the open-ended handcrafted glass.



ADA
COMPLIANT

WALL SCONCE



704318
AMBER CLOUD




704307
OPAL MATTE



704319
CARRERA




7043HN
HONEY



704341
GARNET



7043CE
CEYLON



Open-top handcrafted glass, no visible hardware

STD. LAMP: 75W A19 120V, lamp not included, suitable for dimming.

LED: 8W source, 120V, CL dimmable, 90+ CRI, 3000°K CCT, 800 lumens, 30,000 hours.

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp

75°C supply wire required

LOCATION: DAMP



For latest product information, scan QR code

FIXTURE/DECOR	LAMP OPTIONS	METAL FINISH	OPTIONS
704307 Opal Matte	(blank) 75W A19 Incan	BK Black	LW Low Wattage
704318 Amber Cloud	LED 8W LED 120V, dimmable	BR Bronze	labeling
704319 Carrera		PN Polished Nickel	
704341 Garnet		SN Satin Nickel	
7043CE Ceylon		WH White	
7043HN Honey			

Ex. 7043HN-SN
Chelsea Wall Sconce w/ Honey Glass, Satin Nickel Finish

TAMBURO

WALL SCONCE

The classic Tamburo wall sconce has minimal hardware to show off the beautiful open-ended handcrafted glass.



ADA

COMPLIANT



7042MA
MAGMA



704207
OPAL MATTE




704280
AMBER MATTE



704219
CARRERA




7042MG
MARBLE GRIGIO




704218
AMBER CLOUD




7042HN
HONEY



7042HB
HABANERO




704241
GARNET



7042CE
CEYLON



704286
BLUE CLOUD



STD. LAMP: 75W A19 120V, lamp not included, suitable for dimming.

LED: 8W source, 120V, CL dimmable, 90+ CRI, 3000°K CCT, 800 lumens, 30,000 hours.

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp

75°C supply wire required

LOCATION: DAMP



For latest product information, scan QR code

FIXTURE/DECOR	LAMP OPTIONS	METAL FINISH	OPTIONS
704207 Opal Matte	(blank) 75W A19 Incan	BK Black	LW Low Wattage labeling
704218 Amber Cloud	LED 8W LED 120V, dimmable	BR Bronze	
704219 Carrera		PN Polished Nickel	
704241 Garnet		SN Satin Nickel	
704280 Amber Matte		WH White	
704286 Blue Cloud			
7042CE Ceylon			
7042HB Habanero			
7042HN Honey			
7042MA Magma			
7042MG Marble Grigio			

Ex. 7042CE-SN
Tamburo 7 Wall Sconce w/ Ceylon Glass, Satin Nickel Finish

The Karli features a softly radiused glass, that will gracefully blend into almost any decorating theme.



1SX-719807-SN
OPAL MATTE



719819
CARRERA




7198HN
HONEY



719818
AMBER CLOUD




719841
GARNET



719886
BLUE CLOUD



7198CE
CEYLON



Wall-mount sconce only

STD LAMP: 40W G9 Halogen 120V, lamp included.

LED: 5W Replaceable source, 120V, CL dimmable, 80+ CRI, 3000°K CCT, 450 lumens, 25,000 hours.

LOCATION: DAMP



For latest product information, scan QR code


FIXTURE	GLASS OPTIONS	LAMP OPTIONS	METAL FINISH
1SX Sconce	719807 Opal Matte 719818 Amber Cloud 719819 Carrera 719841 Garnet 719886 Blue Cloud 7198CE Ceylon 7198HN Honey	(blank) 40W G9 Hal LED 5W LED 120V, dimmable	BR Bronze PN Polished Nickel SN Satin Nickel

Ex. 1SX-719807-SN
Karli 1-Light Sconce w/ Opa Matte Glass, Satin Nickel Finish

STEP 1 **SELECT A SWING ARM**

Each fixture includes a 60W Class 2 12V electronic transformer and integrated full-range rotary dimmer. A 50W Halogen 12V Bi-Pin GY6.35 lamp or a 50W Shielded Flood 12V MR16 lamp (for Divi only) is included with each fixture.

LOCATION: DAMP



1WU Series features

- Arm rotates 155° and pivots at center
- Lamp head rotates & pivots

1WW Series features

- Arm rotates 130° and raises/lowers
- Lamp head pivots

STEP 2 **SELECT A SHADE AND DECOR**

Choose from 6 different glass collections: Domi, Kona, Divi, Tay Tay, Swirl and Nico 3.

Each collection offers a myriad of handcrafted decors.

Example shown: Tay Tay in Honey



STEP 3 **SELECT A METAL FINISH**

Swing arms are available in either Bronze or Satin Nickel metal finishes.



STEP 4 **COMBINE THE CODES FOR YOUR SWING ARM**

Example: 1WW-5605HN-SN



SWING ARMS

The Tay Tay is a compact handcrafted glass, softly radiused to fit gracefully into contemporary spaces.


TAY TAY
SWING ARMS



1WU-5605VM-SN
VANILLA MATTE



1WW-560518-BR
AMBER CLOUD



560507
OPAL MATTE



560580
AMBER MATTE



560519
CARRERA



560560
COCOON



5605HN
HONEY



5605HB
HABANERO



560541
GARNET



5605MA
MAGMA



5605CE
CEYLON



560586
BLUE CLOUD



FIXTURE

1WU Swing arm
1WW Swing arm

GLASS OPTIONS

560507 Opal Matte
560518 Amber Cloud
560519 Carrera
560541 Garnet
560560 Cocoon
560580 Amber Matte
560586 Blue Cloud
5605CE Ceylon
5605HB Habanero
5605HN Honey
5605MA Magma
5605VM Vanilla Matte

METAL FINISH

BR Bronze
SN Satin Nickel

* Please refer to pg. 194 to view swing arm fixture options

Ex. 1WW-560541-SN
Tay Tay Swing Arm Fixture w/ Garnet Glass, Satin Nickel Finish

1WU:



1WW:




For latest product information, scan QR code



1WU-550493-SN
DICRO SWIRL



1WW-550493-SN
DICRO SWIRL



FIXTURE

1WU Swing arm
1WW Swing arm

GLASS OPTIONS

550493 Dicro Swirl

METAL FINISH

BR Bronze
SN Satin Nickel

* Please refer to pg. 194 to view swing arm fixture options

Ex. 1WW-117607-SN
Kona Swing Arm Fixture w/ White Glass, Satin Nickel Finish

1WU:



1WW:



For latest product information, scan QR code

SWIRL

SWING ARMS

SWING ARMS

DOMI


Domi has a classical bell shape that complements aesthetic, while also built for optimal illumination.



1WU-174307-SN
WHITE



1WW-1743SL-BR
SOLARE



FIXTURE	GLASS OPTIONS	METAL FINISH
1WU Swing arm	174307 White	BR Bronze
1WW Swing arm	174352 Marble	SN Satin Nickel
	174383 Mocha	
	1743CH Cherry	
	1743KR Chalk	
	1743OK Oak	
	1743SL Solare	
	1743TN Titan	

* Please refer to pg. 194 to view swing arm fixture options

Ex. 1WW-174307-SN
Domi Swing Arm Fixture w/ White Glass, Satin Nickel Finish



For latest product information, scan QR code

KONA


The Kona pendant features a wide cone-shaped glass, that demonstrates contemporary sensibilities.



1WU-117681-BR
SUNSET



1WW-117652-SN
MARBLE



FIXTURE	GLASS OPTIONS	METAL FINISH
1WU Swing arm	117607 White	BR Bronze
1WW Swing arm	117652 Marble	SN Satin Nickel
	117681 Sunset	
	117691 Bi-Color	
	282453 White Starpoint	
	282484 Blue Starpoint	
	282490 Mango Starpoint	

* Please refer to pg. 194 to view swing arm fixture options

Ex. 1WW-117607-SN
Kona Swing Arm Fixture w/ White Glass, Satin Nickel Finish



For latest product information, scan QR code

SWING ARMS


Divi has a classical bell shape that complements aesthetic, while also built for optimal illumination.



1WU-1858VB-SN
BLACK DICRO VINE



1WW-1758SF-SN
SILVER FOIL



FIXTURE	GLASS OPTIONS	METAL FINISH
1WU Swing arm	1758CF Copper Foil	BR Bronze
1WW Swing arm	1758GF Gold Foil	SN Satin Nickel
	1758SF Silver Foil	
	185807 Opal Matte	
	185819 Carrera	
	1858DW Black Dicro Wavy	
	1858MB Metal Bronze	
	1858MN Metal Satin Nickel	
	1858VB Black Dicro Vine	

* Please refer to pg. 194 to view swing arm fixture options

Ex. 1WW-1758SF-SN
Divi Swing Arm Fixture w/ Silver Foil Glass, Satin Nickel Finish




For latest product information, scan QR code

DIVI METAL & DIVI
SWING ARMS



1WW-5145SF-SN
STONE SILVER FOIL

Nico 3 features a tapered drum shape that fits beautifully in transitional spaces.



FIXTURE	GLASS OPTIONS	METAL FINISH
1WW Swing arm	514500 Clear Stone	BR Bronze
	5145CF Stone Copper Foil	SN Satin Nickel
	5145GF Stone Gold Foil	
	5145SF Stone Silver Foil	

* Please refer to pg. 194 to view swing arm fixture options

Ex. 1WW-514500-SN
Nico 3 Swing Arm Fixture w/ Clear Stone Glass, Satin Nickel Finish



For latest product information, scan QR code

NICO 3

SCONCES & VANITIES



The Duke Vanity is a transitional bath design employing foil backed glass cylinders, with a compelling textured metallic effect that plays off the gleam of the clear glass component.




DUKECF
COPPER FOIL



DUKEGF
GOLD FOIL



DUKESF
SILVER FOIL



- 1WG:** 5.9" L x 12.25" H x 7" D
- 2WG:** 12.25" L x 12.25" H x 7" D
- 3WG:** 20" L x 12.25" H x 7" D

STD. LAMP: 60W T10 120V, lamp not included.

EDI: 40W Edison S-style, 120V, lamp included.

EDIL: 7W Replaceable LED Filament S-style lamp, 120V, dimmable, lamp included.

LOCATION: DAMP

Sconce: **Vanity:**



For latest product information, scan QR code

FIXTURE	GLASS OPTIONS	LAMP OPTIONS	METAL FINISH
1WG Sconce	DUKECF Copper Foil	(blank) 60W T10 Incan	BK Black
2WG 2-Light	DUKEGF Gold Foil	EDI 40W Edison	
3WG 3-Light	DUKESF Silver Foil	EDIL 7W LED Filament	

Ex. 2WG-DUKECF-BK
Duke Vanity, Copper Foil Glass, Black Finish

JUNI 10

The Juni 10 Vanity is a transitional bath design with transcolor glass cylinders, with an interesting bubble pattern blown randomly throughout the glass.



JUNI10CL
CLEAR BUBBLE



JUNI10BL
BLUE BUBBLE



JUNI10GD
GOLD BUBBLE




JUNI10LT
LATTE BUBBLE



JUNI10MS
MOSS BUBBLE



JUNI10PL
PLUM BUBBLE



1WG: 5.9" L x 14.25" H x 7" D
2WG: 12.25" L x 14.25" H x 7" D
3WG: 20" L x 14.25" H x 7" D

STD. LAMP: 60W T10 120V,
lamp not included.

EDI: 40W Edison S-style, 120V,
lamp included.

EDIL: 7W Replaceable LED
Filament S-style lamp, 120V,
dimmable, lamp included.

LOCATION: DAMP

Sconce:

Vanity:



For latest product
information, scan
QR code

FIXTURE	GLASS OPTIONS	LAMP OPTIONS	METAL FINISH
1WG Sconce	JUNI10BL Blue Bubble	(blank) 60W T10 Incan	BK Black
2WG 2-Light	JUNI10CL Clear Bubble	EDI 40W Edison	
3WG 3-Light	JUNI10GD Gold Bubble	EDIL 7W LED Filament	
	JUNI10LT Latte Bubble		
	JUNI10MS Moss Bubble		
	JUNI10PL Plum Bubble		

Ex. 2WG-JUNI10GD-BK
 Juni 10 Vanity, Gold Bubble Glass,
 Black Finish

The Milo 4 Vanity is a transitional bath design inspired by the traditional glass jars used for canning, enhanced with a subtle transcolored spray.



MILO4SM
SMOKE



MILO4AM
AMBER




MILO4GR
GREEN



MILO4PL
PURPLE



MILO4WF
WHITE FROST



1WG: 5.9" L x 10.75" H x 7.25" D
2WG: 12.25" L x 10.75" H x 7.25" D
3WG: 20" L x 10.75" H x 7.25" D
STD. LAMP: 60W A19 120V, lamp not included.
EDI: 40W Edison S-style, 120V, lamp included.

EDIL: 7W Replaceable LED Filament S-style lamp, 120V, dimmable, lamp included.

LOCATION: DAMP

Scence: Vanity:



For latest product information, scan QR code

FIXTURE	GLASS OPTIONS	LAMP OPTIONS	METAL FINISH
1WG Sconce	MILO4AM Amber	(blank) 60W A19 Incan	BK Black
2WG 2-Light	MILO4GR Green	EDI 40W Edison	
3WG 3-Light	MILO4PL Purple	EDIL 7W LED Filament	
	MILO4SM Smoke		
	MILO4WF White Frost		

Ex. 2WG-MILO4PL-BK
 Milo 4 Vanity, Purple Glass, Black Finish

JILLY


The Jilly Vanity is a contemporary bath design composed of a transparent globe glass, with a mysterious vapor-like patterning throughout the glass to partially conceal the inner portion of the shade.




2WC-JILLYCL-SN
VAPOR CLEAR



JILLYSM
VAPOR SMOKE



JILLYAM
VAPOR AMBER



STD LAMP: 60W T10 120V, lamp not included.

EDI: 40W Edison lamp, lamp included.

EDIL: 5W Replaceable LED Filament lamp, 120V, dimmable, lamp included.

LOCATION: DAMP

Sconce: Vanity:



For latest product information, scan QR code


FIGURE	GLASS OPTIONS	LAMP OPTIONS	METAL FINISH
1WC 1 Lt. Sconce 6.5" L	JILLYAM Vapor Amber	(blank) 60W T10 Incan	BR Bronze
2WC 2 Lt. Vanity 15" L	JILLYCL Vapor Clear	EDI 40W Edison	SN Satin Nickel
3WC 3 Lt. Vanity 25.25" L	JILLYSM Vapor Smoke	EDIL 5W LED Filament	

Ex. 2WC-JILLYCL-SN
Vapor Vanity, Vapor Clear Shade, Satin Nickel Finish

The Optos vanity is a clean, contemporary bath bar featuring two separate optical-effect lenses per lampholder to produce interesting displays of up/down light.



2SW-OPTOCLCL-SN



STD LAMP: 40W G9 Halogen, 120V, lamp included.

LED: 5W Replaceable source, dimmable, 90+ CRI, 3000°K CCT, 450 lumens, 25,000 hours.

LOCATION: DAMP



For latest product information, scan QR code

FIXTURE

- 2SW 2 Lt. Vanity 14.625" L
- 3SW 3 Lt. Vanity 22.5" L
- 4SW 4 Lt. Vanity 30.375" L

GLASS OPTIONS

OPTOSCLCL Clear/Clear

LAMP OPTIONS

(blank) 40W G9 Hal
LED 5W LED

METAL FINISH

CR Chrome
SN Satin Nickel

Ex. 3SW-OPTOSCLCL-SN
Optos Vanity, Clear/Clear Lenses, Satin Nickel Finish

BOCA

SCONCES & VANITIES

The Boca Vanity is comprised of an appealing globe-shaped clear or bubble-patterned solid glass, accented by an inner frosted tube to diffuse the light source. The wood backplate can be ordered separately to provide warmth to the overall appearance.



2WF-BOCABB-BR
CLEAR BUBBLE


STD LAMPS: 40W G9 Halogen, lamp included, suitable for dimming

LED: 3W Replaceable source, 120V, dimmable, 90+ CRI, 300 lumens, 3000°K CCT, 30,000 hours.

LOCATION: DAMP



For latest product information, scan QR code



3WF: 22" L x 5.9" H x 5.25" D



2WF: 14" L x 5.9" H x 5.25" D



4WF: 30" L x 5.9" H x 5.25" D



FIXTURE	GLASS OPTIONS	LAMP OPTIONS	METAL FINISH
1WF Sconce	BOCABB Clear Bubble	(blank) 40W G9 Hal	BR Bronze
2WF 2-Light	BOACL Clear	LED 3W LED	SN Satin Nickel
3WF 3-Light			
4WF 4-Light			

Ex. 2WF-BOCABB-SN

Boca 2-Light Vanity, Clear Bubble, Satin Nickel

WOOD BACKPLATE ACCESSORY - WEATHERED WOOD OR EBONY

S1003-WW or EB	1 Light Wood Plate, Weathered Wood (WW) or Ebony (EB)
S1004-WW or EB	2 Light Wood Plate, Weathered Wood (WW) or Ebony (EB)
S1005-WW or EB	3 Light Wood Plate, Weathered Wood (WW) or Ebony (EB)
S1006-WW or EB	4 Light Wood Plate, Weathered Wood (WW) or Ebony (EB)


The Bolo Vanity is comprised of an appealing cube-shaped clear machined crystal, accented by an interesting inner frosting to diffuse the light source.



1WF-BOLOFR-BR
CLEAR/FROST



3WF-BOLOFR-SN
CLEAR/FROST



2WF: 14" L x 5.9" H x 5.5" D



3WF: 22" L x 5.9" H x 5.5" D



4WF: 30" L x 5.9" H x 5.5" D



STD LAMPS: 40W G9 Halogen, lamp included, suitable for dimming

LED: 3W Replaceable source, 120V, dimmable, 90+ CRI, 300 lumens, 3000°K CCT, 30,000 hours.

LOCATION: DAMP



For latest product information, scan QR code

FIXTURE	GLASS OPTIONS	LAMP OPTIONS	METAL FINISH
1WF 1 Lt. Sconce	BOLOFR Clear/Frost	(blank) 40W G9 Hal	BR Bronze
2WF 2 Lt. Vanity 14" L		LED 3W LED	SN Satin Nickel
3WF 3 Lt. Vanity 22" L			
4WF 4 Lt. Vanity 30" L			

Ex. 2WF-BOLOFR-SN
Bolo Vanity, Clear/Frost Shade, Satin Nickel Finish

WOOD BACKPLATE ACCESSORY - WEATHERED WOOD OR EBONY


- S1003-WW or EB 1 Light Wood Plate, Weathered Wood (WW) or Ebony (EB)
- S1004-WW or EB 2 Light Wood Plate, Weathered Wood (WW) or Ebony (EB)
- S1005-WW or EB 3 Light Wood Plate, Weathered Wood (WW) or Ebony (EB)
- S1006-WW or EB 4 Light Wood Plate, Weathered Wood (WW) or Ebony (EB)

TITO

The Tito vanity is a simple, contemporary bath bar featuring handcrafted Opal glass on a low profile plated bracket.pearance.



3SW-TITO07-SN
OPAL MATTE



2SW: 14.625" L x 5.125" H x 5" D



3SW: 22.5" L x 5.125" H x 5" D



4SW: 30.375" L x 5.125" H x 5" D



1SW-TITO07-CR
OPAL MATTE

STD LAMP: 60W G9 Halogen,
lamp not included.

LED: 5W Replaceable source,
dimmable. 90+ CRI, 3000°K
CCT, 450 lumens, 30,000 hours.

LOCATION: DAMP

Sconce: Vanity:



For latest product
information, scan
QR code

FIXTURE	GLASS OPTIONS	LAMP OPTIONS	METAL FINISH
1SW 1 Lt. Sconce	TITO07 Opal Matte	(blank) 60W G9 Hal	CR Chrome
2SW 2 Lt. Vanity		LED 5W LED	SN Satin Nickel
3SW 3 Lt. Vanity			
4SW 4 Lt. Vanity			

Ex. 2WS-TITO07-SN
Tito Vanity, Opal Matte Shade,
Satin Nickel Finish

PHANTOM 6

The Phantom 6 vanity features clear glass bell-shaped shades mounted onto a softly curved flat rail bracket, with an interesting cascading optical pattern blown as an additional transparent layer along the top outer wall of the glass.



PHAN6SC
SMOKE/CLEAR

1WC: 6" L x 9" H x 8.25" D



2WC: 16" L x 9" H x 8.25" D



3WC: 25" L x 9" H x 8.25" D



PHAN6CL
CLEAR



PHAN6WC
WHITE/CLEAR

STD. LAMP: 60W T10 120V, lamp not included.

EDIL: 5W Replaceable LED Filament lamp, 120V, dimmable, 90+ CRI, 450 lumens, 15,000 hours, lamp included.

LOCATION: DAMP

Sconce:



For latest product information, scan QR code

Vanity:



FIXTURE	SHADE OPTIONS	LAMP OPTIONS	METAL FINISH
1WC Sconce	PHAN6CL Clear	(blank) 60W T10 Incan	BR Bronze
2WC 2-Light	PHAN6SC Smoke/Clear	EDIL 5W LED Filament	SN Satin Nickel
3WC 3-Light	PHAN6WC White/Clear		

Ex. 1WC-PHAN6SC-BR
Phantom 6 Sconce, Smoke/Clear, Bronze Finish

CABO

The Cabo vanity is a contemporary bath bar featuring handcrafted frosted/bubble glass on a low profile plated bracket, designed to allow for rotation of the glass fitters.



2WT-962759-CR
FROST/BUBBLE

1WT-962759-SN
9.25" L x 5.1" H x 5.5" D



2WT-962759-SN
22" L x 5.1" H x 5.5" D



3WT-962759-SN
34.75" L x 5.1" H x 5.5" D



STD LAMP: 60W A19 120V, lamp not included.

LED: 9W Replaceable source, 120V, dimmable, 90+ CRI, 3000°K CCT, 800 lumens, 30,000 hours. Lamp included.

LOCATION: DAMP



For latest product information, scan QR code

FIXTURE	SHADE OPTIONS	LAMP OPTIONS	METAL FINISH
1WT Sconce	962759 Frost/Bubble	(blank) 60W A19 Incan	CR Chrome
2WT 2-Light		LED 9W LED 120V, dimmable	SN Satin Nickel
3WT 3-Light			

Ex. 2WT-962759-CR
Cabo 2-Light Vanity, Frost/Bubble, Chrome Finish

The Lido vanity is a simple, bath bar offering handcrafted Opal glass on a low profile plated bracket, designed to allow for rotation of the glass fitters.



2WT-888607-SN
OPAL MATTE

1WT-888607-SN
8.5" L x 4.75" H x 5.25" D



STD LAMP: 60W A19 120V, lamp not included.

LED: 9W Replaceable source, 120V, dimmable, 90+ CRI, 3000°K CCT, 800 lumens, 30,000 hours. Lamp included.

LOCATION: DAMP



For latest product information, scan QR code

2WT-888607-SN
21" L x 4.75" H x 5.25" D



FIXTURE	SHADE OPTIONS	LAMP OPTIONS	METAL FINISH
1WT Sconce	888607 Opal Matte	(blank) 60W A19 Incan	CR Chrome
2WT 2-Light		LED 9W LED 120V, dimmable	SN Satin Nickel
3WT 3-Light			

Ex. 2WT-888607-CR
Lido 2-Light Vanity, Opal Matte, Chrome Finish

3WT-888607-SN
33.75" L x 4.75" H x 5.25" D



CELTIC

The Celtic Vanity is a contemporary bath design, employing a softly radiused and fused 3-piece glass diffuser that is designed to "float" on the hardware. Options include Opal/Clear and a revealing blown bubble glass design.



CELTICLCL
OPAL/CLEAR



CELTICBB
BUBBLE

May be used in either upward or downward orientation.

STD. LAMP: 60W A19 120V, lamp not included, suitable for dimming.

LED: 9W Replaceable source, 120V, dimmable, 80+ CRI, 3000°K CCT, 800 lumens, 30,000 hours, lamps included (For Opal/Clear).


EDIL: 8W Replaceable A19 LED Filament lamp, 120V, CL dimmable, 90+ CRI, 3000°K CCT, 800 lumens, 30,000 hours lamps included (For Bubble).

LOCATION: DAMP

Sconce: Vanity:



For latest product information, scan QR code



3WZ: 22.4375" L x 7.65" H x 4.75" D



2WZ: 14.5" L x 7.65" H x 4.75" D



4WZ: 30.3125" L x 7.65" H x 4.75" D



FIXTURE	GLASS OPTIONS	LAMPING OPTIONS	METAL FINISH
1WZ Sconce	CELTICBB Bubble	(blank) 60W A19 Incan	BR Bronze
2WZ 2 Light	CELTICCL Opal/Clear	LED 9W LED (For Opal/Clear)	CR Chrome
3WZ 3 Light		EDIL 8W LED Filament (For Bubble)	SN Satin Nickel
4WZ 4 Light			

Ex. 1WZ-CELTICCL-SN
Celtic Mini Sconce w/ Clear Glass,
Satin Nickel Finish

LINUS 22 / 33

The Linus wall is a special offering with an all glass white diffuser, composed of multiple glasses fused together. The enveloped opal glass cylinders create a pleasing layered effect with the frosted glass covers.

ADA
COMPLIANT




LINUS22




LINUS33

Linus 22:



Linus 33:



Horizontal or Vertical orientation
Wall mount only

LED: 5W Replaceable source, 120V, dimmable, 80+ CRI, 3000° K CCT, 450 lumens, 25,000 hours, *lamps included.*

LOCATION: DAMP



For latest product information, scan QR code

FIXTURE/DECOR	LAMPING OPTIONS
LINUS22-WALL 22.0"L Opal Glossy	LED 3x 5W LED
FIXTURE/DECOR	LAMPING OPTIONS
LINUS33-WALL 33.0"L Opal Glossy	LED 5x 5W LED

Ex. LINUS22-WALL-LED
Linus 22 LED Vanity w/ Opal Glossy Glass

JODI

The Jodi is a striking piece comprised of multiple segments of radiused white glass, with clear glass fused at each end.



3WM-673006-SN
OPAL GLOSSY

1WM: 8.25" L x 4.875" H x 5.25" D



2WM: 21" L x 4.875" H x 5.75" D



3WM: 33.875" L x 4.875" H x 5.75" D



Open-ended handcrafted glass with oval canopy.
Orient upward or downward, wall-mount only

STD. LAMP: 60W G9 Halogen 120V, *lamp included*, suitable for dimming.

LED: 5W Replaceable source, 90+ CRI, 3000°K CCT, 450 lumens, 25,000 hours, *lamp included*.

LOCATION: DAMP



For latest product information, scan QR code

FIXTURE	DECOR	LAMPING OPTIONS	METAL FINISH
1WM 1 Light	673006 Opal Glossy	(blank) 60W G9 Hal	BR Bronze
2WM 2 Light		LED 5W LED,	CR Chrome
3WM 3 Light		dimmable	SN Satin Nickel

Ex. 3WM-673006-SN
Jodi Vanity w/ Opal Glossy Glass,
Satin Nickel Finish


Pogo Wall is a timeless open cylinder of handcrafted glass, that demonstrates contemporary sensibilities.



ADA
COMPLIANT



3WS-718006-SN
Opal Glossy



2WS: 14.625" L x 5.5" H x 6.25" D



3WS: 22.5" L x 5.5" H x 6.25" D



4WS: 30.375" L x 5.5" H x 6.25" D



7180GF
BLACK/INNER GOLD



7180SF
WHITE/INNER SILVER

wall-mount only

STD. LAMP: 60W G9 Halogen 120V, lamp included.

LED: 5W Replaceable source, 120V, dimmable, 90+ CRI, 3000°K CCT, 450 lumens, 25,000 hours.

LOCATION: DAMP

Sconce: Vanity:



For latest product information, scan QR code

FIXTURE	DECOR	LAMPING OPTIONS	METAL FINISH
1WS Sconce	718006 Opal Glossy	(blank) 60W G9 Hal	BR Bronze
2WS 2 Light	7180GF Black/Inner Gold	LED 5W LED 120V,	CR Chrome
3WS 3 Light	7180SF White/Inner Silver	dimmable	SN Satin Nickel
4WS 4 Light			

Ex. 3WS-718006-SN
Pogo Vanity w/ Opal Glossy Glass, Satin Nickel Finish

NICO 5

The Nico 5 Vanity is a contemporary bath design, employing a softly radiused housing and sparkling textured shades. Our Stone glass is a blown glass with an outer texture of coarse sandstone. Inspired by the elements of nature, the appearance of the surface resembles the beautiful cut patterning melting ice over a rock formation



NICO5CL
CLEAR STONE



NICO5GL
GLITTER STONE


2WZ: 14.5" L x 6.875" H x 6.5" D



3WZ: 22.4375" L x 6.875" H x 6.5" D



4WZ: 30.3125" L x 6.875" H x 6.5" D



STD. LAMP: 60W A19 120V, lamp not included.

LED: 9W Replaceable source, 120V, dimmable, 90+ CRI, 3000°K CCT, 800 lumens, 30,000 hours.

LOCATION: DAMP

Sconce: Vanity:



For latest product information, scan QR code

FIXTURE	GLASS OPTIONS	LAMP OPTIONS	METAL FINISH
1WZ Sconce	NICO5CL Clear Stone	(blank) 60W Incan	BR Bronze
2WZ 2-Light	NICO5GL Glitter Stone	LED 9W LED	CR Chrome
3WZ 3-Light			SN Satin Nickel
4WZ 4-Light			

Ex. 2WZ-NICO5CL-SN
Nico 5 Vanity, Clear Stone Glass, Satin Nickel Finish

The contemporary Paolo enclosed half-cylinder design features handcrafted glass. This modern wall light offers flexible design potential for a variety of bath/vanity decorating schemes. Mount horizontally or vertically.



ADA
COMPLIANT



3WS-7873GL-SN
Glitter



787307
OPAL MATTE




787319
CARRERA



787399
OPAL-FROST



78735T
STUCCO



2WS: 14.625" L x 4.75" H x 4" D



3WS: 22.5" L x 4.75" H x 4" D



4WS: 30.375" L x 4.75" H x 4" D



Orient fixture horizontal or vertical, wall-mount only

STD. LAMP: 50W G9 Halogen 120V, lamp included.

LED: 5W Replaceable source, 120V, dimmable, 90+ CRI, 3000°K CCT, 450 lumens, 25,000 hours.

LOCATION: DAMP

Sconce: Vanity:



For latest product information, scan QR code

FIXTURE	DECOR	LAMPING OPTIONS	METAL FINISH
1WS Sconce	787307 Opal Matte	(blank) 50W G9 Hal	BR Bronze
2WS 2 Light	787319 Carrera	LED 5W LED 120V, dimmable	CR Chrome
3WS 3 Light	787399 Opal-Frost		SN Satin Nickel
4WS 4 Light	7873GL Glitter		
	78735T Stucco		

Ex. 3WS-787319-SN
Paolo Vanity w/ Carrera Glass,
Satin Nickel Finish

ELANA 26 / 38 / 50


SCONCES & VANITIES

Our Elana bath collection has a clean contemporary look, with a radiused satin white glass diffuser.




ELANA38-SW-CR
SATIN WHITE


Elana 26:



Elana 38:



Elana 50:



STD. LAMP: 60W A19, 120V, lamp not included, suitable for dimming.

LED: 9W Replaceable source, 120V, dimmable, 90+ CRI, 3000°K CCT, 800 lumens, 30,000 hours.

75°C supply wire required

LOCATION: DAMP



For latest product information, scan QR code

FIXTURE	DECOR	LAMP OPTIONS	METAL FINISH
ELANA26 26" Vanity	SW Satin White	(blank) 3x 60W A19 Incan LED 3x 9W LED 120V, dimmable	CR Chrome SN Satin Nickel

FIXTURE	DECOR	LAMP OPTIONS	METAL FINISH
ELANA38 38" Vanity	SW Satin White	(blank) 4x 60W A19 Incan LED 4x 9W LED 120V, dimmable	CR Chrome SN Satin Nickel

FIXTURE	DECOR	LAMP OPTIONS	METAL FINISH
ELANA50 50" Vanity	SW Satin White	(blank) 5x 60W A19 Incan LED 5x 9W LED 120V, dimmable	CR Chrome SN Satin Nickel

Ex. ELANA26-SW-CR

Elana 26 Vanity w/ Satin White Glass, Chrome Finish

This modern wall light offers flexible design potential for a variety of bath/vanity applications. Handcrafted half-cylinder Opal glass is enclosed, concealing the lightsource. Canopy plate has a simple, contemporary oval shape. Mount horizontal or vertical.



1WM-770107-SN
11.5" L x 4.875" H x 4.5" D



2WM-770107-SN
OPAL MATTE

2WM-770107-SN
24.25" L x 4.875" H x 5" D



3WM-770107-SN
37" L x 4.875" H x 5" D



STD. LAMP: 60W G9 Halogen
120V, lamp included.

LED: 5W Replaceable source,
120V, dimmable, 90+ CRI, 3000°K
CCT, 450 lumens, 25,000 hours.

LOCATION: DAMP



For latest product information, scan QR code

FIXTURE	DECOR	LAMPING OPTIONS	METAL FINISH
1WM 1 Light	770107 Opal Matte	(blank) 60W G9 Hal	BR Bronze
2WM 2 Light		LED 5W LED 120V, dimmable	CR Chrome
3WM 3 Light			SN Satin Nickel

Ex. 3WM-770107-SN
Baaz Vanity w/ Opal Glossy Glass,
Satin Nickel Finish

DARCI

This modern wall light offers flexible design potential for a variety of bath/vanity applications. Features open-ended Darci handcrafted glass in Opal. Canopy plate has a simple, contemporary oval shape. Mount horizontal or vertical.



1WM-272407-SN
11" L x 4.875" H x 3.75" D



2WM-272407-SN
OPAL MATTE

2WM-272407-SN
23.875" L x 4.875" H x 4.25" D



3WM-272407-SN
36.625" L x 4.875" H x 4.25" D



STD. LAMP: 60W G9 Halogen
120V, lamp included, suitable for dimming.

LED: 5W Replaceable source,
120V, dimmable, 90+ CRI, 3000°K
CCT, 450 lumens, 25,000 hours.

LOCATION: DAMP



For latest product information, scan QR code

FIXTURE	DECOR	LAMPING OPTIONS	METAL FINISH
1WM 1 Light	272407 Opal Matte	(blank) 60W G9 Hal	BR Bronze
2WM 2 Light		LED 5W LED 120V, dimmable	CR Chrome
3WM 3 Light			SN Satin Nickel

Ex. 3WM-272407-SN
Darci Vanity w/ Opal Matte Glass,
Satin Nickel Finish

JAMIE

Enclosed quarter-sphere Jamie is handcrafted Opal glass. Canopy plate is simple, contemporary oval. Orient upward or downward.



ADA
COMPLIANT



1WM-231807-BR
Opal Matte

1WM-231807-SN
11.875" L x 4.875" H x 5" D



2WM-231807-SN
24.625" L x 4.875" H x 5.375" D



3WM-231807-SN
37.5" L x 4.875" H x 5.375" D



STD. LAMP: 60W G9 Halogen
120V, lamp included.

LED: 5W Replaceable source,
120V, dimmable, 90+ CRI,
3000°K CCT, 450 lumens,
25,000 hours.

LOCATION: DAMP





For latest product
information, scan
QR code

FIXTURE	DECOR	LAMPING OPTIONS	METAL FINISH
1WM 1 Light	231807 Opal Matte	(blank) 60W G9 Hal	BR Bronze
2WM 2 Light		LED 5W LED 120V, dimmable	CR Chrome
3WM 3 Light			SN Satin Nickel

Ex. 3WM-231807-SN
Jamie Vanity w/ Opal Glossy Glass,
Satin Nickel Finish

AERO

The modern Aero wall light offers flexible design potential for a variety of bath/vanity applications. Shapely open-ended handcrafted glass in Opal Matte. Canopy plate is simple, contemporary oval. Mount horizontal or vertical.



1WM-2727ST-SN
STUCCO

1WM-272707-SN
11" L x 4.875" H x 4.375" D



2WM-272707-SN
23.875" L x 4.875" H x 4.875" D



3WM-272707-SN
36.625" L x 4.875" H x 4.875" D



STD. LAMP: 60W G9 Halogen
120V, lamp included, suitable for
dimming.

LED: 5W Replaceable source,
120V, dimmable, 90+ CRI, 3000°K
CCT, 450 lumens, 25,000 hours.

LOCATION: DAMP



For latest product
information, scan
QR code

FIXTURE	DECOR	LAMPING OPTIONS	METAL FINISH
1WM 1 Light	272707 Opal Matte	(blank) 60W G9 Hal	BR Bronze
2WM 2 Light	2727ST Stucco	LED 5W LED 120V, dimmable	CR Chrome
3WM 3 Light			SN Satin Nickel

Ex. 3WM-272707-SN
Aero Vanity w/ Opal Matte Glass,
Satin Nickel Finish

ALEX

Alex has a simple, contemporary design that features handcrafted Opal glass, available with flat glass trim. This modern wall light offers flexible design potential for a variety of bath/vanity decorating schemes. Mount horizontally or vertically.



ADA
COMPLIANT



3WS-773539-CR
OPAL/CLEAR



773507
OPAL MATTE



77355M
OPAL/SMOKE



7735TG
OPAL/ARMAGNAC



773592
OPAL/BLUE



773591
OPAL/AMETHYST

STD. LAMP: 50W G9 Halogen 120V, lamp included.

LED: 5W Replaceable source, 120V, dimmable, 90+ CRI, 3000°K CCT, 450 lumens, 25,000 hours.

LOCATION: DAMP


Scence:



Vanity:



For latest product information, scan QR code



2WS: 14.625" L x 6.3125" H x 3.75" D



ALEX FOILS

Alex has a simple, contemporary design that features handcrafted Opal glass, available with flat glass trim. This modern wall light offers flexible design potential for a variety of bath/vanity decorating schemes. Mount horizontally or vertically.



ADA

COMPLIANT



3WS-7735SF-CR
OPAL/SILVER FOIL



7735GF
GOLD FOIL

FIXTURE	DECOR	LAMPING OPTIONS	METAL FINISH
1WS Sconce	773507 Opal Matte	(blank) 50W G9 Hal	BR Bronze
2WS 2 Light	773539 Opal/Clear	LED 5W LED 120V,	CR Chrome
3WS 3 Light	773591 Opal/Amethyst	dimmmable	SN Satin Nickel
4WS 4 Light	773592 Opal/Blue		
	7735GF Opal/Gold Foil		
	7735SF Opal/Silver Foil		
	7735SM Opal/Smoke		
	7735TG Opal/Armagnac		

Ex. 3WS-773539-SN
Alex Vanity w/ Opal/Clear Glass,
Satin Nickel Finish

3WS: 22.5" L x 6.3125" H x 3.75" D



4WS: 30.375" L x 6.3125" H x 3.75" D



CIRO

Ciro's low-profile round shape is handcrafted Opal glass. This modern wall light offers flexible design potential for a variety of bath/vanity decorating schemes. Mount horizontally or vertically.

SCONCES & VANITIES



ADA
COMPLIANT



3WS-773807-CR
OPAL MATTE



1WS-773807-CR
OPAL MATTE

2WS: 14.625" L x 6.375" H x 3.5" D



3WS: 22.5" L x 6.375" H x 3.5" D



4WS: 30.375" L x 6.375" H x 3.5" D



Wall-mount only

STD. LAMP: 50W G9 Halogen 120V, lamp included.

LED: 5W Replaceable source, 120V, dimmable, 90+ CRI, 3000°K CCT, 450 lumens, 25,000 hours.

LOCATION: DAMP

Sconce: Vanity:



For latest product information, scan QR code

FIXTURE	DECOR	LAMPING OPTIONS	METAL FINISH
1WS Sconce	773807 Opal Matte	(blank) 50W G9 Hal	BR Bronze
2WS 2 Light		LED 5W LED 120V, dimmable	CR Chrome
3WS 3 Light			SN Satin Nickel
4WS 4 Light			

Ex. 3WS-773807-SN
Ciro Vanity w/ Opal Matte Glass, Satin Nickel Finish

Rise is a simple contemporary design of handcrafted cubed opal.



3WZ-449807-SN
OPAL MATTE


2WZ: 14.5" L x 6.5"H x 5.75"D



3WZ: 22.4375" L x 6.5"H x 5.75"D



4WZ: 30.3125" L x 6.5"H x 5.75"D



STD. LAMP: 60W A19 120V, *lamp not included*, suitable for dimming.

LED: 9W Replaceable source, 120V, dimmable, 90+ CRI, 3000°K CCT, 800 lumens, 30,000 hours.

LOCATION: DAMP

Sconce: Vanity:



For latest product information, scan QR code

FIXTURE	GLASS OPTIONS	LAMPING OPTIONS	METAL FINISH
1WZ Sconce	449807 Opal Matte	(blank) 60W A19 Incan	BR Bronze
2WZ 2 Light		LED 9W LED 120V, dimmable	CR Chrome
3WZ 3 Light			SN Satin Nickel
4WZ 4 Light			

Ex. 3WZ-449807-SN
Rise 3-Light Vanity w/ Opal Matte Glass, Satin Nickel Finish

BOLLA

The Bolla is a compact handcrafted glass, softly radiused to fit gracefully into contemporary spaces.

SCONCES & VANITIES



3WZ-412260-SN
COCOON



412207
OPAL MATTE



412280
AMBER MATTE



412219
CARRERA



4122HN
HONEY



412218
AMBER CLOUD



4122HB
HABANERO



412241
GARNET



4122MA
MAGMA



4122CE
CEYLON



412286
BLUE CLOUD

STD. LAMP: 60W A19 120V *not included*, suitable for dimming

LED: 9W Replaceable source, 120V, dimmable, 90+ CRI, 3000°K CCT, 900 lumens, 30,000 hours.

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp


LOCATION: DAMP

Sconce:



For latest product information, scan QR code

Vanity:



2WZ: 14.5" L x 6.875" H x 7" D



3WZ: 22.4375" L x 6.875" H x 7" D



4WZ: 30.3125" L x 6.875" H x 7" D



FIXTURE	GLASS OPTIONS	LAMPING OPTIONS	METAL FINISH	OPTIONS
1WZ Sconce	412207 Opal Matte	(blank) 60W A15 or A19	BR Bronze	LW Low Wattage labeling
2WZ 2 Light	412218 Amber Cloud	LED 9W LED 120V, dimmable	CR Chrome	
3WZ 3 Light	412219 Carrera		SN Satin Nickel	
4WZ 4 LigVht	412241 Garnet			
	412260 Cocoon			
	412280 Amber Matte			
	412286 Blue Cloud			
	4122CE Ceylon			
	4122HB Habanero			
	4122HN Honey			
	4122MA Magma			

Ex. 3WZ-412260-SN
Bolla 3-Light Vanity w/ Cocoon Glass, Satin Nickel Finish

SASHA

Sasha has a classical bell shape that complements aesthetic, while also built for optimal illumination.



3WZ-757219-SN
CARRERA



STD. LAMP: 60W A19 120V *not included*, suitable for dimming

LED: 9W Replaceable source, 120V, dimmable, 90+ CRI, 3000°K CCT, 900 lumens, 30,000 hours.

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp

LOCATION: DAMP

Sconce: Vanity:



For latest product information, scan QR code



2WZ: 14.5" L x 7.125" H x 7.125" D

3WZ: 22.4375" L x 7.125" H x 7.125" D

4WZ: 30.3125" L x 7.125" H x 7.125" D

FIXTURE	-	GLASS OPTIONS	-	LAMPING OPTIONS	-	METAL FINISH	-	OPTIONS	
1WZ	Sconce	757207	Opal Matte	(blank)	60W A15 or A19	BR	Bronze	LW	Low Wattage
2WZ	2 Light	757218	Amber Cloud	LED	9W LED 120V,	CR	Chrome		labeling
3WZ	3 Light	757219	Carrera		dimmable	SN	Satin Nickel		
4WZ	4 Light	757241	Garnet						
		757280	Amber Matte						
		757286	Blue Cloud						
		7572CE	Ceylon						
		7572HB	Habanero						
		7572HN	Honey						
		7572HV	Halva						
		7572MG	Marble Grigio						

Ex. 3WZ-757207-SN
Sasha 3-Light Vanity w/ Opal Matte Glass, Satin Nickel Finish

BUILD YOUR OWN SCONCE & VANITIES

STEP 1 SELECT A SCONCE OR VANITY

Each fixture includes 40W G9 Halogen lamp(s) and is dimmable with a standard incandescent dimmer. 5W LED lamp option also available.

LOCATION: DAMP


Sconce

1SW Series




Vanities


2SW Series



3SW Series



4SW Series



STEP 2 SELECT A SHADE AND DECOR

Mini Sconces and Vanities are available in 16 different glass collections. Each collection offers a myriad of handcrafted decors.

Example shown: Pahu 4 in Clear/Opal

C44007
CLEAR/OPAL



STEP 3 SELECT A METAL FINISH

Mini Sconces and Vanities are available in either Bronze, Chrome or Satin Nickel metal finishes.



BR
BRONZE



CR
CHROME



SN
SATIN NICKEL

STEP 4 COMBINE THE CODES FOR YOUR SCONCE OR VANITY

Example: 2SW-C44007-SN



Vanity Fixture:
2SW

+



Glass and Decor:
C44007

+



Metal Finish:
SN

=




2SW-C44007-SN

The Groove is a unique piece comprised of multiple segments of two-way mirrored glass.



3SW-6773MR-SN-SQ
MIRROR

*Shown with square canopy



6773MR
MIRROR

*Shown with square canopy

FIXTURE	GLASS OPTIONS	METAL FINISH	METAL FINISH - OPTIONS
1SW Sconce	6773MR Mirror	(blank) 40W G9 Hal	BR Bronze SQ Square
2SW 2 Light Vanity		LED 5W LED 120V, dimmable	CR Chrome Canopy
3SW 3 Light Vanity			SN Satin Nickel
4SW 4 Light Vanity			

* Please refer to pg. 226 to view sconce/vanity options

* LED is replaceable source, 90+ CRI, 3000°K CCT, 450 lumens, 25,000 hours.

Ex. 3SW-6773MR-SN
Groove 3-Light Vanity w/ Mirror Glass, Satin Nickel Finish




For latest product information, scan QR code

The Pahu is a distinctive double-glass pendant, with an inner opal cylinder centered within a transparent outer glass.



3SW-C44007-SN-SQ
CLEAR/OPAL

*Shown with square canopy



G44007 TRNAS. ARMAGNAC/OPAL S44007 TRANS. SMOKE/OPAL A44007 TRANS. AMETHYST/OPAL L44007 TRANS. OLIVE/OPAL

*Shown with square canopy

FIXTURE	GLASS OPTIONS	METAL FINISH	METAL FINISH - OPTIONS
1SW Sconce	A44007 Trans. Amethyst/Opal	(blank) 40W G9 Hal	BR Bronze SQ Square
2SW 2 Light Vanity	C44007 Clear/Opal	LED 5W LED 120V, dimmable	CR Chrome Canopy
3SW 3 Light Vanity	G44007 Trans. Armagnac/Opal		SN Satin Nickel
4SW 4 Light Vanity	L44007 Trans. Olive/Opal		
	S44007 Trans. Smoke/Opal		

* Please refer to pg. 226 to view sconce/vanity options

* LED is replaceable source, 90+ CRI, 3000°K CCT, 450 lumens, 25,000 hours.

Ex. 3SW-G44007-SN
Pahu 4 3-Light Vanity w/ Trans. Armagnac/Opal Glass, Satin Nickel Finish



For latest product information, scan QR code


SCONCES & VANITIES

PERI

The Peri is a compact handcrafted glass, softly radiused to fit gracefully into contemporary spaces.



3SW-541007-SN
OPAL MATTE



5410VM
VANILLA MATTE

541080
AMBER MATTE

541035
CHARTREUSE

541087
BLUE MATTE

FIXTURE	GLASS OPTIONS	METAL FINISH	METAL FINISH	OPTIONS
1SW Sconce	541007 Opal Matte	(blank) 40W G9 Hal	BR Bronze	SQ Square Canopy
2SW 2 Light Vanity	541035 Chartreuse	LED 5W LED 120V, dimmable	CR Chrome	
3SW 3 Light Vanity	541080 Amber Matte		SN Satin Nickel	
4SW 4 Light Vanity	541087 Blue Matte			
	5410VM Vanilla Matte			

* Please refer to pg. 226 to view sconce/vanity options

* LED is replaceable source, 90+ CRI, 3000°K CCT, 450 lumens, 25,000 hours.

Ex. 3SW-541007-SN
Peri 3-Light Vanity w/ Opal Matte Glass, Satin Nickel Finish

Sconce: Vanity:




For latest product information, scan QR code

LISSO

The Lasso is a wide yet compact handcrafted glass, with distinctive ridges, softly radiused to fit gracefully into contemporary spaces.



3SW-5612GL-SN
GLITTER



561207
OPAL MATTE



5612GD
GOLD GLITTER

FIXTURE	GLASS OPTIONS	METAL FINISH	METAL FINISH	OPTIONS
1SW Sconce	561207 Opal Matte	(blank) 40W G9 Hal	BR Bronze	SQ Square Canopy
2SW 2 Light Vanity	5612GD Gold Glitter	LED 5W LED 120V, dimmable	CR Chrome	
3SW 3 Light Vanity	5612GL Glitter		SN Satin Nickel	
4SW 4 Light Vanity				

* Please refer to pg. 226 to view sconce/vanity options

* LED is replaceable source, 90+ CRI, 3000°K CCT, 450 lumens, 25,000 hours.


Ex. 3SW-5612GL-SN
Lasso 3-Light Vanity w/ Glitter Glass, Satin Nickel Finish

Sconce: Vanity:




For latest product information, scan QR code

The Swirl features a wide cone-shaped glass, that demonstrates contemporary sensibilities.



3SW-550493-SN-SQ
DICRO SWIRL
**Shown with square canopy*



550493
DICRO SWIRL

FIXTURE	GLASS OPTIONS	METAL FINISH	METAL FINISH	OPTIONS
1SW Sconce	550493 Dicro Swirl	(blank) 40W G9 Hal	BR Bronze	SQ Square Canopy
2SW 2 Light Vanity		LED 5W LED 120V, dimmable	CR Chrome	
3SW 3 Light Vanity			SN Satin Nickel	
4SW 4 Light Vanity				

** Please refer to pg. 226 to view sconce/vanity options*

** LED is replaceable source, 90+ CRI, 3000°K CCT, 450 lumens, 25,000 hours.*

Ex. 3SW-550473-SN
Swirl 3-Light Vanity w/ Dicro Swirl Glass, Satin Nickel Finish

Sconce:



Vanity:




For latest product information, scan QR code

Copa is a timeless open cylinder of handcrafted glass, that demonstrates contemporary sensibilities.



3SW-440307-SN-SQ
OPAL MATTE
**Shown with square canopy*



440307
OPAL MATTE

**Shown with square canopy*

FIXTURE	GLASS OPTIONS	METAL FINISH	METAL FINISH	OPTIONS
1SW Sconce	440307 Opal Matte	(blank) 40W G9 Hal	BR Bronze	SQ Square Canopy
2SW 2 Light Vanity		LED 5W LED 120V, dimmable	CR Chrome	
3SW 3 Light Vanity			SN Satin Nickel	
4SW 4 Light Vanity				

** Please refer to pg. 226 to view sconce/vanity options*

** LED is replaceable source, 90+ CRI, 3000°K CCT, 450 lumens, 25,000 hours.*

Ex. 3SW-440307-SN
Copa 3 3-Light Vanity w/ Opal Matte Glass, Satin Nickel Finish

Sconce:



Vanity:



For latest product information, scan QR code


SCONCES & VANITIES

CANTO 5

Canto 5 features a tapered drum shape that fits beautifully in transitional spaces.



3SW-513107-SN-SQ
OPAL MATTE
**Shown with square canopy*



5131OP
BICOLOR ORANGE/PINA

5131GY
BICOLOR GREEN/YELLOW

5131SL
SOLARE

**Shown with square canopy*

FIXTURE	GLASS OPTIONS	METAL FINISH	METAL FINISH	OPTIONS
1SW Sconce	513107 Opal Matte	(blank) 40W G9 Hal	BR Bronze	SQ Square Canopy
2SW 2 Light Vanity	5131GY Bicolor Green/Yellow	LED 5W LED 120V, dimmable	CR Chrome	
3SW 3 Light Vanity	5131OP Bicolor Orange/Pina		SN Satin Nickel	
4SW 4 Light Vanity	5131SL Solare			

** Please refer to pg. 226 to view sconce/vanity options*

** LED is replaceable source, 90+ CRI, 3000°K CCT, 450 lumens, 25,000 hours.*

Ex. 3SW-513107-SN
Canto 5 3-Light Vanity w/ Opal Matte Glass, Satin Nickel Finish




For latest product information, scan QR code

KONA

The Kona features a wide cone-shaped glass, that demonstrates contemporary sensibilities.



3SW-282453-SN-SQ
WHITE STARPOINT
**Shown with square canopy*



117607
WHITE

117652
MARBLE

117681
SUNSET



117691
BI-COLOR

282890
MANGO STARPOINT

282484
BLUE STARPOINT

**Shown with square canopy*

FIXTURE	GLASS OPTIONS	METAL FINISH	METAL FINISH	OPTIONS
1SW Sconce	117607 White	(blank) 40W G9 Hal	BR Bronze	SQ Square Canopy
2SW 2 Light Vanity	117652 Marble	LED 5W LED 120V, dimmable	CR Chrome	
3SW 3 Light Vanity	117681 Sunset		SN Satin Nickel	
4SW 4 Light Vanity	117691 Bi-color			
	282453 White Starpoint			
	282484 Blue Starpoint			
	282490 Mango Starpoint			

** Please refer to pg. 226 to view sconce/vanity options*

** LED is replaceable source, 90+ CRI, 3000°K CCT, 450 lumens, 25,000 hours.*

Ex. 3SW-282453-SN
Kona 3-Light Vanity w/ White Starpoint Glass, Satin Nickel Finish




For latest product information, scan QR code

Nico 4 features a tapered drum shape that fits beautifully in transitional spaces.



3SW-5125OS-SN-SQ
OPAL STONE

*Shown with square canopy



5125GL
GLITTER STONE

512500
CLEAR STONE

5125SF
STONE SILVER FOIL



5125CF
STONE COPPER FOIL



5125GF
STONE GOLD FOIL

*Shown with square canopy

FIXTURE	GLASS OPTIONS	METAL FINISH	METAL FINISH	OPTIONS
1SW Sconce	512500 Clear Stone	(blank) 40W G9 Hal	BR Bronze	SQ Square Canopy
2SW 2 Light Vanity	5125CF Stone Copper Foil	LED 5W LED 120V, dimmable	CR Chrome	
3SW 3 Light Vanity	5125GF Stone Gold Foil		SN Satin Nickel	
4SW 4 Light Vanity	5125GL Glitter Stone			
	5125OS Opal Stone			
	5125SF Stone Silver Foil			

* LED is replaceable source, 90+ CRI, 3000°K CCT, 450 lumens, 25,000 hours.

* Please refer to pg. 226 to view sconce/vanity options

Ex. 3SW-5125OS-SN

Nico 4 3-Light Vanity w/ Opal Stone Glass, Satin Nickel Finish

Sconce:



For latest product information, scan QR code

Vanity:




The Hoppi features a wide cone-shaped glass, that demonstrates contemporary sensibilities.



3SW-191352-SN-SQ
MARBLE

*Shown with square canopy



181304
MARBLE/CLEAR

181305
MOCHA/CLEAR

191383
MOCHA

*Shown with square canopy

FIXTURE	GLASS OPTIONS	METAL FINISH	METAL FINISH	OPTIONS
1SW Sconce	181304 Marble/Clear	(blank) 40W G9 Hal	BR Bronze	SQ Square Canopy
2SW 2 Light Vanity	181305 Mocha/Clear	LED 3W LED 120V, dimmable	CR Chrome	
3SW 3 Light Vanity	191352 Marble		SN Satin Nickel	
4SW 4 Light Vanity	191383 Mocha			

* LED is replaceable source, 90+ CRI, 3000°K CCT, 300 lumens, 25,000 hours.

* Please refer to pg. 226 to view sconce/vanity options

Ex. 3SW-191352-SN

Hoppi 3-Light Vanity w/ Marble Glass, Satin Nickel Finish

Sconce:



For latest product information, scan QR code

Vanity:




CHOICE COLLECTION

SCONCES & VANITIES

DIVI



3SW-185819-SN
CARRERA



Sconce:

Vanity:


For latest product information, scan QR code



MIA



3SW-1779MG-SN
MARBLE GRIGIO



Sconce:

Vanity:


For latest product information, scan QR code



DOMI



3SW-174307-SN
WHITE



Sconce:

Vanity:

For latest product information, scan QR code



FIXTURE	SHADE OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
1SW Sconce	Choose from selection above	(blank) 40W G9 Hal	BR Bronze	SQ Square Canopy
2SW 2 Light Vanity		LED 5W LED 120V, dimmable	CR Chrome	
3SW 3 Light Vanity			SN Satin Nickel	
4SW 4 Light Vanity				

STD. LAMP: 60W G9 Halogen 120V, lamp included.

LED: 5W Replaceable source, 120V, dimmable, 90+ CRI, 3000°K CCT, 450 lumens, 25,000 hours.


LOCATION: DRY

Ex. 3SW-177919-SN
Mia Vanity with Carrera Glass,
Satin Nickel Finish

* Please refer to pg. 226 to view sconce/vanity options



3SW-4679KR-SN
CHALK



Sconce:



Vanity:



For latest product information, scan QR code



467907
WHITE



467983
MOCHA



46795L
SOLARE



4679TN
TITAN




4679OK
OAK



4679CH
CHERRY



3SW-565807-SN
OPAL MATTE



Sconce:



Vanity:



For latest product information, scan QR code



565819
CARRERA




5658MA
MAGMA



5658HB
HABANERO



3SW-560519-SN
CARRERA



Sconce:



Vanity:



For latest product information, scan QR code



560507
OPAL MATE



5605VM
VANILLA MATTE



560580
AMBER MATTE



560560
COCOON



5605HN
HONEY



560518
AMBER CLOUD



5605HB
HABANERO



560541
GARNET



5605MA
MAGMA



5605CE
CEYLON



560586
BLUE CLOUD

FIXTURE	SHADE OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
1SW Sconce	Choose from selection above	(blank) 40W G9 Hal	BR Bronze	SQ Square Canopy
2SW 2 Light Vanity		LED 5W LED 120V,	CR Chrome	
3SW 3 Light Vanity		dimmable	SN Satin Nickel	
4SW 4 Light Vanity				

* Please refer to pg. 226 to view sconce/vanity options

Ex. 3SW-560519-SN
Tay Tay Vanity with Carrera Glass,
Satin Nickel Finish

STD. LAMP: 60W G9 Halogen 120V, lamp included.

LED: 5W Replaceable source, 120V, dimmable, 90+ CRI, 3000°K CCT, 450 lumens, 25,000 hours.

LOCATION: DRY

OUTDOOR LUMINAIRES



Our Moto collection is built for outdoor use, but the design allows it to be equally attractive indoors.



ADA
COMPLIANT



MOTO13GR-WA-BR
GRID
*Shown in Bronze Finish




SQUARE
*Shown in Silver Finish




GRID
*Shown in Black Finish


Moto 8:



Moto 11:



Moto 13:



Metalworks Luminaires are assembled with sheet metal fabricated in the USA

Handcrafted Satin White Glass or White Acrylic

STD. LAMP: 60W E12, 120V, lamp not included.

LED: 5W source, 120V, dimmable, 80+ CRI, 3000°K CCT, 450 lumens, 25,000 hours, lamp included.

75°C supply wire required

LOCATION: WET



For latest product information, scan QR code

FIXTURE	DIFFUSER	LAMP OPTIONS	METAL FINISH
MOTO8GR Grid	SW Satin White Glass	(blank) 1x 60W E12 Incan	BK Black
MOTO8SQ Square	WA White Acrylic	LED 1x 5W LED	BR Bronze
			SL Silver

FIXTURE	DIFFUSER	LAMP OPTIONS	METAL FINISH
MOTO11GR Grid	SW Satin White Glass	(blank) 1x 60W E12 Incan	BK Black
MOTO11SQ Square	WA White Acrylic	LED 1x 5W LED	BR Bronze
			SL Silver

FIXTURE	DIFFUSER	LAMP OPTIONS	METAL FINISH
MOTO13GR Grid	SW Satin White Glass	(blank) 2x 60W E12 Incan	BK Black
MOTO13SQ Square	WA White Acrylic	LED 2x 5W LED	BR Bronze
			SL Silver


Ex. MOTO8GR-SW-SL
1 Lt. Moto 8 Grid Sconce w/ Satin White Glass, Silver Finish

BREE

Our Bree collection is built for outdoor use, but the handsome faceplate design allows it to be equally attractive indoors.

OUTDOOR METALWORKS

ADA
COMPLIANT



- OAH:**
Bree 11: 11.25" H
Bree 16: 16.25" H
Bree 26: 26.375" H
Bree 38: 38.25" H

Handcrafted Satin White (Bree11 and Bree16 ONLY)

STD. LAMP: 60W B10, 120V, lamp not included.

LED: 8W source, 120V, CL dimmable, 80+ CRI, 3000°K CCT, 800 lumens, 30,000 hours.

LED: 11W source, 120V, dimmable, 80+ CRI, 3000°K CCT, 1100 lumens, 30,000 hours. (For Bree 38)

75°C supply wire required

LOCATION: WET

Metalworks Luminaires are assembled with sheet metal fabricated in the USA.



For latest product information, scan QR code



SATIN WHITE
BREE 11

FIXTURE	-	DIFFUSER	-	LAMP OPTIONS	-	METAL FINISH
BREE11 Sconce	-	SW Satin White Glass	-	(blank) 1x 60W B10 Incan	-	BK Black
	-	WA White Acrylic	-	LED 1x 8W LED 120V, dimmable	-	BR Bronze
	-		-		-	SL Silver

FIXTURE	-	DIFFUSER	-	LAMP OPTIONS	-	METAL FINISH
BREE16 Sconce	-	SW Satin White Glass	-	(blank) 2x 60W B10 Incan	-	BK Black
	-	WA White Acrylic	-	LED 2x 8W LED 120V, dimmable	-	BR Bronze
	-		-		-	SL Silver

Ex. BREE16-WA-SL
 2 Lt. Bree 16 Sconce w/ White Acrylic Glass,
 Silver Finish

BREE

Our Bree collection is built for outdoor use, but the handsome faceplate design allows it to be equally attractive indoors.

ADA
COMPLIANT

OUTDOOR METALWORKS



SATIN WHITE
BREE 16
**Shown in Bronze Finish*



WHITE ACRYLIC
BREE 26
**Shown in Black Finish*



WHITE ACRYLIC
BREE 38


FIXTURE	-	DIFFUSER	-	LAMP OPTIONS	-	METAL FINISH
BREE26	Sconce	WA	White Acrylic	(blank) 3x 60W B10 Incan LED 3x 8W LED 120V, dimmable	-	BK Black BR Bronze SL Silver

FIXTURE	-	DIFFUSER	-	LAMP OPTIONS	-	METAL FINISH
BREE38	Sconce	WA	White Acrylic	(blank) 3x 60W B10 Incan LED 3x 11W LED 120V, dimmable	-	BK Black BR Bronze SL Silver

Ex. BREE38-WA-SL
3 Lt. Bree 38 Sconce w/ White Acrylic,
Silver Finish

SCALA

Our Scala collection is built for outdoor use, but the handsome faceplate design allows it to be equally attractive indoors.



OAH:
Scala 13: 12.75" H
Scala 20: 19.75" H
Scala 28: 27.25" H
Scala 40: 40.125" H

Metalworks Luminaires are assembled with sheet metal fabricated in the USA.

Handcrafted Satin White (Scala13 and Scala 20 ONLY)

STD. LAMP: 60W A19, 120V, lamp not included.

LED: 8W source, 120V, CL dimmable, 90+ CRI, 3000°K CCT, 800 lumens, 30,000 hours.

LED: 11W source, 120V, dimmable, 80+ CRI, 3000°K CCT, 1100 lumens, 30,000 hours. (For Scala 40)

75°C supply wire required

LOCATION: WET



For latest product information, scan QR code



SATIN WHITE
SCALA 13

**Shown in Bronze Finish*

FIXTURE	-	DIFFUSER	-	LAMP OPTIONS	-	METAL FINISH
SCALA13 Sconce	-	SW Satin White Glass WA White Acrylic	-	(blank) 1x 60W A19 Incan LED 1x 8W LED 120V, dimmable	-	BK Black BR Bronze SL Silver

FIXTURE	-	DIFFUSER	-	LAMP OPTIONS	-	METAL FINISH
SCALA20 Sconce	-	SW Satin White Glass WA White Acrylic	-	(blank) 2x 60W A19 Incan LED 2x 8W LED 120V, dimmable	-	BK Black BR Bronze SL Silver

Ex. SCALA13-GL-SL
 1 Lt. Scala 13 Sconce w/ Glitter Glass,
 Silver Finish

SCALA

Our Scala collection is built for outdoor use, but the handsome faceplate design allows it to be equally attractive indoors.



SATIN WHITE GLASS
SCALA 20



WHITE ACRYLIC
SCALA 28



WHITE ACRYLIC
SCALA 40

**Shown in Black Finish*

FIXTURE	DIFFUSER	LAMP OPTIONS	METAL FINISH
SCALA28 Sconce	WA White Acrylic	(blank) 3x 60W A19 Incan LED 3x 8W LED 120V, dimmable	BK Black BR Bronze SL Silver

FIXTURE	DIFFUSER	LAMP OPTIONS	METAL FINISH
SCALA40 Sconce	WA White Acrylic	(blank) 3x 60W A19 Incan LED 3x 11W LED 120V, dimmable	BK Black BR Bronze SL Silver

Ex. SCALA28-SW-SL
3 Lt. Scala 28 Sconce w/ White Acrylic,
Silver Finish

NAPOLI

Our Napoli collection is built for outdoor use, but the handsome faceplate design allows it to be equally attractive indoors.



ADA

COMPLIANT




WHITE ACRYLIC
NAPOLI 11



WHITE ACRYLIC
NAPOLI 16
**Shown in Bronze Finish*



WHITE ACRYLIC
NAPOLI 26
**Shown in Black Finish*



OAH:
Napoli 11: 11.25" H
Napoli 16: 16.25" H
Napoli 26: 26.375" H

Metalworks Luminaires are assembled with sheet metal fabricated in the USA.

Handcrafted Satin White (NAPOLI11 and NAPOLI16 ONLY)

STD. LAMP: 60W B10, 120V, lamp not included.

LED: 8W source, 120V, CL dimmable, 90+ CRI, 3000°K CCT, 800 lumens, 30,000 hours.

75°C supply wire required

LOCATION: WET



For latest product information, scan QR code

FIXTURE	DIFFUSER	LAMP OPTIONS	METAL FINISH
NAPOLI11 Sconce	SW Satin White Glass	(blank) 1x 60W B10 Incan	BK Black
	WA White Acrylic	LED 1x 8W LED 120V, dimmable	BR Bronze SL Silver

FIXTURE	DIFFUSER	LAMP OPTIONS	METAL FINISH
NAPOLI16 Sconce	SW Satin White Glass	(blank) 2x 60W B10 Incan	BK Black
	WA White Acrylic	LED 2x 8W LED 120V, dimmable	BR Bronze SL Silver

FIXTURE	DIFFUSER	LAMP OPTIONS	METAL FINISH
NAPOLI26 Sconce	WA White Acrylic	(blank) 3x 60W B10 Incan	BK Black
		LED 3x 8W LED 120V, dimmable	BR Bronze SL Silver

Ex. NAPOLI26-WA-SL
 3 Lt. Napoli 26 Sconce w/ White Acrylic, Silver Finish

EPSADA 16

The Espada 16 outdoor sconce is composed of a powder coated bracket and clear/black blown glass diffuser, with an interesting bubble pattern throughout the clear glass.




2NW-ESPADA16-BK
CLEAR BUBBLE/BLACK



2NW-ESPADA16-SL
CLEAR BUBBLE/SILVER



2NW-ESPADA16-BR
CLEAR BUBBLE/BRONZE



STD LAMP: 60W A15 120V, lamp not included.

LED: 5W source, 120V, CL dimmable, 90+ CRI, 3000°K CCT, 550 lumens, 30,000 hours, lamp included.

LOCATION: WET



For latest product information, scan QR code

FIXTURE	GLASS OPTIONS	LAMP OPTIONS	METAL FINISH
2NW 1 Lt. Sconce	ESPADA16 Clear Bubble	(blank) 2x 60W A15 Incan LED 2x 5W LED	BK Black BR Bronze SL Silver

Ex. 2NW-ESPADA16-SL
Espada 16 Sconce, Opal Matte Shade, Silver Finish

BILLOW 15

The Billow 15 outdoor sconce is composed of a finished mounting bracket and opal blown glass diffuser, with matching painted side panels.



ADA
COMPLIANT




BILLOW15-BR
OPAL MATTE/BRONZE



BILLOW15-SL
OPAL MATTE/SILVER



BILLOW15-BK
OPAL MATTE/BLACK



STD LAMP: 60W A19 120V, lamp not included.

LED: 8W source, CL dimmable, 90+ CRI, 3000°K CCT, 800 lumens, 30,000 hours.

LOCATION: WET



For latest product information, scan QR code

FIXTURE	LAMP OPTIONS	FINISH
BILLOW15 Opal Matte	(blank) 2x 60 A19 Incan LED 2x 8W LED	BK Black BR Bronze SL Silver

Ex. BILLOW15-BK
Billow 15 Outdoor Sconce,
Black

Sail wall sconce features contemporary glass hand-formed into the faceplate. Use indoors or out.



ADA


COMPLIANT



SAIL17BB-SL
BUBBLE/SILVER



SAIL17SM-BK
SMOKE BUBBLE/BLACK



Wall-mount only

Sail features decorative faceplate and aluminum fitter

STD LAMPS: 40W Medium-base B10 120V, *lamp not included, suitable for dimming.*

EDIL: 5W Replaceable LED Filament lamp, dimmable, *lamp included. (For Bubble only)*

75°C supply wire required

LOCATION: WET



For latest product information, scan QR code

FIXTURE	LAMP OPTIONS	METAL FINISH
SAIL17BB Bubble glass w/ decorative faceplate	(blank) 2x 40W B10 Incan EDIL 2x 5W LED Filament (For Bubble Only)	BR Bronze BK Black SL Silver
SAIL17SW Opal glass w/ decorative faceplate		
SAIL17SM Smoke Bubble glass w/ decorative faceplate		

Ex. SAIL17SW-BR
Sail 17 Sconce w/ Opal Glass with Bronze Faceplate,

SULU

The Sulu is a transitional design composed of a transparent radiused cone-shaped glass, with a bottom clear point and an interesting bubble pattern blown randomly throughout the glass.



SULUAM
AMBER BUBBLE




SULUCL
CLEAR BUBBLE



SULUSM
SMOKE BUBBLE



SULUBL
BLUE BUBBLE



May be used in either upward or downward orientation in indoor applications, downward only for outdoor.

Wall mount only

LAMP: 60W T10 120V, lamp not included.

EDI: 40W Edison S-style lamp, lamp included.

EDIL: 4W Replaceable LED Filament T-shape lamp, 120V, dimmable, lamp included.

LED: 4W Replaceable 120V LED GU10, dimmable, 82+ CRI, 3000°K CCT, 240 lumens, 25,000 hours, lamp included.

LOCATION: WET



For latest product information, scan QR code

FIXTURE/DECOR

SULUAM-WALL Amber Bubble
SULUBL-WALL Blue Bubble
SULUCL-WALL Clear Bubble
SULUSM-WALL Smoke Bubble

LAMP OPTIONS

(blank) 60 W T10 Incan
EDI 40W Edison
EDIL 4W LED Filament
LED 4W LED

METAL FINISH

BK Black
SL Silver
WH White

Ex. SULUAM-WALL-BK
 Sulu Sconce w/ Amber Bubble Glass, Black Finish

BLINK

The Blink is a transitional design composed of a closed-bottom cylinder glass, with a clear bottom portion that is separated from the transcolor top by an interesting cut ellipse through the center.

OUTDOOR SCONCES



BLINKSM
SMOKE/CLEAR




BLINKCL
CLEAR



BLINKAM
AMBER/CLEAR



BLINKBL
BLUE/CLEAR



May be used in either upward or downward orientation in indoor applications, downward only for outdoor.

Wall mount only

LAMP: 60W T10 120V, lamp not included.

EDI: 40W Edison S-style lamp, lamp included.

EDIL: 4W Replaceable LED Filament T-shape lamp, 120V, dimmable, lamp included.

LED: 4W Replaceable 120V LED GU10, dimmable, 82+ CRI, 3000°K CCT, 240 lumens, 25,000 hours, lamp included.

LOCATION: WET



For latest product information, scan QR code

FIXTURE/DECOR	LAMP OPTIONS	METAL FINISH
BLINKAM-WALL Amber/Clear	(blank) 60W T10 Incan	BK Black
BLINKBL-WALL Blue/Clear	EDI 40W Edison	SL Silver
BLINKCL-WALL Clear	EDIL 5W LED Filament	WH White
BLINKSM-WALL Smoke/Clear	LED 4W LED	

Ex. BLINKAM-WALL-BK
Blink Sconce w/ Smoke/Clear Glass, Black Finish

SULTANA

OUTDOOR SCONCES

Our industrial styled Sultana LED sconce is composed of a black aluminum bracket and artistic display of rounded woven metal rods. The concealed direct light source results in dazzling effects, both on the wireform and adjacent surfaces.



FLARE
*Shown with LED Filament (EDIL) lamping option and Silver finish (SL)




CYLINDER
*Shown with White finish (WH) and LED lamping option




GLOBE
*Shown with LED lamping option


Sultana C:



Sultana F:



Sultana G:



May be used in either upward or downward orientation in indoor applications, downward only for outdoor.

STD. LAMP: 40W T8 120V, lamp not included.

LED: 4W Replaceable 120V LED, 82+ CRI, 3000°K CCT, 240 lumens, 25,000 hours, lamp included.

EDI: 40W Edison S-style lamp, lamp not included.

EDIL: 4W Replaceable LED Filament T9 lamp, lamp included.

LOCATION: WET



For latest product information, scan QR code

FIXTURE	SHAPE	WALL	LAMP OPTIONS	FINISH
SULTANA Sultana	C Cylinder	WALL Wall Mount	(blank) 60WT8	BK Black
	F Flare		EDI 40W Edison	SL Silver
	G Globe		EDIL 4W LED Filament	WH White
			LED 4W LED	

Ex. SULTANA-G-WALL-BK
Sultana Globe Sconce, Black Finish

The Juni sconce is composed of a black aluminum bracket and glass cylinder, with an interesting bubble pattern blown randomly throughout the glass.



JUNI16BL
BLUE BUBBLE

*Shown with LED lamping option



JUNI10CL
CLEAR BUBBLE

*Shown with White Finish (WH)



MOSS BUBBLE



GOLD BUBBLE




LATTE BUBBLE




PLUM BUBBLE

Juni 10:



Juni 16:



May be used in either upward or downward orientation in indoor applications, downward only for outdoor.

Wall mount only

LAMP: 60W T10 120V, lamp not included.

LED: 4W Replaceable 120V LED GU10, dimmable, 82+ CRI, 3000°K CCT, 240 lumens, 25,000 hours, lamp included.

EDI: 40W Edison S-style lamp, lamp included.

EDIL: 4W Replaceable T-shape LED Filament lamp, 120V, dimmable, lamp included.

LOCATION: WET



For latest product information, scan QR code

FIXTURE/DECOR

JUNI10BL-WALL	10" Blue Bubble
JUNI10CL-WALL	10" Clear Bubble
JUNI10GD-WALL	10" Gold Bubble
JUNI10LT-WALL	10" Latte Bubble
JUNI10MS-WALL	10" Moss Bubble
JUNI10PL-WALL	10" Plum Bubble
JUNI16BL-WALL	16" Blue Bubble
JUNI16CL-WALL	16" Clear Bubble
JUNI16GD-WALL	16" Gold Bubble
JUNI16LT-WALL	16" Latte Bubble
JUNI16MS-WALL	16" Moss Bubble
JUNI16PL-WALL	16" Plum Bubble

LAMP OPTIONS

(blank)	60W T10 Incan
LED	4W LED
EDI	40W Edison
EDIL	4W LED Filament

METAL FINISH

BK	Black
SL	Silver
WH	White

Ex. JUNI10GD-WALL-BK
Juni 10 Sconce w/ Gold Bubble Glass, Black Finish

BARCLAY 18 / 22

Barclay wall sconces features contemporary Opal glass with a decorative faceplate.



3NW-BARC22-SL
OPAL MATTE/SILVER



2NW-BARC18-BR
OPAL MATTE/BRONZE



2NW-BARC18-BK
OPAL MATTE/BLACK

Closed-ended handcrafted glass

Wall-mount only

STD LAMPS: 40W Medium-base B10 120V, lamp not included, suitable for dimming.

LED: 5W source, 120V, CL dimmable, 90+ CRI, 3000°K CCT, 550 lumens, 30,000 hours.


75°C supply wire required

LOCATION: WET




For latest product information, scan QR code

Barclay 18: #BARC18



Barclay 22: #BARC22



FIXTURE	DECOR	LAMP OPTIONS	METAL FINISH
2NW 18"H	BARC18 Opal Matte	(blank) 2x 40W B10 Incan LED 1x 5W LED 120V	BR Bronze BK Black SL Silver

FIXTURE	DECOR	LAMP OPTIONS	METAL FINISH
3NW 22"H	BARC22 Opal Matte	(blank) 3x 40W B10 Incan LED 2x 5W LED 120V	BR Bronze BK Black SL Silver

Ex. 3NW-BARC22-SL
3 Lt. Baaz 18 Sconce w/ Opal Matte Glass, Silver Finish


This modern wall light offers flexible design potential for a variety of outdoor or indoor uses. Handcrafted half-cylinder Opal glass is enclosed, concealing the lightsource.




3NW-786007-SL
OPAL MATTE

2NW-770207-SL
OPAL MATTE

Baaz 16: #7702



Baaz 20: #7860



Closed-ended handcrafted glass

Wall-mount only

STD LAMPS: 40W Medium-base B10 120V, lamp not included, suitable for dimming.

LED: 5W source, 120V, CL dimmable, 90+ CRI, 3000°K CCT, 550 lumens, 30,000 hours.

75°C supply wire required

LOCATION: WET



For latest product information, scan QR code

FIXTURE	DECOR	LAMP OPTIONS	METAL FINISH
2NW 15.75" H	770207 Opal Matte	(blank) 2x 40W B10 Incan LED 1x 5W LED 120V	BR Bronze BK Black SL Silver

FIXTURE	DECOR	LAMP OPTIONS	METAL FINISH
3NW 19.75" H	786007 Opal Matte	(blank) 3x 40W B10 Incan LED 2x 5W LED 120V	BR Bronze BK Black SL Silver

Ex. 3NW-786007-SL

3 Lt. Baaz 18 Sconce w/ Opal Matte Glass, Silver Finish

LIDO


Lido is a simple, contemporary wall sconce featuring handcrafted Opal glass. Use indoors or out.



ADA
COMPLIANT



888607
OPAL MATTE



STD LAMPS: 60W A19 120V, lamp not included, suitable for dimming.

LED: 8W Replaceable source, 120V, CL dimmable, 90+ CRI, 3000°K CCT, 800 lumens, 30,000 hours.

75°C supply wire required

LOCATION: WET



For latest product information, scan QR code

FIXTURE	LAMP OPTIONS
888607 8.5"H Opal Matte	(blank) 1x 60W A19 Incan LED 1x 8W LED 120V, dimmable

Ex. 888607
Lido Sconce w/ Opal Matte Glass, White Finish

TINO 13 / 18

Contemporary Tino sconce features tapered vertical handcrafted glass.




2NW-780407-SL
OPAL MATTE



3NW-780552-SL
MARBLE

Tino 13: #7804



Tino 18: #7805



Closed-ended handcrafted glass

Wall-mount only

STD. LAMP: 40W Medium-base B10 120V, lamp not included, suitable for dimming.

LED: 5W source, 120V, CL dimmable, 90+ CRI, 3000°K CCT, 550 lumens, 30,000 hours.

75°C supply wire required

LOCATION: WET



For latest product information, scan QR code

FIXTURE	DECOR	LAMP OPTIONS	METAL FINISH
2NW 13.25"H	780407 Opal Matte 780452 Marble	(blank) 2x 40W B10 Incan LED 1x 5W LED 120V	BR Bronze BK Black SL Silver

FIXTURE	DECOR	LAMP OPTIONS	METAL FINISH
3NW 18.5"H	780507 Opal Matte 780552 Marble	(blank) 3x 40W B10 Incan LED 2x 5W LED 120V	BR Bronze BK Black SL Silver

Ex. 3NW-780552-SL
3 Lt. Tino 18 Sconce w/ Marble Glass, Silver Finish

Geo is a simple, contemporary wall sconce featuring handcrafted Opal glass. Use indoors or out.



ADA
COMPLIANT




888307
OPAL MATTE



888407
OPAL MATTE

Geo 9: #8884



Wall-mount only (Ceiling versions: Pg. 144)

STD LAMPS: A19 120V, lamp not included, suitable for dimming.

LED: 8W source, 120V, CL dimmable, 90+ CRI, 3000°K CCT, 800 lumens, 30,000 hours.

75°C supply wire required

LOCATION: WET



For latest product information, scan QR code


FIXTURE	LAMP OPTIONS
888407 9" H Opal Matte	(blank) 1x 60W A19 Incan LED 1x 8W LED 120V, dimmable

FIXTURE	LAMP OPTIONS
888307 11.0" H Opal Matte	(blank) 2x 60W A19 Incan LED 2x 8W LED 120V, dimmable

Ex. 888307

Geo 11 Sconce w/ Opal Matte Glass, White Finish

Geo 11: #8883



PRISMO 10 / 16

OUTDOOR SCONCES

Prismo features clear glass with frosted panels that cross the traditional/contemporary divide. Use indoors or out.




304604
FROST/CLEAR




304504
FROST/CLEAR

Prismo 10: #3045



Prismo 16: #3046



Orient horizontal or vertical, wall-mount only

STD LAMPS: 60W A19 120V, lamp not included, suitable for dimming.

LED: 8W source, 120V, CL dimmable, 90+ CRI, 3000°K CCT, 800 lumens, 30,000 hours.

75°C supply wire required

LOCATION: WET



For latest product information, scan QR code

FIXTURE	LAMP OPTIONS
304504 10.5" H Frost/Clear	(blank) 1x 60W A19 Incan LED 1x 8W LED 120V, dimmable

FIXTURE	LAMP OPTIONS
304604 16" H Frost/Clear	(blank) 2x 60W A19 Incan LED 2x 8W LED 120V, dimmable

Ex. 304604
2 Lt. Prismo 16 Sconce w/ Frost/Clear Glass, White Finish

QUATRO 10

Quatro is a quarter sphere sconce, equally at home indoors or out. Enclosed top conceals the light source.


OUTDOOR SCONCES



235552
MARBLE



235507
OPAL MATTE



Handcrafted glass diffuser enclosed on top to conceal lamp if viewed from above.

STD LAMPS: A19 120V, lamp not included, suitable for dimming.

LED: 8W source, 120V, CL dimmable, 90+ CRI, 3000°K CCT, 800 lumens, 30,000 hours.

75°C supply wire required

LOCATION: WET



For latest product information, scan QR code

FIXTURE

235507 Opal Matte
235552 Marble

LAMP OPTIONS

(blank) 1x 75W A19 Incan
LED 1x 8W LED 120V, dimmable

Ex. 235552

1 Lt. Quatro 10 Sconce w/ Marble Glass, White Finish

CIRRUS


Lovely, contemporary Cirrus wall sconce features handcrafted Opal glass. Use indoors or out. Enclosed top conceals the light source.

ADA

COMPLIANT



297107
Opal Matte



STD LAMPS: 75W A19 120V, lamp not included, suitable for dimming.

LED: 8W source, 120V, CL dimmable, 90+ CRI, 3000°K CCT, 800 lumens, 30,000 hours.

75°C supply wire required

LOCATION: WET



For latest product information, scan QR code

FIXTURE

297107 Opal Matte

LAMP OPTIONS

(blank) 1x 75W A19 Incan
LED 1x 8W LED 120V, dimmable

Ex. 297107

1 Lt. Cirrus Sconce w/ Opal Matte Glass, White Finish



BESA LIGHTING

6695 Taylor Rd. Blacklick, OH 43004
tel (614) 762-8900 (800) 446-2372 fax (614) 762-8901

BESALIGHTING.COM FACEBOOK.COM/BESALIGHTING

Every effort has been made to ensure the accuracy of the information contained within this catalog. We regret any errors, oversights or omissions.

We reserve the right to make any corrections without liability.

Besa Lighting reserves the right to make design changes without prior notice. In the event that design changes are required (in order to comply with regulatory, safety laboratory requirements or due to availability of supplies), Besa assumes no responsibility for the previous design of the modified items should that previous design become unusable or obsolete.

Receipt or possession of this catalog does not constitute an agreement to sell.

All orders between buyer and seller (Besa Lighting Co., Inc.) shall be governed by and construed in accordance with the laws of the State of Ohio, applicable to contracts made and to be performed in that state.

All of the products, images, designs, layouts and text in this catalog are considered the unique intellectual property of Besa Lighting Co., Inc. and are protected by U.S. and international law. Many of the designs shown herein are patented or patent pending. Design infringement will not be tolerated and violators will be prosecuted to the fullest extent of the law.