



**LED FILAMENT
LAMPS**



LED A15, A19 FILAMENT LAMPS



Features:

- 90 CRI
- 40-100W replacements
- High lumens & efficiency
- Clear and soft white options
- 4 CCT options
- Approved for enclosed fixtures ^
- Dimmable
- Long life

Applications:

- Residential
- Hospitality
- Commercial
- Retail
- Display



LED A15 FILAMENT LAMPS 40W, 60W REPLACEMENTS




A15 FR



A15 SW



A15 CL



Item	Description	W	V	Bulb Shape	Base	Finish	CCT	Lm	CRI	MOL (in.)	MOD (in.)	Life (hrs.)	UPC	Pack	
40 Watt Replacement															
S12400	5A15/CL/LED/927/120V	5	120	A15	E26	CL	2700K	450	90	3.39	1.89	15K	045923124006	24/6	
S12401	5A15/CL/LED/930/120V	5	120	A15	E26	CL	3000K	450	90	3.39	1.89	15K	045923124013	24/6	
S12402	5A15/CL/LED/940/120V	5	120	A15	E26	CL	4000K	450	90	3.39	1.89	15K	045923124020	24/6	
S12403	5A15/CL/LED/950/120V	5	120	A15	E26	CL	5000K	450	90	3.39	1.89	15K	045923124037	24/6	
S12404	5A15/SW/LED/927/120V	5	120	A15	E26	SW	2700K	450	90	3.39	1.89	15K	045923124044	24/6	
S12405	5A15/SW/LED/930/120V	5	120	A15	E26	SW	3000K	450	90	3.39	1.89	15K	045923124051	24/6	
40 Watt Replacement-Carded															
S21871	5.5A15/CL/LED/927/E12/2CD	5.5	120	A15	E12	CL	2700K	450	90	3.43	1.85	15K	045923218712	2/CD	
S21872**	5.5A15/CL/LED/927/E17/2CD	5.5	120	A15	E17	CL	2700K	450	90	3.43	1.85	15K	045923218729	2/CD	
S21873	5.5A15/CL/LED/927/E26/2CD	5.5	120	A15	E26	CL	2700K	450	90	3.39	1.85	15K	045923218736	2/CD	
S21874	5.5A15/FR/LED/927/E26/2CD	5.5	120	A15	E26	FR	2700K	450	90	3.39	1.85	15K	045923218743	2/CD	
60 Watt Replacement															
S12406	8.2A15/CL/LED/930/120V	8.2	120	A15	E26	CL	3000K	800	90	3.39	1.89	15K	045923124068	24/6	
S12407	8.2A15/SW/LED/930/120V	8.2	120	A15	E26	SW	3000K	800	90	3.39	1.89	15K	045923124075	24/6	

^ See warranty for details at www.satco.com


LED A19 FILAMENT LAMPS 40W, 60W REPLACEMENTS



A19 SW



A19 CL



Beam Angle: 320°

Item	Description	W	V	Bulb Shape	Base	Finish	CCT	Lm	CRI	MOL (in.)	MOD (in.)	Life (hrs.)	UPC	Pack
40W Replacement														
S12408	5A19/CL/LED/927/120V	5	120	A19	E26	CL	2700K	450	90	4.02	2.36	15K	045923124082	24/6
S12409	5A19/CL/LED/930/120V	5	120	A19	E26	CL	3000K	450	90	4.02	2.36	15K	045923124099	24/6
S12410	5A19/CL/LED/940/120V	5	120	A19	E26	CL	4000K	450	90	4.02	2.36	15K	045923124105	24/6
S12411	5A19/CL/LED/950/120V	5	120	A19	E26	CL	5000K	450	90	4.02	2.36	15K	045923124112	24/6
S12412	5A19/SW/LED/927/120V	5	120	A19	E26	SW	2700K	450	90	4.02	2.36	15K	045923124129	24/6
S12413	5A19/SW/LED/930/120V	5	120	A19	E26	SW	3000K	450	90	4.02	2.36	15K	045923124136	24/6
Multi-Pack														
S12460	5A19/CL/LED/927/4PK/120V	5	120	A19	E26	CL	2700K	450	90	4.33	2.36	15K	045923124600	12-4pk
S12461	5A19/CL/LED/930/4PK/120V	5	120	A19	E26	CL	3000K	450	90	4.33	2.36	15K	045923124617	12-4pk

^ See warranty for details at www.satco.com

Product sheet SA2690




A19 FR



A19 CL



A19 SLV



+Beam Angle: 320°

Item	Description	W	V	Bulb Shape	Base	Finish	CCT	Lm	CRI	MOL (in.)	MOD (in.)	Life (hrs.)	UPC	Pack
60 Watt Replacement														
S39879	8A19/CL/LED/927/120V	8	120	A19	E26	CL	2700K	800	90	4.13	2.38	15K	045923398797	24/6
S12414	8A19/CL/LED/927/120V	8	120	A19	E26	CL	2700K	800	90	4.02	2.36	15K	045923124143	24/6
S12415	8A19/CL/LED/930/120V	8	120	A19	E26	CL	3000K	800	90	4.02	2.36	15K	045923124150	24/6
S12416	8A19/CL/LED/935/120V	8	120	A19	E26	CL	3500K	800	90	4.02	2.36	15K	045923124167	24/6
S12417	8A19/CL/LED/940/120V	8	120	A19	E26	CL	4000K	800	90	4.02	2.36	15K	045923124174	24/6
S12418	8A19/CL/LED/950/120V	8	120	A19	E26	CL	5000K	800	90	4.02	2.36	15K	045923124181	24/6
S12419	8.2A19/SW/LED/927/120V	8.2	120	A19	E26	SW	2700K	800	90	4.02	2.36	15K	045923124198	24/6
S12420	8.2A19/SW/LED/930/120V	8.2	120	A19	E26	SW	3000K	800	90	4.02	2.36	15K	045923124204	24/6
S12421	6A19/SLV/LED/927/120V	6	120	A19	E26	SLVR CRWN	2700K	650	90	4.02	2.36	15K	045923124211	24/6
S11355	8A19/CL/LED/930/120V	8	120	A19	E26	CL	3000K	800	90	4.30	2.36	15K	045923113550	24/6
S11356	8A19/SW/LED/927/120V	8	120	A19	E26	SW	2700K	800	90	4.30	2.36	15K	045923113567	24/6
Multi-Pack														
S12462	8A19/CL/LED/927/4PK/120V	8	120	A19	E26	CL	2700K	800	90	4.33	2.36	15K	045923124624	12-4 Pks
S12463	8A19/CL/LED/930/4PK/120V	8	120	A19	E26	CL	3000K	800	90	4.33	2.36	15K	045923124631	12-4 Pks
S12464	8A19/CL/LED/940/4PK/120V	8	120	A19	E26	CL	4000K	800	90	4.33	2.36	15K	045923124648	12-4 Pks
S12465	8A19/CL/LED/950/4PK/120V	8	120	A19	E26	CL	5000K	800	90	4.33	2.36	15K	045923124655	12-4 Pks
S12466	8A19/SW/LED/927/4PK/120V	8	120	A19	E26	SW	2700K	800	90	4.33	2.36	15K	045923124662	12-4 Pks
S12467	8A19/SW/LED/930/4PK/120V	8	120	A19	E26	SW	3000K	800	90	4.33	2.36	15K	045923124679	12-4 Pks

^ See warranty for details at www.satco.com. +Silver crown are 180° beam angle. ■T24/JA8. ••Not Energy Star


Product sheet SA2690

LED A19 FILAMENT LAMPS 75W, 100W REPLACEMENTS



A19 SW

A19 CL



Beam Angle: 320°

Efficiency Standards
JAB T24
California Title 24
Residential and
Non-Residential
Compliant
Efficiency Standards
T20
California Title 20
Residential and
Non-Residential
Compliant
DAMP LOCATION
WET LOCATION
ENCLOSED FIXTURE
DIMMABLE
90 CRI
UL US
ENERGY STAR

Item	Description	W	V	Bulb Shape	Base	Finish	CCT	Lm	CRI	MOL (in.)	MOD (in.)	Life (hrs.)	UPC	Pack
75W Replacement														
S12422	10.5A19/CL/LED/927/120V	10.5	120	A19	E26	CL	2700K	1100	90	4.02	2.36	15K	045923124228	24/6
S12423	10.5A19/CL/LED/930/120V	10.5	120	A19	E26	CL	3000K	1100	90	4.02	2.36	15K	045923124235	24/6
S12424	10.5A19/CL/LED/940/120V	10.5	120	A19	E26	CL	4000K	1100	90	4.02	2.36	15K	045923124242	24/6
S12425	10.5A19/CL/LED/950/120V	10.5	120	A19	E26	CL	5000K	1100	90	4.02	2.36	15K	045923124259	24/6
S12426	11A19/SW/LED/927/120V	11	120	A19	E26	SW	2700K	1100	90	4.02	2.36	15K	045923124266	24/6
S12427	11A19/SW/LED/930/120V	11	120	A19	E26	SW	3000K	1100	90	4.02	2.36	15K	045923124273	24/6
S12428	11A19/SW/LED/940/120V	11	120	A19	E26	SW	4000K	1100	90	4.02	2.36	15K	045923124280	24/6
S11357i	11A19/CL/LED/927/120V	11	120	A19	E26	CL	2700K	1100	90	4.30	2.36	15K	045923113574	24/6
S11358i	11A19/CL/LED/930/120V	11	120	A19	E26	CL	3000K	1100	90	4.30	2.36	15K	045923113581	24/6
S11359i	11A19/SW/LED/927/120V	11	120	A19	E26	SW	2700K	1100	90	4.30	2.36	15K	045923113598	24/6
Multi-Pack														
S12436*	10.5A19/CL/LED/927/120V/4PK	10.5	120	A19	E26	CL	2700K	1100	90	4.02	2.36	15K	045923124365	12-4pks
S12437*	10.5A19/CL/LED/930/120V/4PK	10.5	120	A19	E26	CL	3000K	1100	90	4.02	2.36	15K	045923124372	12-4pks
S12438*	11A19/SW/LED/927/120V/4PK	11	120	A19	E26	SW	2700K	1100	90	4.02	2.36	15K	045923124389	12-4pks
S12439*	11A19/SW/LED/930/120V/4PK	11	120	A19	E26	SW	3000K	1100	90	4.02	2.36	15K	045923124396	12-4pks


See warranty for details at www.satco.com

Product sheet SA2690



A19 SW

A19 CL



Beam Angle: 320°

Efficiency Standards
JAB T24
California Title 24
Residential and
Non-Residential
Compliant
Efficiency Standards
T20
California Title 20
Residential and
Non-Residential
Compliant
DAMP LOCATION
WET LOCATION
ENCLOSED FIXTURE
DIMMABLE
90 CRI
UL US
ENERGY STAR

Item	Description	W	V	Bulb Shape	Base	Finish	CCT	Lm	CRI	MOL (in.)	MOD (in.)	Life (hrs.)	UPC	Pack
100W Replacement														
S12429**	12.5A19/CL/LED/927/120V	12.5	120	A19	E26	CL	2700K	1500	90	4.41	2.36	15K	045923124297	24/6
S12430**	12.5A19/CL/LED/930/120V	12.5	120	A19	E26	CL	3000K	1500	90	4.41	2.36	15K	045923124303	24/6
S12431**	12.5A19/CL/LED/940/120V	12.5	120	A19	E26	CL	4000K	1500	90	4.41	2.36	15K	045923124310	24/6
S12432**	12.5A19/CL/LED/950/120V	12.5	120	A19	E26	CL	5000K	1500	90	4.41	2.36	15K	045923124327	24/6
S12433**	13.5A19/SW/LED/927/120V	13.5	120	A19	E26	SW	2700K	1500	90	4.41	2.36	15K	045923124334	24/6
S12434**	13.5A19/SW/LED/930/120V	13.5	120	A19	E26	SW	3000K	1500	90	4.41	2.36	15K	045923124341	24/6
S12435**	13.5A19/SW/LED/940/120V	13.5	120	A19	E26	SW	4000K	1500	90	4.41	2.36	15K	045923124358	24/6
S11360i	14A21/CL/LED/927/120V	14	120	A21	E26	CL	2700K	1600	90	5.00	2.76	15K	045923113604	24/6
S11361i	14A21/CL/LED/930/120V	14	120	A21	E26	CL	3000K	1600	90	5.00	2.76	15K	045923113611	24/6
S11362i	14A21/SW/LED/927/120V	14	120	A21	E26	SW	2700K	1600	90	5.00	2.76	15K	045923113628	24/6
Multi-Pack														
S12442**	12.5A19/CL/LED/927/120V/4PK	12.5	120	A19	E26	CL	2700K	1500	90	4.41	2.36	15K	045923124426	12-4pks
S12443**	12.5A19/CL/LED/930/120V/4PK	12.5	120	A19	E26	CL	3000K	1500	90	4.41	2.36	15K	045923124433	12-4pks
S12440**	13.5A19/FR/LED/927/120V/4PK	13.5	120	A19	E26	SW	2700K	1500	90	4.41	2.36	15K	045923124402	12-4pks
S12441**	13.5A19/FR/LED/930/120V/4PK	13.5	120	A19	E26	SW	3000K	1500	90	4.41	2.36	15K	045923124419	12-4pks

^ See warranty for details at www.satco.com. ■ T24/JA8. **Not Energy Star

Product sheet SA2690

RESIDENTIAL AND COMMERCIAL HIGH LUMEN FILAMENT LAMPS



Features:

- Replaces up to 200W incandescent
- Improved lumens per watt—higher efficiency
- LED Filament and glass envelope construction
- Dimmable*
- Wet location
- T20 Compliant†
- 3 year warranty



RESIDENTIAL AND COMMERCIAL HIGH LUMEN FILAMENT LAMPS



Item	Description	W	Bulb Shape	V	Base	Finish	CCT	Lumens	CRI	Life/Hrs.	MOL (in.)	UPC	Pack
125 Watt Replacement													
S12444**	17A21/FR/LED/E26/930/120V	17	A21	120	E26	FR	3000	2000	90	15,000	5.2	045923124440	24/12
S12445**	17A21/FR/LED/E26/940/120V	17	A21	120	E26	FR	4000	2000	90	15,000	5.2	045923124457	24/12
S12446**	17A21/FR/LED/E26/950/120V	17	A21	120	E26	FR	5000	2000	90	15,000	5.2	045923124464	24/12
150 Watt Replacement													
S12447*	18.5A21/FR/LED/E26/830/120V	18.5	A21	120	E26	FR	3000	2610	80	15,000	5.2	045923124471	24/12
S12448*	18.5A21/FR/LED/E26/840/120V	18.5	A21	120	E26	FR	4000	2610	80	15,000	5.2	045923124488	24/12
S12449*	18.5A21/FR/LED/E26/850/120V	18.5	A21	120	E26	FR	5000	2610	80	15,000	5.2	045923124495	24/12
200 Watt Replacement													
S12450	21A23/FR/LED/E26/830/120V/ND	21	A23	120	E26	FR	3000	2900	80	15,000	5.6	045923124501	24/12
S12451	21A23/FR/LED/E26/840/120V/ND	21	A23	120	E26	FR	4000	2900	80	15,000	5.6	045923124518	24/12
S12452	21A23/FR/LED/E26/850/120V/ND	21	A23	120	E26	FR	5000	2900	80	15,000	5.6	045923124525	24/12

DECORATIVE LED FILAMENT LAMPS



Features:

- LED with a traditional incandescent look and feel
- Omni-directional light source
- Dimmable
- Wet location
- Approved for totally enclosed fixtures ^
- c-UL-us or c-ETL-us listed
- CEC T20
- ENERGY STAR certified
- 3 year warranty



LED FILAMENT LAMPS GLOBES - G16½



G16½ WH
E12




G16½ CL
E12



G16½ CL
E26



G16½ WH
E26



Beam Angle: 300°-320°



Item	Description	W	V	Bulb Shape	Base	Finish	CCT	Lm	CRI	MOL (in.)	MOD (in.)	Life (hrs.)	UPC	Pack	
25 Watt Replacement E12															
S21200••	3G16.5/LED/CL/927/120V/E12	3	120	G16.5	E12	CL	2700K	200	90	3.11	1.97	15K	045923205156	24/6	
S21201••	3G16.5/LED/CL/940/120V/E12	3	120	G16.5	E12	CL	4000K	200	90	3.11	1.97	15K	045923205163	24/6	
S21202••	3G16.5/LED/WH/927/120V/E12	3	120	G16.5	E12	WH	2700K	200	90	3.11	1.97	15K	045923205170	24/6	
S21203••	3G16.5/LED/WH/940/120V/E12	3	120	G16.5	E12	WH	4000K	200	90	3.11	1.97	15K	045923205187	24/6	
40 Watt Replacement E12															
S21204	4G16.5/LED/CL/927/120V/E12	4	120	G16.5	E12	CL	2700K	350	90	3.11	1.97	15K	045923205194	24/6	
S21205	4G16.5/LED/CL/930/120V/E12	4	120	G16.5	E12	CL	3000K	350	90	3.11	1.97	15K	045923205200	24/6	
S21206	4G16.5/LED/CL/940/120V/E12	4	120	G16.5	E12	CL	4000K	350	90	3.11	1.97	15K	045923205217	24/6	
S21207	4.5G16.5/LED/WH/927/120V/E12	4.5	120	G16.5	E12	WH	2700K	350	90	3.11	1.97	15K	045923205224	24/6	
S21208	4.5G16.5/LED/WH/940/120V/E12	4.5	120	G16.5	E12	WH	4000K	350	90	3.11	1.97	15K	045923205231	24/6	
40 Watt Replacement E12-Carded															
S21810	4G16.5/LED/CL/927/120V/E12/2CD	4	120	G16.5	E12	CL	2700K	350	90	3.11	1.97	15K	045923218101	2/CD	
S21811	4G16.5/LED/CL/930/120V/E12/2CD	4	120	G16.5	E12	CL	3000K	350	90	3.11	1.97	15K	045923218118	2/CD	
S21812	4.5G16.5/LED/WH/927/120V/E12/2CD	4.5	120	G16.5	E12	WH	2700K	350	90	3.11	1.97	15K	045923218125	2/CD	
40 Watt Replacement E26															
S21215	4G16.5/LED/CL/927/120V/E26	4	120	G16.5	E26	CL	2700K	350	90	3.11	1.97	15K	045923205309	24/6	
S21216	4G16.5/LED/CL/930/120V/E26	4	120	G16.5	E26	CL	3000K	350	90	3.11	1.97	15K	045923205316	24/6	
S21217	4G16.5/LED/CL/940/120V/E26	4	120	G16.5	E26	CL	4000K	350	90	3.11	1.97	15K	045923205323	24/6	
S21218	4.5G16.5/LED/WH/927/120V/E26	4.5	120	G16.5	E26	WH	2700K	350	90	3.11	1.97	15K	045923205330	24/6	
S21219	4.5G16.5/LED/WH/940/120V/E26	4.5	120	G16.5	E26	WH	4000K	350	90	3.11	1.97	15K	045923205347	24/6	
40 Watt Replacement E26-Carded															
S21815	4G16.5/LED/CL/927/120V/E26/2CD	4	120	G16.5	E26	CL	2700K	350	90	3.11	1.97	15K	045923218156	2/CD	
S21816	4.5G16.5/LED/WH/927/120V/E26/2CD	4.5	120	G16.5	E26	WH	2700K	350	90	3.11	1.97	15K	045923218163	2/CD	
60 Watt Replacement E12															
S21209	5.5G16.5/LED/CL/927/120V/E12	5.5	120	G16.5	E12	CL	2700K	500	90	3.11	1.97	15K	045923205248	24/6	
S21210	5.5G16.5/LED/CL/930/120V/E12	5.5	120	G16.5	E12	CL	3000K	500	90	3.11	1.97	15K	045923205255	24/6	
S21211	5.5G16.5/LED/CL/940/120V/E12	5.5	120	G16.5	E12	CL	4000K	500	90	3.11	1.97	15K	045923205262	24/6	
S21212	5.5G16.5/LED/WH/927/120V/E12	5.5	120	G16.5	E12	WH	2700K	500	90	3.11	1.97	15K	045923205279	24/6	
S21213	5.5G16.5/LED/WH/930/120V/E12	5.5	120	G16.5	E12	WH	3000K	500	90	3.11	1.97	15K	045923205286	24/6	
S21214	5.5G16.5/LED/WH/940/120V/E12	5.5	120	G16.5	E12	WH	4000K	500	90	3.11	1.97	15K	045923205293	24/6	
60 Watt Replacement E12-Carded															
S21813	5.5G16.5/LED/CL/927/120V/E12/2CD	5.5	120	G16.5	E12	CL	2700K	500	90	3.11	1.97	15K	045923218132	2/CD	
S21814	5.5G16.5/LED/WH/927/120V/E12/2CD	5.5	120	G16.5	E12	WH	2700K	500	90	3.11	1.97	15K	045923218149	2/CD	
60 Watt Replacement E26															
S21220	5.5G16.5/LED/CL/927/120V/E26	5.5	120	G16.5	E26	CL	2700K	500	90	3.11	1.97	15K	045923205354	24/6	
S21221	5.5G16.5/LED/CL/930/120V/E26	5.5	120	G16.5	E26	CL	3000K	500	90	3.11	1.97	15K	045923205361	24/6	
S21222	5.5G16.5/LED/CL/940/120V/E26	5.5	120	G16.5	E26	CL	4000K	500	90	3.11	1.97	15K	045923205378	24/6	
S21223	5.5G16.5/LED/WH/927/120V/E26	5.5	120	G16.5	E26	WH	2700K	500	90	3.11	1.97	15K	045923205385	24/6	
S21224	5.5G16.5/LED/WH/930/120V/E26	5.5	120	G16.5	E26	WH	3000K	500	90	3.11	1.97	15K	045923205392	24/6	
S21225	5.5G16.5/LED/WH/940/120V/E26	5.5	120	G16.5	E26	WH	4000K	500	90	3.11	1.97	15K	045923205408	24/6	

^ See warranty for details at www.satco.com. ••Not Energy Star

LED FILAMENT LAMPS GLOBES - G25 40W & 60W REPLACEMENTS

Features:

- LED with a traditional incandescent look and feel
- Omni-directional light source
- Dimmable
- Wet location
- Approved for totally enclosed fixtures[^]
- c-UL-us or c-ETL-us listed
- CEC T20
- ENERGY STAR certified
- 3 year warranty



G25 Clear

G25 White

G25 Silver Crown



Item	Description	W	V	Bulb Shape	Base	Finish	CCT	Lm	CRI	MOL (in.)	MOD (in.)	Life (hrs.)	UPC	Pack
40 Watt Replacement														
S21226	4.5G25/LED/CL/927/120V	4.5	120	G25	E26	CL	2700K	350	90	4.45	3.15	15K	045923205415	24/6
S21227	4.5G25/LED/CL/930/120V	4.5	120	G25	E26	CL	3000K	350	90	4.45	3.15	15K	045923205422	24/6
S21228	4.5G25/LED/CL/940/120V	4.5	120	G25	E26	CL	4000K	350	90	4.45	3.15	15K	045923205439	24/6
S21229	4.5G25/LED/CL/950/120V	4.5	120	G25	E26	CL	5000K	350	90	4.45	3.15	15K	045923205446	24/6
S21230	4.5G25/LED/WH/927/120V	4.5	120	G25	E26	WH	2700K	350	90	4.45	3.15	15K	045923205453	24/6
S21231	4.5G25/LED/WH/930/120V	4.5	120	G25	E26	WH	3000K	350	90	4.45	3.15	15K	045923205460	24/6
S21232	4.5G25/LED/WH/940/120V	4.5	120	G25	E26	WH	4000K	350	90	4.45	3.15	15K	045923205477	24/6
S21233	4.5G25/LED/WH/950/120V	4.5	120	G25	E26	WH	5000K	350	90	4.45	3.15	15K	045923205484	24/6
S9828 • •	4.5G25/SLV/LED/827/120V	4.5	120	G25	E26	SLVR CRWN	2700K	450	80	4.45	3.15	15K	045923098284	24/6
Multi-Pack														
S21242	4.5G25/LED/CL/927/120V/2PK	4.5	120	G25	E26	CL	2700K	350	90	4.45	3.15	15K	045923205576	24/2pks
S21243	4.5G25/LED/CL/930/120V/2PK	4.5	120	G25	E26	CL	3000K	350	90	4.45	3.15	15K	045923205583	24/2pks
S21244	4.5G25/LED/WH/927/120V/2PK	4.5	120	G25	E26	WH	2700K	350	90	4.45	3.15	15K	045923205590	24/2pks
60 Watt Replacement														
S29878 †	5.5G25/LED/CL/927/120V	5.5	120	G25	E26	CL	2700K	500	90	4.45	3.15	15K	045923298783	24/6
S21234	6G25/LED/CL/927/120V	6	120	G25	E26	CL	2700K	500	90	4.45	3.15	15K	045923205491	24/6
S21235	6G25/LED/CL/930/120V	6	120	G25	E26	CL	3000K	500	90	4.45	3.15	15K	045923205507	24/6
S21236	6G25/LED/CL/940/120V	6	120	G25	E26	CL	4000K	500	90	4.45	3.15	15K	045923205514	24/6
S21237	6G25/LED/CL/950/120V	6	120	G25	E26	CL	5000K	500	90	4.45	3.15	15K	045923205521	24/6
S21238	6G25/LED/WH/927/120V	6	120	G25	E26	WH	2700K	500	90	4.45	3.15	15K	045923205538	24/6
S21239	6G25/LED/WH/930/120V	6	120	G25	E26	WH	3000K	500	90	4.45	3.15	15K	045923205545	24/6
S21240	6G25/LED/WH/940/120V	6	120	G25	E26	WH	4000K	500	90	4.45	3.15	15K	045923205552	24/6
S21241	6G25/LED/WH/950/120V	6	120	G25	E26	WH	5000K	500	90	4.45	3.15	15K	045923205569	24/6
Multi-Pack														
S21245	6G25/LED/CL/927/120V/2PK	6	120	G25	E26	CL	2700K	500	90	4.45	3.15	15K	045923205606	24/2pks
S21246	6G25/LED/CL/930/120V/2PK	6	120	G25	E26	CL	3000K	500	90	4.45	3.15	15K	045923205613	24/2pks
S21247	6G25/LED/WH/927/120V/2PK	6	120	G25	E26	WH	2700K	500	90	4.45	3.15	15K	045923205620	24/2pks

[^] See warranty for details at www.satco.com. †Damp Rated. •Not T20. ••Not Energy Star

LED FILAMENT LAMPS GLOBES - G25 40W & 60W REPLACEMENTS


Features:

- LED with a traditional incandescent look and feel
- Omni-directional light source
- Dimmable
- Wet location
- Approved for totally enclosed fixtures[^]
- c-UL-us or c-ETL-us listed
- CEC T20
- ENERGY STAR certified
- 3 year warranty



G40 Clear

G40 White



Beam Angle: 300°-320°



Item	Description	W	V	Bulb Shape	Base	Finish	CCT	Lm	CRI	MOL (in.)	MOD (in.)	Life (hrs.)	UPC	Pack
40 Watt Replacement														
S21248	4G40/CL/LED/E26/927/120V	4	120	G40	E26	CL	2700K	350	90	6.54	4.88	15K	045923205637	24/6
S21249	4G40/CL/LED/E26/940/120V	4	120	G40	E26	CL	4000K	350	90	6.54	4.88	15K	045923205644	24/6
S21250	4.5G40/WH/LED/E26/927/120V	4.5	120	G40	E26	WH	2700K	350	90	6.54	4.88	15K	045923205651	24/6
S21251	4.5G40/WH/LED/E26/940/120V	4.5	120	G40	E26	WH	4000K	350	90	6.54	4.88	15K	045923205668	24/6
60 Watt Replacement														
S21252	6G40/CL/LED/E26/927/120V	6	120	G40	E26	CL	2700K	500	90	6.54	4.88	15K	045923205675	24/6
S21253	6G40/CL/LED/E26/930/120V	6	120	G40	E26	CL	3000K	500	90	6.54	4.88	15K	045923205682	24/6
S21254	6G40/CL/LED/E26/940/120V	6	120	G40	E26	CL	4000K	500	90	6.54	4.88	15K	045923205699	24/6
S21255	6G40/WH/LED/E26/927/120V	6	120	G40	E26	WH	2700K	500	90	6.54	4.88	15K	045923205705	24/6
S21256	6G40/WH/LED/E26/930/120V	6	120	G40	E26	WH	3000K	500	90	6.54	4.88	15K	045923205712	24/6
S21257	6G40/WH/LED/E26/940/120V	6	120	G40	E26	WH	4000K	500	90	6.54	4.88	15K	045923205729	24/6
100 Watt Replacement														
S21258**	8G40/CL/LED/E26/930/120V	8	120	G40	E26	CL	3000K	800	90	6.54	4.88	15K	045923205736	24/6
S21259**	8G40/CL/LED/E26/940/120V	8	120	G40	E26	CL	4000K	800	90	6.54	4.88	15K	045923205743	24/6
S21260	8G40/WH/LED/E26/930/120V	8	120	G40	E26	WH	3000K	800	90	6.54	4.88	15K	045923205750	24/6
S21261	8G40/WH/LED/E26/940/120V	8	120	G40	E26	WH	4000K	800	90	6.54	4.88	15K	045923205767	24/6

[^] See warranty for details at www.satco.com

LED FILAMENT LAMPS DECORATIVE - CANDELABRA BASE/TORPEDO SHAPE




Features:

- High lumen decorative lamps
- Filament style LED with a traditional incandescent look and feel
- Omni-directional light source
- Dimmable
- Wet location
- Approved for totally enclosed fixtures ^
- c-UL-us or c-ETL-us listed
- CEC T20
- ENERGY STAR certified
- 3 year warranty



LED FILAMENT LAMPS DECORATIVE - CANDELABRA BASE/TORPEDO SHAPE



B11 Clear

B11 Frost

Beam Angle: 320°



Item	Description	W	V	Bulb Shape	Base	Finish	CCT	Lm	CRI	MOL(in.)	MOD(in.)	Life(hrs.)	UPC	Pack
25 Watt Replacement														
S21262	3B11/LED/927/CL/120V/E12	3	120	B11	E12	CL	2700K	200	90	3.97	1.38	15K	045923205774	24/6
S21263	3B11/LED/927/FR/120V/E12	3	120	B11	E12	FR	2700K	200	90	3.97	1.38	15K	045923205781	24/6
25 Watt Replacement E12-Carded														
S21817	3B11/LED/927/CL/120V/E12/2CD	3	120	B11	E12	CL	2700K	200	90	3.97	1.38	15K	045923218170	2/CD
S21818	3B11/LED/927/FR/120V/E12/2CD	3	120	B11	E12	FR	2700K	200	90	3.97	1.38	15K	045923218187	2/CD
40 Watt Replacement														
S21264	4B11/LED/927/CL/120V/E12	4	120	B11	E12	CL	2700K	350	90	3.97	1.38	15K	045923205798	24/6
S21265	4B11/LED/930/CL/120V/E12	4	120	B11	E12	CL	3000K	350	90	3.97	1.38	15K	045923205804	24/6
S21266	4B11/LED/935/CL/120V/E12	4	120	B11	E12	CL	3500K	350	90	3.97	1.38	15K	045923205811	24/6
S21267	4B11/LED/940/CL/120V/E12	4	120	B11	E12	CL	4000K	350	90	3.97	1.38	15K	045923205828	24/6
S21268	4B11/LED/950/CL/120V/E12	4	120	B11	E12	CL	5000K	350	90	3.97	1.38	15K	045923205835	24/6
S21269	4B11/LED/927/FR/120V/E12	4	120	B11	E12	FR	2700K	350	90	3.97	1.38	15K	045923205842	24/6
S21270	4B11/LED/930/FR/120V/E12	4	120	B11	E12	FR	3000K	350	90	3.97	1.38	15K	045923205859	24/6
S21271	4B11/LED/940/FR/120V/E12	4	120	B11	E12	FR	4000K	350	90	3.97	1.38	15K	045923205866	24/6
S21272	4B11/LED/950/FR/120V/E12	4	120	B11	E12	FR	5000K	350	90	3.97	1.38	15K	045923205873	24/6
S29877**	4.5B11/LED/927/CL/120V/E12	4.5	120	B11	E12	CL	2700K	350	90	3.97	1.38	15K	045923298776	24/6
Multi-Pack-Box														
S21366	4B11/LED/927/CL/120V/E12/3PK	4	120	B11	E12	CL	2700K	350	90	3.97	1.38	15K	045923206733	24/3pks
S21367	4B11/LED/930/CL/120V/E12/3PK	4	120	B11	E12	CL	3000K	350	90	3.97	1.38	15K	045923206740	24/3pks
40 Watt Replacement E12-Carded														
S21819	4B11/LED/927/CL/120V/E12/2CD	4	120	B11	E12	CL	2700K	350	90	3.97	1.38	15K	045923218194	2/CD
S21820	4B11/LED/930/CL/120V/E12/2CD	4	120	B11	E12	CL	3000K	350	90	3.97	1.38	15K	045923218200	2/CD
S21821	4B11/LED/930/CL/120V/E12/4CD	4	120	B11	E12	CL	3000K	350	90	3.97	1.38	15K	045923218217	4/CD
S21822	4B11/LED/950/CL/120V/E12/2CD	4	120	B11	E12	CL	5000K	350	90	3.97	1.38	15K	045923218224	2/CD
S21823	4B11/LED/927/FR/120V/E12/2CD	4	120	B11	E12	FR	2700K	350	90	3.97	1.38	15K	045923218231	2/CD
S21824	4B11/LED/930/FR/120V/E12/2CD	4	120	B11	E12	FR	3000K	350	90	3.97	1.38	15K	045923218248	2/CD
S21825	4B11/LED/930/FR/120V/E12/4CD	4	120	B11	E12	FR	3000K	350	90	3.97	1.38	15K	045923218255	4/CD
S21826	4B11/LED/950/FR/120V/E12/2CD	4	120	B11	E12	FR	5000K	350	90	3.97	1.38	15K	045923218262	2/CD
60 Watt Replacement														
S21273	5.5B11/LED/927/CL/120V/E12	5.5	120	B11	E12	CL	2700K	500	90	3.97	1.38	15K	045923205880	24/6
S21274	5.5B11/LED/930/CL/120V/E12	5.5	120	B11	E12	CL	3000K	500	90	3.97	1.38	15K	045923205897	24/6
S21275	5.5B11/LED/935/CL/120V/E12	5.5	120	B11	E12	CL	3500K	500	90	3.97	1.38	15K	045923205903	24/6
S21276	5.5B11/LED/940/CL/120V/E12	5.5	120	B11	E12	CL	4000K	500	90	3.97	1.38	15K	045923205910	24/6
S21277	5.5B11/LED/950/CL/120V/E12	5.5	120	B11	E12	CL	5000K	500	90	3.97	1.38	15K	045923205927	24/6
S21278	5.5B11/LED/927/FR/120V/E12	5.5	120	B11	E12	FR	2700K	500	90	3.97	1.38	15K	045923205934	24/6
S21279	5.5B11/LED/930/FR/120V/E12	5.5	120	B11	E12	FR	3000K	500	90	3.97	1.38	15K	045923205941	24/6
S21280	5.5B11/LED/940/FR/120V/E12	5.5	120	B11	E12	FR	4000K	500	90	3.97	1.38	15K	045923205958	24/6
S21281	5.5B11/LED/950/FR/120V/E12	5.5	120	B11	E12	FR	5000K	500	90	3.97	1.38	15K	045923205965	24/6
60 Watt Replacement E12-Carded														
S21827	5.5B11/LED/927/CL/120V/E12/2CD	5.5	120	B11	E12	CL	2700K	500	90	3.97	1.38	15K	045923218279	2/CD
S21828	5.5B11/LED/930/CL/120V/E12/2CD	5.5	120	B11	E12	CL	3000K	500	90	3.97	1.38	15K	045923218286	2/CD
S21829	5.5B11/LED/950/CL/120V/E12/2CD	5.5	120	B11	E12	CL	5000K	500	90	3.97	1.38	15K	045923218295	2/CD
S21830	5.5B11/LED/927/FR/120V/E12/2CD	5.5	120	B11	E12	FR	2700K	500	90	3.97	1.38	15K	045923218309	2/CD
S21831	5.5B11/LED/950/FR/120V/E12/2CD	5.5	120	B11	E12	FR	5000K	500	90	3.97	1.38	15K	045923218316	2/CD
75 Watt Replacement														
S11383**	8W/CTC/LED/927/120V/E12	8	120	C11	E12	CL	2700K	760	90	3.86	1.38	15K	045923113833	24/6
S11384**	8W/CTF/LED/927/120V/E12	8	120	C11	E12	FR	2700K	760	90	3.86	1.38	15K	045923113840	24/6
S11385**	8W/CTC/LED/930/120V/E12	8	120	C11	E12	CL	3000K	760	90	3.86	1.38	15K	045923113857	24/6

^ See warranty for details at www.satco.com. **Not Energy Star

LED FILAMENT LAMPS DECORATIVE - MEDIUM BASE/TORPEDO



Features:

- LED with a traditional incandescent look and feel
- Omni-directional light source
- Dimmable
- Wet location
- Approved for totally enclosed fixtures ^
- c-UL-us or c-ETL-us listed
- CEC T20
- ENERGY STAR certified
- 3 year warranty




LED FILAMENT LAMPS DECORATIVE - MEDIUM BASE/TORPEDO



B11 Clear



B11 Frost



Beam Angle: 300°



Item	Description	W	V	Bulb Shape	Base	Finish	CCT	Lm	CRI	MOL (in.)	MOD (in.)	Life (hrs.)	UPC	Pack
25 Watt Replacement														
S21282	3B11/LED/927/CL/120V/E26	3	120	B11	E26	CL	2700K	250	90	3.58	1.38	15K	045923205972	24/6
S21283	3B11/LED/927/FR/120V/E26	3	120	B11	E26	FR	2700K	250	90	3.58	1.38	15K	045923205989	24/6
25 Watt Replacement E26-Carded														
S21832	3B11/LED/927/CL/120V/E26/2CD	3	120	B11	E26	CL	2700K	250	90	3.58	1.38	15K	045923218323	2/CD
S21833	3B11/LED/927/FR/120V/E26/2CD	3	120	B11	E26	FR	2700K	250	90	3.58	1.38	15K	045923218330	2/CD
40 Watt Replacement														
S21284	4B11/LED/927/CL/120V/E26	4	120	B11	E26	CL	2700K	350	90	3.58	1.38	15K	045923205996	24/6
S21285	4B11/LED/930/CL/120V/E26	4	120	B11	E26	CL	3000K	350	90	3.58	1.38	15K	045923206009	24/6
S21286	4B11/LED/940/CL/120V/E26	4	120	B11	E26	CL	4000K	350	90	3.58	1.38	15K	045923206016	24/6
S21287	4B11/LED/927/FR/120V/E26	4	120	B11	E26	FR	2700K	350	90	3.58	1.38	15K	045923206023	24/6
S21288	4B11/LED/930/FR/120V/E26	4	120	B11	E26	FR	3000K	350	90	3.58	1.38	15K	045923206030	24/6
S21289	4B11/LED/940/FR/120V/E26	4	120	B11	E26	FR	4000K	350	90	3.58	1.38	15K	045923206047	24/6
Multi-Pack														
S21368	4B11/LED/927/CL/120V/E26/3PK	4	120	B11	E26	CL	2700K	350	90	3.58	1.38	15K	045923206757	24/3pks
S21369	4B11/LED/930/CL/120V/E26/3PK	4	120	B11	E26	CL	3000K	350	90	3.58	1.38	15K	045923206764	24/3pks
S21834	4B11/LED/927/CL/120V/E26/2CD	4	120	B11	E26	CL	2700K	350	90	3.58	1.38	15K	045923218347	2/CD
S21835	4B11/LED/930/CL/120V/E26/2CD	4	120	B11	E26	CL	3000K	350	90	3.58	1.38	15K	045923218354	2/CD
S21836	4B11/LED/927/FR/120V/E26/2CD	4	120	B11	E26	FR	2700K	350	90	3.58	1.38	15K	045923218361	2/CD
60 Watt Replacement														
S21290	5.5B11/LED/927/CL/120V/E26	5.5	120	B11	E26	CL	2700K	500	90	3.58	1.38	15K	045923206054	24/6
S21291	5.5B11/LED/940/CL/120V/E26	5.5	120	B11	E26	CL	4000K	500	90	3.58	1.38	15K	045923206061	24/6
S21292	5.5B11/LED/927/FR/120V/E26	5.5	120	B11	E26	FR	2700K	500	90	3.58	1.38	15K	045923206078	24/6
S21293	5.5B11/LED/940/FR/120V/E26	5.5	120	B11	E26	FR	4000K	500	90	3.58	1.38	15K	045923206085	24/6
S21837	5.5B11/LED/927/CL/120V/E26/2CD	5.5	120	B11	E26	CL	2700K	500	90	3.58	1.38	15K	045923218378	2/CD
S21838	5.5B11/LED/927/FR/120V/E26/2CD	5.5	120	B11	E26	FR	2700K	500	90	3.58	1.38	15K	045923218385	2/CD


^ See warranty for details at www.satco.com

LED FILAMENT LAMPS DECORATIVE-FLAME TIP



Features:

- LED with a traditional incandescent look and feel
- Omni-directional light source
- Dimmable
- Wet location
- Approved for totally enclosed fixtures ^
- c-ETL-us listed
- CEC T20
- ENERGY STAR certified
- 3 year warranty



Beam Angle: 300°



LED FILAMENT LAMPS DECORATIVE-FLAME TIP



CA11 E12 Clear

CA11 E12 Frost



Item	Description	W	V	Bulb Shape	Base	Finish	CCT	Lm	CRI	MOL (in.)	MOD (in.)	Life (hrs.)	UPC	Pack
25 Watt Replacement														
S21294	3CA10/LED/927/CL/120V/E12	3	120	CA10	E12	CL	2700K	200	90	4.72	1.38	15K	045923206092	24/6
S21295	3CA10/LED/927/FR/120V/E12	3	120	CA10	E12	FR	2700K	200	90	4.72	1.38	15K	045923206108	24/6
25 Watt Replacement E12-Carded														
S21839	3CA10/LED/927/CL/120V/E12/2CD	3	120	CA10	E12	CL	2700K	200	90	4.72	1.38	15K	045923218392	2/CD
40 Watt Replacement														
S21296	4CA10/LED/927/CL/120V/E12	4	120	CA10	E12	CL	2700K	350	90	4.72	1.38	15K	045923206115	24/6
S21297	4CA10/LED/930/CL/120V/E12	4	120	CA10	E12	CL	3000K	350	90	4.72	1.38	15K	045923206122	24/6
S21298	4CA10/LED/940/CL/120V/E12	4	120	CA10	E12	CL	4000K	350	90	4.72	1.38	15K	045923206139	24/6
S21299	4CA10/LED/950/CL/120V/E12	4	120	CA10	E12	CL	5000K	350	90	4.72	1.38	15K	045923206146	24/6
S21300	4CA10/LED/927/FR/120V/E12	4	120	CA10	E12	FR	2700K	350	90	4.72	1.38	15K	045923206153	24/6
S21301	4CA10/LED/930/FR/120V/E12	4	120	CA10	E12	FR	3000K	350	90	4.72	1.38	15K	045923206160	24/6
S21302	4CA10/LED/940/FR/120V/E12	4	120	CA10	E12	FR	4000K	350	90	4.72	1.38	15K	045923206177	24/6
S21303	4CA10/LED/950/FR/120V/E12	4	120	CA10	E12	FR	5000K	350	90	4.72	1.38	15K	045923206184	24/6
40 Watt Replacement-Carded														
S21840	4CA10/LED/927/CL/120V/E12/2CD	4	120	CA10	E12	CL	2700K	350	90	4.72	1.38	15K	045923218408	2/CD
S21841	4CA10/LED/930/CL/120V/E12/2CD	4	120	CA10	E12	CL	3000K	350	90	4.72	1.38	15K	045923218415	2/CD
S21842	4CA10/LED/950/CL/120V/E12/2CD	4	120	CA10	E12	CL	5000K	350	90	4.72	1.38	15K	045923218422	2/CD
S21843	4CA10/LED/927/FR/120V/E12/2CD	4	120	CA10	E12	FR	2700K	350	90	4.72	1.38	15K	045923218439	2/CD
S21844	4CA10/LED/930/FR/120V/E12/2CD	4	120	CA10	E12	FR	3000K	350	90	4.72	1.38	15K	045923218446	2/CD
S21845	4CA10/LED/950/FR/120V/E12/2CD	4	120	CA10	E12	FR	5000K	350	90	4.72	1.38	15K	045923218453	2/CD
60 Watt Replacement														
S21304	5.5CA10/LED/927/CL/120V/E12	5.5	120	CA10	E12	CL	2700K	500	90	4.72	1.38	15K	045923206191	24/6
S21305	5.5CA10/LED/930/CL/120V/E12	5.5	120	CA10	E12	CL	3000K	500	90	4.72	1.38	15K	045923206207	24/6
S21306	5.5CA10/LED/940/CL/120V/E12	5.5	120	CA10	E12	CL	4000K	500	90	4.72	1.38	15K	045923206214	24/6
S21307	5.5CA10/LED/927/FR/120V/E12	5.5	120	CA10	E12	FR	2700K	500	90	4.72	1.38	15K	045923206221	24/6
S21308	5.5CA10/LED/930/FR/120V/E12	5.5	120	CA10	E12	FR	3000K	500	90	4.72	1.38	15K	045923206238	24/6
S21309	5.5CA10/LED/940/FR/120V/E12	5.5	120	CA10	E12	FR	4000K	500	90	4.72	1.38	15K	045923206245	24/6
60 Watt Replacement-Carded														
S21846	5.5CA10/LED/927/CL/120V/E12/2CD	5.5	120	CA10	E12	CL	2700K	500	90	4.72	1.38	15K	045923218460	2/CD
S21847	5.5CA10/LED/927/FR/120V/E12/2CD	5.5	120	CA10	E12	FR	2700K	500	90	4.72	1.38	15K	045923218477	2/CD

^ See warranty for details at www.satco.com

LED FILAMENT LAMPS DECORATIVE - MEDIUM BASE FLAME TIP



Features:

- LED with a traditional incandescent look and feel
- Omni-directional light source
- Dimmable
- Wet location
- Approved for totally enclosed fixtures ^
- c-ETL-us listed
- CEC T20
- ENERGY STAR certified
- 3 year warranty



LED FILAMENT LAMPS DECORATIVE - MEDIUM BASE FLAME TIP



CA11 E26 Clear

CA11 E26 Frost



Item	Description	W	V	Bulb Shape	Base	Finish	CCT	Lm	CRI	MOL (in.)	MOD (in.)	Life (hrs.)	UPC	Pack
25 Watt Replacement														
S21310	3CA10/LED/927/CL/120V/E26	3	120	CA10	E26	CL	2700K	250	90	4.33	1.38	15K	045923206252	24/6
S21311	3CA10/LED/927/FR/120V/E26	3	120	CA10	E26	FR	2700K	250	90	4.33	1.38	15K	045923206269	24/6
25 Watt Replacement-Carded														
S21848	3CA10/LED/927/CL/120V/E26/2CD	3	120	CA10	E26	CL	2700K	250	90	4.33	1.38	15K	045923218484	2/CD
40 Watt Replacement														
S21312	4CA10/LED/927/CL/120V/E26	4	120	CA10	E26	CL	2700K	350	90	4.33	1.38	15K	045923206276	24/6
S21313	4CA10/LED/930/CL/120V/E26	4	120	CA10	E26	CL	3000K	350	90	4.33	1.38	15K	045923206283	24/6
S21314	4CA10/LED/940/CL/120V/E26	4	120	CA10	E26	CL	4000K	350	90	4.33	1.38	15K	045923206290	24/6
S21315	4CA10/LED/927/FR/120V/E26	4	120	CA10	E26	FR	2700K	350	90	4.33	1.38	15K	045923206306	24/6
S21316	4CA10/LED/930/FR/120V/E26	4	120	CA10	E26	FR	3000K	350	90	4.33	1.38	15K	045923206313	24/6
S21317	4CA10/LED/940/FR/120V/E26	4	120	CA10	E26	FR	4000K	350	90	4.33	1.38	15K	045923206320	24/6
40 Watt Replacement-Carded														
S21849	4CA10/LED/927/CL/120V/E26/2CD	4	120	CA10	E26	CL	2700K	350	90	4.33	1.38	15K	045923218491	2/CD
S21850	4CA10/LED/930/CL/120V/E26/2CD	4	120	CA10	E26	CL	3000K	350	90	4.33	1.38	15K	045923218507	2/CD
S21851	4CA10/LED/927/FR/120V/E26/2CD	4	120	CA10	E26	FR	2700K	350	90	4.33	1.38	15K	045923218514	2/CD
60 Watt Replacement														
S21318	5.5CA10/LED/927/CL/120V/E26	5.5	120	CA10	E26	CL	2700K	500	90	4.33	1.38	15K	045923206337	24/6
S21319	5.5CA10/LED/940/CL/120V/E26	5.5	120	CA10	E26	CL	4000K	500	90	4.33	1.38	15K	045923206344	24/6
S21320	5.5CA10/LED/927/FR/120V/E26	5.5	120	CA10	E26	FR	2700K	500	90	4.33	1.38	15K	045923206351	24/6
S21321	5.5CA10/LED/940/FR/120V/E26	5.5	120	CA10	E26	FR	4000K	500	90	4.33	1.38	15K	045923206368	24/6
60 Watt Replacement-Carded														
S21852	5.5CA10/LED/927/CL/120V/E26/2CD	5.5	120	CA10	E26	CL	2700K	500	90	4.33	1.38	15K	045923218521	2/CD
S21853	5.5CA10/LED/927/FR/120V/E26/2CD	5.5	120	CA10	E26	FR	2700K	500	90	4.33	1.38	15K	045923218538	2/CD

^ See warranty for details at www.satco.com

SATCO-ESCENT LED LAMPS




Features:

- 2 Watt LED direct replacement for 20 watt incandescent lamps
- 4 Watt LED direct replacement for 40 watt incandescent lamps
- Unique satin-spun white or amber finish
- Dimmable
- Carded versions for peg board merchandising
- LED filament technology
- Approved for totally enclosed fixtures ^
- Long life—15,000 hours
- 3 year warranty



SATCO-ESCENT LED LAMPS



300° Illumination



S23403,
S22703

S11300, S11302,
S11304, S11306

S23413,
S22713

S23407,
S22707

S11301, S11303,
S11305, S11307

S23412,
S22712

Satin Finish

Amber Finish



Item	Description	W	V	Bulb Shape	Base	Finish	CCT	Lm	CRI	MOL (in.)	MOD (in.)	Life (hrs.)	UPC	Pack
Boxed														
S11300	2CA11/LED/SA/E12/27K/120V	2	120	CA11	E12	SPUN STN	2700K	150	80	4.00	1.38	15K	045923113000	24/6
S11301	2CA11/LED/A/E12/21K/120V	2	120	CA11	E12	SPUN AMB	2100K	100	80	4.00	1.38	15K	045923113017	24/6
S11302	4CA11/LED/SA/E12/27K/120V	4	120	CA11	E12	SPUN STN	2700K	300	80	4.00	1.38	15K	045923113024	24/6
S11303	4CA11/LED/A/E12/21K/120V	4	120	CA11	E12	SPUN AMB	2100K	200	80	4.00	1.38	15K	045923113031	24/6
S23403	2C11/LED/SA/E26/27K/120V	2	120	C11	E26	SPUN STN	2700K	120	80	3.81	1.38	15K	045923234033	24/6
S23407	2C11/LED/A/E26/21K/120V	2	120	C11	E26	SPUN AMB	2100K	100	80	3.81	1.38	15K	045923234071	24/6
S23413	4C15/LED/SA/E26/27K/120V	4	120	C15	E26	SPUN STN	2700K	300	80	4.38	1.88	15K	045923234132	24/6
S23412	4C15/LED/A/E26/21K/120V	4	120	C15	E26	SPUN AMB	2100K	240	80	4.38	1.88	15K	045923234125	24/6
Carded														
S11304	2CA11/LED/SA/E12/27K/120V/CD	2	120	CA11	E12	SPUN STN	2700K	150	80	4.00	1.38	15K	045923113048	24/12
S11305	2CA11/LED/A/E12/21K/120V/CD	2	120	CA11	E12	SPUN AMB	2100K	100	80	4.00	1.38	15K	045923113055	24/12
S11306	4CA11/LED/SA/E12/27K/120V/CD	4	120	CA11	E12	SPUN STN	2700K	300	80	4.00	1.38	15K	045923113062	24/12
S11307	4CA11/LED/A/E12/21K/120V/CD	4	120	CA11	E12	SPUN AMB	2100K	200	80	4.00	1.38	15K	045923113079	24/12
S22703	2C11/LED/SA/E26/27K/120V/CD	2	120	C11	E26	SPUN STN	2700K	120	80	3.81	1.38	15K	045923227035	24/12
S22707	2C11/LED/A/E26/21K/120V/CD	2	120	C11	E26	SPUN AMB	2100K	100	80	3.81	1.38	15K	045923227073	24/12
S22713	4C15/LED/SA/E26/27K/120V/CD	4	120	C15	E26	SPUN STN	2700K	300	80	4.38	1.88	15K	045923227134	24/12
S22712	4C15/LED/A/E26/21K/120V/CD	4	120	C15	E26	SPUN AMB	2100K	240	80	4.38	1.88	15K	045923227127	24/12

^ See warranty for details at www.satco.com

Product sheet SA2320

LED FILAMENT SPECIALTY LAMPS

Features:

- LED with a traditional incandescent look and feel
- Omni-directional light source
- Dimmable
- Wet location
- Approved for totally enclosed fixtures ^
- c-ETL-us listed
- CEC T20
- ENERGY STAR certified
- 3 year warranty



Item	Description	W	V	Bulb Shape	Base	Finish	CCT	Lm	CRI	MOL (in.)	MOD (in.)	Life (hrs.)	UPC	Pack
Tubular-Carded														
S21859	3T6.5/LED/CL/927/E17/CD	3	120V	T6	E17	CL	2700	200	90	2.2	0.86	15K	045923218590	2/CD
BT15														
40 Watt Replacement														
S21330*	5BT15/CL/LED/927/120V	5	120	BT15	E26	CL	2700K	450	90	4.06	1.81	15K	045923206375	24/6
S21331*	5BT15/CL/LED/940/120V	5	120	BT15	E26	CL	4000K	450	90	4.06	1.81	15K	045923206382	24/6
S21332*	5BT15/WH/LED/927/120V	5	120	BT15	E26	WH	2700K	450	90	4.06	1.81	15K	045923206399	24/6
S21333*	5BT15/WH/LED/940/120V	5	120	BT15	E26	WH	4000K	450	90	4.06	1.81	15K	045923206405	24/6
40 Watt Replacement-Carded														
S21854	5BT15/CL/LED/927/120V/CD	5	120	BT15	E26	CL	2700K	450	90	4.06	1.81	15K	045923218545	2/CD
S21855	5BT15/WH/LED/927/120V/CD	5	120	BT15	E26	WH	2700K	450	90	4.06	1.81	15K	045923218552	2/CD
60 Watt Replacement														
S21334	8BT15/CL/LED/927/120V	8	120	BT15	E26	CL	2700K	800	90	4.06	1.81	15K	045923206412	24/6
S21335	8BT15/CL/LED/940/120V	8	120	BT15	E26	CL	4000K	800	90	4.06	1.81	15K	045923206429	24/6
S21336	8BT15/CL/LED/950/120V	8	120	BT15	E26	CL	5000K	800	90	4.06	1.81	15K	045923206436	24/6
S21337	8BT15/WH/LED/927/120V	8	120	BT15	E26	WH	2700K	800	90	4.06	1.81	15K	045923206443	24/6
S21338	8BT15/WH/LED/940/120V	8	120	BT15	E26	WH	4000K	800	90	4.06	1.81	15K	045923206450	24/6
S21339	8BT15/WH/LED/950/120V	8	120	BT15	E26	WH	5000K	800	90	4.06	1.81	15K	045923206467	24/6
60 Watt Replacement-Carded														
S21856	8BT15/CL/LED/927/120V/CD	8	120	BT15	E26	CL	2700K	800	90	4.06	1.81	15K	045923218569	2/CD
S21857	8BT15/WH/LED/927/120V/CD	8	120	BT15	E26	WH	2700K	800	90	4.06	1.81	15K	045923218576	2/CD

LED FILAMENT SPECIALTY LAMPS

Item	Description	W	V	Bulb Shape	Base	Finish	CCT	Lm	CRI	MOL (in.)	MOD (in.)	Life (hrs.)	UPC	Pack
Tubular														
T6 - 25 Watt Replacement														
S21340	2.8T6/LED/CL/927/120V/E12	2.8	120	T6	E12	CL	2700K	200	90	3.2	0.98	15K	045923206474	24/6
S21341	2.8T6/LED/CL/940/120V/E12	2.8	120	T6	E12	CL	4000K	200	90	3.2	0.98	15K	045923206481	24/6
Tubular-Carded														
S21858	2.8T6/LED/CL/927/120V/E12/2CD	2.8	120	T6	E12	CL	2700K	200	90	3.27	0.98	15K	045923218583	2/CD
T6.5 - 20 Watt Replacement														
S21342	3T6.5/LED/CL/927/E17	3	120	T6.5	E17	CL	2700K	200	90	2.17	0.87	15K	045923206498	24/6
S21343	3T6.5/LED/CL/930/E17	3	120	T6.5	E17	CL	3000K	200	90	2.17	0.87	15K	045923206504	24/6
T6.5 - 40 Watt Replacement-Carded														
S21860	4T6.5/LED/CL/930/120V/E17/1CD	4	120	T6.5	E17	CL	3000K	400	90	5.12	0.79	15K	045923218606	1/CD
S21861	4T6.5/LED/CL/930/120V/DC/1CD	4	120	T6.5	DC	CL	3000K	400	90	5	0.79	15K	045923218613	1/CD
T10 - 40 Watt Replacement														
S21344	5.5T10/LED/CL/927/120V/E26	5.5	120	T10	E26	CL	2700K	450	90	5	1.25	15K	045923206511	24/6
S21345	5.5T10/LED/CL/930/120V/E26	5.5	120	T10	E26	CL	3000K	450	90	5	1.25	15K	045923206528	24/6
S21346	5.5T10/LED/CL/940/120V/E26	5.5	120	T10	E26	CL	4000K	450	90	5	1.25	15K	045923206535	24/6
S21347	5.5T10/LED/CL/950/120V/E26	5.5	120	T10	E26	CL	5000K	450	90	5	1.25	15K	045923206542	24/6
S21348	5.5T10/LED/FR/930/120V/E26	5.5	120	T10	E26	FR	3000K	450	90	5	1.25	15K	045923206559	24/6
S21349	5.5T10/LED/FR/940/120V/E26	5.5	120	T10	E26	FR	4000K	450	90	5	1.25	15K	045923206566	24/6
T10 - 40 Watt Replacement-Carded														
S21862	5.5T10/LED/CL/927/120V/E26/2CD	5.5	120	T10	E26	CL	2700K	450	90	5	1.25	15K	045923218620	2/CD
S21863	5.5T10/LED/CL/950/120V/E26/2CD	5.5	120	T10	E26	CL	5000K	450	90	5	1.25	15K	045923218637	2/CD
S21864	5.5T10/LED/FR/930/120V/E26/2CD	5.5	120	T10	E26	FR	3000K	450	90	5	1.25	15K	045923218644	2/CD
T10 - 60 Watt REPLACEMENT														
S21350	8T10/LED/CL/927/120V/E26	8	120	T10	E26	CL	2700K	800	90	5	1.25	15K	045923206573	24/6
S21351	8T10/LED/CL/930/120V/E26	8	120	T10	E26	CL	3000K	800	90	5	1.25	15K	045923206580	24/6
S21352	8T10/LED/FR/927/120V/E26	8	120	T10	E26	FR	2700K	720	90	5	1.25	15K	045923206597	24/6
S21353	8T10/LED/FR/930/120V/E26	8	120	T10	E26	FR	3000K	720	90	5	1.25	15K	045923206603	24/6
T10 - 60 Watt Replacement-Carded														
S21865	8T10/LED/CL/927/120V/E26/2CD	8	120	T10	E26	CL	2700K	800	90	5	1.25	15K	045923218651	2/CD
S21866	8T10/LED/FR/927/120V/E26/2CD	8	120	T10	E26	FR	2700K	720	90	5	1.25	15K	045923218668	2/CD
T9 - 60 Watt REPLACEMENT														
S21354	8T9/LED/CL/927/120V/E26	8	120	T9	E26	CL	2700K	800	90	7.2	1.18	15K	045923206610	24/6
S21355	8T9/LED/CL/930/120V/E26	8	120	T9	E26	CL	3000K	800	90	7.2	1.18	15K	045923206627	24/6
S21356	8T9/LED/FR/927/120V/E26	8	120	T9	E26	FR	2700K	700	90	7.2	1.18	15K	045923206634	24/6
S21357	8T9/LED/FR/930/120V/E26	8	120	T9	E26	FR	3000K	700	90	7.2	1.18	15K	045923206641	24/6
S21358	8T9/LED/CL/927/120V/E26	8	120	T9	E26	CL	2700K	800	90	12	1.18	15K	045923206658	24/6
S21359	8T9/LED/CL/930/120V/E26	8	120	T9	E26	CL	3000K	800	90	12	1.18	15K	045923206665	24/6
T9 - 60 Watt Replacement-Carded														
S21867	8T9/LED/CL/927/120V/E26/2CD	8	120	T9	E26	CL	2700K	800	90	7.2	1.18	15K	045923218675	2/CD
S21868	8T9/LED/FR/927/120V/E26/2CD	8	120	T9	E26	FR	2700K	700	90	7.2	1.18	15K	045923218682	2/CD
ST19 - 40 Watt														
S21360*	5ST19/CL/LED/927/E26	5	120	ST19	E26	CL	2700K	425	90	5.43	2.28	15K	045923206672	24/6
S21361*	5ST19/CL/LED/930/E26	5	120	ST19	E26	CL	3000K	425	90	5.43	2.28	15K	045923206689	24/6
S21362*	5ST19/CL/LED/940/E26	5	120	ST19	E26	CL	4000K	425	90	5.43	2.28	15K	045923206696	24/6
ST19 - 40 Watt Replacement-Carded														
S21869	5ST19/CL/LED/927/E26/2CD	5	120	ST19	E26	CL	2700K	425	90	5.43	2.28	15K	045923218699	2/CD
ST19 - 60 Watt														
S21363	8ST19/CL/LED/927/E26	8	120	ST19	E26	CL	2700K	800	90	5.43	2.28	15K	045923206702	24/6
S21364	8ST19/CL/LED/930/E26	8	120	ST19	E26	CL	3000K	800	90	5.43	2.28	15K	045923206719	24/6
S21365	8ST19/CL/LED/940/E26	8	120	ST19	E26	CL	4000K	800	90	5.43	2.28	15K	045923206726	24/6
ST19 - 60 Watt Replacement-Carded														
S21870	8ST19/CL/LED/927/E26/2CD	8	120	ST19	E26	CL	2700K	800	90	5.43	2.28	15K	045923218705	2/CD

*Non-Dimmable ^ See warranty for details at www.satco.com

S14 LED STRING LIGHT LAMPS



Features:

- LED with a traditional incandescent look and feel
- Omni-directional light source
- Available in 7 color options
- Approved for totally enclosed fixtures ^
- Wet location
- c-UL-us listed
- 3 year warranty



S14 LED STRING LIGHT LAMPS



S8021



S8022



S8023




S8024



S8025



S8026



Beam Angle: 320°



Item	Description	W	V	Bulb Shape	Base	Finish	CCT	Lm	CRI	MOL (in.)	MOD (in.)	Life (hrs.)	UPC	Pack
LED String Light Replacement Lamps														
S8021	1W/LED/S14/RED/120V/ND/4PK	1	120	S14	E26	CL	2700K	100	80	3.43	1.18	15K	045923080210	24/4
S8022	1W/LED/S14/RED/120V/ND/4PK	1	120	S14	E26	RED	N/A	10	N/A	3.43	1.18	15K	045923080227	24/4
S8023	1W/LED/S14/BLUE/120V/ND/4PK	1	120	S14	E26	BLUE	N/A	5	N/A	3.43	1.18	15K	045923080234	24/4
S8024	1W/LED/S14/GREEN/120V/ND/4PK	1	120	S14	E26	GREEN	N/A	20	N/A	3.43	1.18	15K	045923080241	24/4
S8025	1W/LED/S14/YELLOW/120V/ND/4PK	1	120	S14	E26	YLR	N/A	40	N/A	3.43	1.18	15K	045923080258	24/4
S8026	1W/LED/S14/ORANGE/120V/ND/4PK	1	120	S14	E26	ORNG	N/A	30	N/A	3.43	1.18	15K	045923080265	24/4
S8027	1W/LED/S14/CL/822/120V/ND/4PK	1	120	S14	E26	CL	N/A	100	N/A	3.43	1.18	15K	045923080272	24/4

^ See warranty for details at www.satco.com

LED FILAMENT LAMPS VINTAGE STYLE



Features:

- LED with a traditional incandescent look and feel
- Omni-directional light source
- Dimmable
- Damp location
- Approved for totally enclosed fixtures^
- c-ETL-us listed
- 3 year warranty



LED FILAMENT LAMPS VINTAGE STYLE



A19



G25



ST19



T6




S9986
C11/E12



S9987
CA11/E12



T9



Item	Description	W	V	Bulb Shape	Base	Finish	CCT	Lm	CRI	MOL (in.)	MOD (in.)	Life (hrs.)	UPC	Pack
ST19														
S9577	2.5ST19/AMB/LED/E26/20K/120V	2.5	120	ST19	E26	TR AMB	2000K	200	80	5.43	2.28	15K	045923095771	24/6
S9578	4.5ST19/AMB/LED/E26/20K/120V	4.5	120	ST19	E26	TR AMB	2000K	350	80	5.43	2.28	15K	045923095788	24/6
S9579	7ST19/AMB/LED/E26/20K/120V	7	120	ST19	E26	TR AMB	2000K	650	80	5.43	2.28	15K	045923095795	24/6
A19														
S9583	4.5A19/AMB/LED/E26/20K/120V	4.5	120	A19	E26	TR AMB	2000K	350	80	4.13	2.38	15K	045923095832	24/6
G25														
S9584	4.5G25/AMB/LED/E26/20K/120V	4.5	120	G25	E26	TR AMB	2000K	380	80	4.45	3.25	15K	045923095849	24/6
T9														
S9588	6.5T9/AMB/LED/E26/20K/120V	6.5	120	T9	E26	TR AMB	2000K	620	80	12.00	1.13	15K	045923095887	24/6
T6														
S9873	2.5T6/LED/AMB/20K/E12/120V	2.5	120	T6	E12	TR AMB	2000K	150	80	3.34	.98	15K	045923098734	24/6
C11														
S9986	3.5CTA/LED/AMB/20K/120V	3.5	120	C11	E12	TR AMB	2000K	300	80	3.97	1.38	15K	045923099861	24/6
CA11														
S9987	3.5CFA/LED/AMB/20K/120V	3.5	120	CA11	E12	TR AMB	2000K	300	80	4.72	1.13	15K	045923099878	24/6

^ See warranty for details at www.satco.com

DECORATIVE SPIRAL LED FILAMENT LAMPS



Features:

- LED with a traditional incandescent look and feel
- Omni-directional light source
- Dimmable
- Damp location
- Approved for totally enclosed fixtures^
- c-UL-us listed
- 3 year warranty



DECORATIVE SPIRAL LED FILAMENT LAMPS



Item	Description	W	V	Bulb Shape	Base	Finish	CCT	Lm	CRI	MOL (in.)	MOD (in.)	Life (hrs.)	UPC	Pack
ST19														
S9967	4.5ST19/SPIRAL/LED/AMB/120V	4.5	120	ST19	E26	TR AMB	2000K	240	80	5.25	2.38	15K	045923099670	24/6
A19														
S9966	4.5A19/SPIRAL/LED/AMB/120V	4.5	120	A19	E26	TR AMB	2000K	220	80	4.00	2.38	15K	045923099663	24/6
G30														
S9968	4.5G30/SPIRAL/LED/AMB/120V	4.5	120	G30	E26	TR AMB	2000K	240	80	5.44	3.75	15K	045923099687	24/6
G40														
S9969	4.5G40/SPIRAL/LED/AMB/120V	4.5	120	G40	E26	TR AMB	2000K	240	80	6.63	4.94	15K	045923099694	12/6
T9														
S9971	4.5T9/SPIRAL/LED/AMB/120V	4.5	120	T9	E26	TR AMB	2000K	240	80	7.19	1.13	15K	045923099717	24/6
B10														
S9970	2.3ETC/SPIRAL/LED/AMB/120V	2.3	120	B10	E26	TR AMB	2000K	90	80	3.50	1.38	15K	045923099700	24/6

^ See warranty for details at www.satco.com

Product sheet SA1980

LED SPIRAL FILAMENT VINTAGE-STYLE LAMPS IN HID ENVELOPES



Features:

- Uses only 4 watts
- Impressive size & presence
- Omni-directional light source
- Perfect for pendant fixtures & hanging sockets
- Approved for totally enclosed fixtures ^
- Dimmable
- Shapes: T24, BT38, BT56 & PS52
- E26 base
- 3 year warranty



LED SPIRAL FILAMENT VINTAGE-STYLE LAMPS IN HID ENVELOPES



S22431
BT38




S22430
T24



S22433
PS52



S22432
BT56



Item	Description	W	V	Bulb Shape	Base	Finish	CCT	Lm	CRI	MOL (in.)	MOD (in.)	Life (hrs.)	UPC	Pack
S22430	4T24/LED/CL/E26/VINTAGE/120V	4	120	T24	E26	CL	2150K	200	90	13.00	3.00	25K	045923224300	12/1
S22431	4BT38/LED/CL/E26/VINTAGE/120V	4	120	BT38	E26	CL	2150K	200	90	16.50	4.69	25K	045923224317	12/1
S22432	4BT56/LED/CL/E26/VINTAGE/120V	4	120	BT56	E26	CL	2150K	200	90	13.81	7.13	25K	045923224324	6/1
S22433	4PS52/LED/CL/E26/VINTAGE/120V	4	120	PS52	E26	CL	2150K	200	90	11.81	6.31	25K	045923224331	6/1

^ See warranty for details at www.satco.com

Product sheet SA2298



To learn more about Satco | Nuvo,
visit satco.com or contact 800-437-2826.

DISTRIBUTION CENTERS

New York (Headquarters)

110 Heartland Blvd., Brentwood, NY 11717
Tel. 631-243-2022, Fax: 631-243-2027

Texas

2000 Valwood Parkway, Farmers Branch, TX 75234
Tel. 972-247-2437, Fax: 972-247-5408

Florida

1694 NW 215th Street, Miami Gardens, FL 33056
Tel. 305-624-2044, Fax: 305-623-0286

California

31288 San Benito Street, Hayward, CA 94544
Tel. 510-487-4822, Fax: 510-487-8955

Washington

4710 116th S.W., Mukilteo, WA 98275
Tel. 425-789-3300, Fax: 425-789-3310

Puerto Rico

Campeche Street. 23 Julio
N. Matos Industrial Park, Carolina, PR 00984
Tel. 787-757-3510, Fax: 787-757-3540

Products inventoried in Canada & Mexico:

Contact: internationalsales@satco.com
631-243-2022 Ext. 315