

MODERNS & CLASSICS

TROY RLM

2022 V-2

TROY RLM LIGHTING

TROY RLM

MODERNS & CLASSICS

It's impossible to create a mood, style, or an impression without light. Lighting gives us the ability to see things clearly, to distinguishing colors and to appreciate the world around us. It creates moods and makes impressions. Lighting is what makes your furnishings, artwork, space design all come to life.

At Troy RLM, we design, engineer, and manufacture the industry's most versatile commercial LED light fixtures -all from our facility in Los Angeles, California. In its vast commercial landscape, Los Angeles embodies style, art, culture, and imagination, and we bring these qualities into the aesthetic of every fixture we build. From our modern designs to our fresh take on the classic styles, Troy RLM commercial and industrial downlights have brought flair and sophistication to unique offices, restaurants, lobbies, and hospitality spaces since 1963.

Browse our newest catalog of quality LED light fixtures in endless combinations of finishes, LED options, and mounting types for your lighting inspiration.

CONTENTS

MODERN VISIONS	2
RLM CLASSICS	26
LS SERIES	50
STANDARD MOUNTS	54
ACCESSORIES	59
FINISHES	60
INDEX	64

	AERO	MODERN	4
	ANGLE REFLECTOR	CLASSIC	34
	ARCHETYPE	CLASSIC	30
	BELL	MODERN	24
	BIRD CAGE	MODERN	10
	DEEP REFLECTOR	CLASSIC	40
	DOVE	MODERN	22
	EMBLEM	CLASSIC	32
	FRESH	MODERN	18
	GLOBE	MODERN	12
	HEAVY DUTY	CLASSIC	36
	HEAVY METAL	MODERN	6
	MID CENTURY	MODERN	16
	NEO	CLASSIC	46
	NOSTALGIA	CLASSIC	28
	PARADIGM	MODERN	20
	RADIAL WAVE	CLASSIC	42
	RDX	MODERN	8
	RETRO INDUSTRIAL	CLASSIC	44
	SHALLOW HEAVY DUTY	CLASSIC	38
	STANDARD	CLASSIC	48
	TEAR	MODERN	14

The wattage listed for each fixture is the maximum safe capacity. Recent government actions have restricted the availability of standard incandescent lamps. Decorative incandescent as well as (medium base) halogen, LED and CFL will continue to be available alternatives.



MODERN
VISIONS

Multi Shade Fixture
Two-Toned Outer and Inner Shade

Standard Mounts
(Page 54~57)

ELECTRICAL

- 120V input (277V available in arm and post option only)
- Integrated power supply allows the fixture to be connected directly into line voltage
- Pre-wired and ready for install
- Dimmable with Incandescent/Triac dimmers

MOUNTING


- 1/2" or 3/4" IP for arms. Flush mount, stems and post available only in 1/2"
- 9' Pendant cord available in black or white cord (includes 5" canopy with the same finish as the shade)

FINISHES

- Two-toned outer and inner shade
- Available in 22 standard and 1 specialty finishes with optional coastal coating to protect finish in coastal environments (add "-C" to the finish)
- Consult factory for custom finish options

LISTING

UL listed to US and Canadian standards for wet locations



AERO ORDER MATRIX (EXAMPLE: AE16LED1227TNGSGW-W)

Diameter	LED	Inner Shade Finish	Outer Shade Finish	Coastal Coating	Mounting Type
AE14 (14")	LED1227 ^{1,2} (12W LED, 2700K, 90 CRI, 844lm)	ABL (Aegean Blue)	ABL (Aegean Blue)	(blank) (No Coating)	-2 (1/2" IP)
AE16 (16")	LED1230 ^{1,2} (12W LED, 3000K, 90 CRI, 861lm)	BB (Burnished Bronze)	BB (Burnished Bronze)	-C (Coating)	-3 (3/4" IP)
	LED1235 ^{1,2} (12W LED, 3500K, 90 CRI, 872lm)	BK (Gloss Black)	BK (Gloss Black)		-B (Black Cord Pendant)
	LED1240 ^{1,2} (12W LED, 4000K, 90 CRI, 889lm)	BLU (Blue)	BLU (Blue)		-W (White Cord Pendant)
	LED1827 ^{1,2} (18W LED, 2700K, 90 CRI, 1265lm)	DVG (Dove Gray)	DVG (Dove Gray)		-F (Flush Mount)
	LED1830 ^{1,2} (18W LED, 3000K, 90 CRI, 1288lm)	FLG (Flannel Gray)	FLG (Flannel Gray)		
	LED1835 ^{1,2} (18W LED, 3500K, 90 CRI, 1311lm)	GA (Galvanized)	GA (Galvanized)		
	LED1840 ^{1,2} (18W LED, 4000K, 90 CRI, 1334lm)	LG (Lime Green)	LG (Lime Green)		
		MB (Matte Black)	MB (Matte Black)		
		MBL (Midnight Blue)	MBL (Midnight Blue)		
		PNA (Painted Natural Aluminum)	PNA (Painted Natural Aluminum)		
		PNC (Painted Natural Copper)	PNC (Painted Natural Copper)		
		RD (Red)	RD (Red)		
		SGR (Sage Green)	SGR (Sage Green)		
		SGW (Semi Gloss White)	SGW (Semi Gloss White)		
		SND (Sand)	SND (Sand)		
		SS (Satin Silver)	SS (Satin Silver)		
	TBZ (Textured Bronze)	TBZ (Textured Bronze)			
	TGP (Textured Graphite)	TGP (Textured Graphite)			
	TNG (Tangerine)	TNG (Tangerine)			
	TTL (Tahitian Teal)	TTL (Tahitian Teal)			
	WT (Gloss White)	WT (Gloss White)			
	YEL (Yellow)	YEL (Yellow)			

1. Lamps must be specified, and are not included in shade cost
2. Lumen are raw LED value

ARM MOUNT ORDER MATRIX (EXAMPLE: 3SL23TNG)

Pipe Size	Arm Type	Finish	Coastal Coating	Input Voltage
2 (1/2" IP)	SL23 (Small Loop - 23")	Available Finish (Use finish code on right)	(blank) (No Coating)	(blank) (120V)
3 (3/4" IP)	SL30 (Small Loop - 30")		-C (Coating)	-27 (277V)
	LL23 (Large Loop - 23")			
	LL30 (Large Loop - 30")			
	LC18 (Curve Arm - 18")			
	LC24 (Curve Arm - 24")			
	LC30 (Curve Arm - 30")			
	LM18 (Miter Arm - 18")			
	LM24 (Miter Arm - 24")			
	LM30 (Miter Arm - 30")			
	SA18 (Sign Arm - 18")			
	SA23 (Sign Arm - 23")			
	LSA23 (Large Loop Sign Arm - 23")			
	LSA30 (Large Loop Sign Arm - 30")			
	A6 (Straight Arm - 6")			
	A12 (Straight Arm - 12")			
A18 (Straight Arm - 18")				
A24 (Straight Arm - 24")				
A30 (Straight Arm - 30")				
MA18 (Modern Arm - 18")				
MA24 (Modern Arm - 24")				
MA30 (Modern Arm - 30")				

KNUCKLE ACCESSORY ORDER MATRIX (EXAMPLE: 2KNLTNG)

Pipe Size	Knuckle	Finish	Coastal Coating
2 (1/2" IP)	KNL (Adjustable 180° Knuckle for Arm Mounts)	Available Finish (Use finish code on right)	(blank) (No Coating)
3 (3/4" IP)			-C (Coating)

POST / WALL MOUNT ORDER MATRIX (EXAMPLE: 2W1TNG)

Pipe Size	Mount Type	Finish	Input Voltage
2 (1/2" IP)	P1 (Single Post Mount)	Available Finish (Use finish code on right)	(blank) (120V)
	P2 (Double Post Mount)		-27 ³ (277V)
	W1 (Traditional Wall Mount)		

3. Post mount only

POST TYPE ORDER MATRIX (EXAMPLE: P8683-96TNG)

Post Type	Finish
PM4946 (Cast Aluminum Post)	Available Finish (Use finish code on right)
P8683-96 (Cast Aluminum Base w/ 96" Aluminum Post)	
P8683-120 (Cast Aluminum Base w/ 120" Aluminum Post)	
P8684-96 (96" Straight Aluminum Post)	
P8684-120 (120" Straight Aluminum Post)	
PM8685 (Cast Aluminum Pier Mount - must be used with straight aluminum post, P8684)	

STEM MOUNT ORDER MATRIX (EXAMPLE: 2HS18TNG)

Pipe Size	Stem Length	Finish	Coastal Coating
2 (1/2" IP)	HS12 (12")	Available Finish (Use finish code on right)	(blank) (No Coating)
	HS18 (18")		-C (Coating)
	HS24 (24")		
	HS36 (36")		
	HS48 (48")		
	HS__ (Custom length from 2" up to 60")		

STANDARD FINISHES

- ABL (Aegean Blue)
- BB (Burnished Bronze)
- BK (Gloss Black)
- BLU (Blue)
- DVG (Dove Gray)
- FLG (Flannel Gray)
- LG (Lime Green)
- MB (Matte Black)
- MBL (Midnight Blue)
- PNA (Painted Natural Aluminum)
- PNC (Painted Natural Copper)
- RD (Red)
- SGR (Sage Green)
- SGW (Semi Gloss White)
- SND (Sand)
- SS (Satin Silver)
- TBZ (Textured Bronze)
- TGP (Textured Graphite)
- TNG (Tangerine)
- TTL (Tahitian Teal)
- WT (Gloss White)
- YEL (Yellow)

SPECIALTY FINISH

- GA (Galvanized)

Post mount cannot be painted with specialty finish (GA)



HEAVY METAL | MODERN VISIONS

Aluminum Shade with Casted Aluminum Top with Glass and Guard Options

ELECTRICAL

- 120V input (277V available in arm and post option only)
- Integrated power supply allows the fixture to be connected directly into line voltage
- Pre-wired and ready for install
- LED is dimmable with Incandescent/Triac dimmers

MOUNTING

- ½" or ¾" IP for arms. Flush mount, stems and post available only in ½"
- 9' Pendant cord available in black or white cord (includes 5" canopy with the same finish as the shade)

FINISHES


- Two toned shade and top option
- Available in 22 standard and 1 specialty finishes with optional coastal coating to protect finish in coastal environments (add "-C" to the finish)
- Inner shade is painted gloss white
- Consult factory for custom finish options

OPTIONAL ACCESSORIES

Glass or Cast Guard options available

LISTING

UL listed to US and Canadian standards for wet locations



HEAVY METAL ORDER MATRIX (EXAMPLE: HM18LED3627RDSS-FGG-3)

Diameter	Lamp / LED	Shade Finish	Top Finish	Coastal Coating	Accessories	Mounting Type
HM18 (18")	M (Medium Base, 100W max.)	ABL (Aegean Blue)	ABL	(blank) (No Coating)	(blank) (No Accessories)	-2 (½" IP)
HM20 (20")	LED1227 ^{1,2,3} (12W LED, 2700K, 90 CRI, 844lm)	BB (Burnished Bronze)	BB	-C (Coating)	-CG (Clear Glass)	-3 (¾" IP)
	LED1230 ^{1,2,3} (12W LED, 3000K, 90 CRI, 861lm)	BK (Gloss Black)	BK		-FG (Frosted Glass)	-B (Black Cord Pendant)
	LED1235 ^{1,2,3} (12W LED, 3500K, 90 CRI, 872lm)	BLU (Blue)	BLU		-OG (Opal Glass)	-W (White Cord Pendant)
	LED1240 ^{1,2,3} (12W LED, 4000K, 90 CRI, 889lm)	DVG (Dove Gray)	DVG		-CGG (Clear Glass w/ Cast Guard)	-F (Flush Mount)
	LED1827 ^{1,2,3} (18W LED, 2700K, 90 CRI, 1265lm)	FLG (Flannel Gray)	FLG		-FGG (Frosted Glass w/ Cast Guard)	
	LED1830 ^{1,2,3} (18W LED, 3000K, 90 CRI, 1288lm)	GA (Galvanized)	GA		-OGG (Opal Glass w/ Cast Guard)	
	LED1835 ^{1,2,3} (18W LED, 3500K, 90 CRI, 1311lm)	LG (Lime Green)	LG			
	LED1840 ^{1,2,3} (18W LED, 4000K, 90 CRI, 1334lm)	MB (Matte Black)	MB			
	LED2427 ^{1,2,3} (24W LED, 2700K, 90 CRI, 1485lm)	MBL (Midnight Blue)	MBL			
	LED2430 ^{1,2,3} (24W LED, 3000K, 90 CRI, 1510lm)	PNA (Painted Natural Aluminum)	PNA			
	LED2435 ^{1,2,3} (24W LED, 3500K, 90 CRI, 1535lm)	PNC (Painted Natural Copper)	PNC			
	LED2440 ^{1,2,3} (24W LED, 4000K, 90 CRI, 1560lm)	RD (Red)	RD			
	LED3627 ^{1,2,3} (36W LED, 2700K, 90 CRI, 2230lm)	SGR (Sage Green)	SGR			
	LED3630 ^{1,2,3} (36W LED, 3000K, 90 CRI, 2265lm)	SGW (Semi Gloss White)	SGW			
	LED3635 ^{1,2,3} (36W LED, 3500K, 90 CRI, 2300lm)	SND (Sand)	SND			
	LED3640 ^{1,2,3} (36W LED, 4000K, 90 CRI, 2340lm)	SS (Satin Silver)	SS			
		TBZ (Textured Bronze)	TBZ			
		TGP (Textured Graphite)	TGP			
		TNG (Tangerine)	TNG			
		TTL (Tahitian Teal)	TTL			
		WT (Gloss White)	WT			
		YEL (Yellow)	YEL			

1. Lamps must be specified, and are not included in shade cost
 2. Glass enclosure must be specified
 3. Lumen are raw LED value

COMPATIBLE MOUNTS | HEAVY METAL

Standard Mounts (Page 54~57)

ARM MOUNT ORDER MATRIX (EXAMPLE: 3LL23SS)

Pipe Size	Arm Type	Finish	Coastal Coating	Input Voltage
2 (½" IP)	SL23 (Small Loop - 23")	Available Finish	(blank) (No Coating)	(blank) (120V)
3 (¾" IP)	SL30 (Small Loop - 30")	(Use finish code on right)	-C (Coating)	-27 (277V)
	LL23 (Large Loop - 23")			
	LL30 (Large Loop - 30")			
	LC18 (Curve Arm - 18")			
	LC24 (Curve Arm - 24")			
	LC30 (Curve Arm - 30")			
	LM18 (Miter Arm - 18")			
	LM24 (Miter Arm - 24")			
	LM30 (Miter Arm - 30")			
	SA18 (Sign Arm - 18")			
	SA23 (Sign Arm - 23")			
	LSA23 (Large Loop Sign Arm - 23")			
	LSA30 (Large Loop Sign Arm - 30")			
	A6 (Straight Arm - 6")			
	A12 (Straight Arm - 12")			
	A18 (Straight Arm - 18")			
	A24 (Straight Arm - 24")			
	A30 (Straight Arm - 30")			
	MA18 (Modern Arm - 18")			
	MA24 (Modern Arm - 24")			
	MA30 (Modern Arm - 30")			

KNUCKLE ACCESSORY ORDER MATRIX (EXAMPLE: 3KNLSS)

Pipe Size	Knuckle	Finish	Coastal Coating
2 (½" IP)	KNL (Adjustable 180° Knuckle for Arm Mounts)	Available Finish	(blank) (No Coating)
3 (¾" IP)		(Use finish code on right)	-C (Coating)

POST / WALL MOUNT ORDER MATRIX (EXAMPLE: 2W1SS)

Pipe Size	Mount Type	Finish	Input Voltage
2 (½" IP)	P1 (Single Post Mount)	Available Finish	(blank) (120V)
	P2 (Double Post Mount)	(Use finish code on right)	-27 ⁴ (277V)
	W1 (Traditional Wall Mount)		

4. Post mount only

POST TYPE ORDER MATRIX (EXAMPLE: P8683-96SS)

Post Type	Finish
PM4946 (Cast Aluminum Post)	Available Finish
P8683-96 (Cast Aluminum Base w/ 96" Aluminum Post)	(Use finish code on right)
P8683-120 (Cast Aluminum Base w/ 120" Aluminum Post)	
P8684-96 (96" Straight Aluminum Post)	
P8684-120 (120" Straight Aluminum Post)	
PM8685 (Cast Aluminum Pier Mount - must be used with straight aluminum post, P8684)	

STEM MOUNT ORDER MATRIX (EXAMPLE: 2HS18SS)

Pipe Size	Stem Length	Finish	Coastal Coating
2 (½" IP)	HS12 (12")	Available Finish	(blank) (No Coating)
	HS18 (18")	(Use finish code on right)	-C (Coating)
	HS24 (24")		
	HS36 (36")		
	HS48 (48")		
	HS__ (Custom length from 2" up to 60")		

STANDARD FINISHES

- **ABL** (Aegean Blue)
- **BB** (Burnished Bronze)
- **BK** (Gloss Black)
- **BLU** (Blue)
- **DVG** (Dove Gray)
- **FLG** (Flannel Gray)
- **LG** (Lime Green)
- **MB** (Matte Black)
- **MBL** (Midnight Blue)
- **PNA** (Painted Natural Aluminum)
- **PNC** (Painted Natural Copper)
- **RD** (Red)
- **SGR** (Sage Green)
- **SGW** (Semi Gloss White)
- **SND** (Sand)
- **SS** (Satin Silver)
- **TBZ** (Textured Bronze)
- **TGP** (Textured Graphite)
- **TNG** (Tangerine)
- **TTL** (Tahitian Teal)
- **WT** (Gloss White)
- **YEL** (Yellow)

SPECIALTY FINISH

- **GA** (Galvanized)

Post mount cannot be painted with specialty finish (GA)



Aluminum Shade with Casted Aluminum Top with Glass and Guard Options

Standard Mounts (Page 54~57)

ELECTRICAL

- 120V input (277V available in arm and post option only)
- Integrated power supply allows the fixture to be connected directly into line voltage
- Pre-wired and ready for install
- LED is dimmable with Incandescent/Triac dimmers

MOUNTING

- 1/2" or 3/4" IP for arms. Flush mount, stems and post available only in 1/2"
- 9' Pendant cord available in black or white cord (includes 5" canopy with the same finish as the shade)

FINISHES


- Two toned shade and top option
- Available in 22 standard and 1 specialty finishes with optional coastal coating to protect finish in coastal environments (add "-C" to the finish)
- Inner shade is painted gloss white
- Consult factory for custom finish options

OPTIONAL ACCESSORIES

Glass or Cast Guard options available

LISTING

UL listed to US and Canadian standards for wet locations



RDX18LED3627TNGSS-2 / 2HS36SS

RDX18LED3627ABLSS-3 / 3LL23SS

RDX ORDER MATRIX (EXAMPLE: RDX18LED3627ABLSS-3)

Diameter	Lamp / LED	Shade Finish	Top Finish	Coastal Coating	Accessories	Mounting Type
RDX18 (18")	M (Medium Base, 100W max.)	ABL (Aegean Blue)	ABL	(blank) (No Coating)	(blank) (No Accessories)	-2 (1/2" IP)
RDX20 (20")	LED1227 ^{1,2,3} (12W LED, 2700K, 90 CRI, 844lm)	BB (Burnished Bronze)	BB	-C (Coating)	-CG (Clear Glass)	-3 (3/4" IP)
	LED1230 ^{1,2,3} (12W LED, 3000K, 90 CRI, 861lm)	BK (Gloss Black)	BK		-FG (Frosted Glass)	-B (Black Cord Pendant)
	LED1235 ^{1,2,3} (12W LED, 3500K, 90 CRI, 872lm)	BLU (Blue)	BLU		-OG (Opal Glass)	-W (White Cord Pendant)
	LED1240 ^{1,2,3} (12W LED, 4000K, 90 CRI, 889lm)	DVG (Dove Gray)	DVG		-CGG (Clear Glass w/ Cast Guard)	-F (Flush Mount)
	LED1827 ^{1,2,3} (18W LED, 2700K, 90 CRI, 1265lm)	FLG (Flannel Gray)	FLG		-FGG (Frosted Glass w/ Cast Guard)	
	LED1830 ^{1,2,3} (18W LED, 3000K, 90 CRI, 1288lm)	GA (Galvanized)	GA		-OGG (Opal Glass w/ Cast Guard)	
	LED1835 ^{1,2,3} (18W LED, 3500K, 90 CRI, 1311lm)	LG (Lime Green)	LG			
	LED1840 ^{1,2,3} (18W LED, 4000K, 90 CRI, 1334lm)	MB (Matte Black)	MB			
	LED1840 ^{1,2,3} (18W LED, 4000K, 90 CRI, 1334lm)	MBL (Midnight Blue)	MBL			
	LED1840 ^{1,2,3} (18W LED, 4000K, 90 CRI, 1334lm)	PNA (Painted Natural Aluminum)	PNA			
	LED1840 ^{1,2,3} (18W LED, 4000K, 90 CRI, 1334lm)	PNC (Painted Natural Copper)	PNC			
	LED2427 ^{1,2,3} (24W LED, 2700K, 90 CRI, 1485lm)	RD (Red)	RD			
	LED2430 ^{1,2,3} (24W LED, 3000K, 90 CRI, 1510lm)	SGR (Sage Green)	SGR			
	LED2435 ^{1,2,3} (24W LED, 3500K, 90 CRI, 1535lm)	SGW (Semi Gloss White)	SGW			
	LED2440 ^{1,2,3} (24W LED, 4000K, 90 CRI, 1560lm)	SND (Sand)	SND			
	LED2440 ^{1,2,3} (24W LED, 4000K, 90 CRI, 1560lm)	SS (Satin Silver)	SS			
	LED3627 ^{1,2,3} (36W LED, 2700K, 90 CRI, 2230lm)	TBZ (Textured Bronze)	TBZ			
	LED3630 ^{1,2,3} (36W LED, 3000K, 90 CRI, 2265lm)	TGP (Textured Graphite)	TGP			
	LED3635 ^{1,2,3} (36W LED, 3500K, 90 CRI, 2300lm)	TNG (Tangerine)	TNG			
	LED3640 ^{1,2,3} (36W LED, 4000K, 90 CRI, 2340lm)	TTL (Tahitian Teal)	TTL			
		WT (Gloss White)	WT			
		YEL (Yellow)	YEL			

1. Lamps must be specified, and are not included in shade cost
 2. Glass enclosure must be specified
 3. Lumen are raw LED value

ARM MOUNT ORDER MATRIX (EXAMPLE: 3SL23SS)

Pipe Size	Arm Type	Finish	Coastal Coating	Input Voltage
2 (1/2" IP)	SL23 (Small Loop - 23")	Available Finish	(blank) (No Coating)	(blank) (120V)
3 (3/4" IP)	SL30 (Small Loop - 30")	(Use finish code on right)	-C (Coating)	-27 (277V)
	LL23 (Large Loop - 23")			
	LL30 (Large Loop - 30")			
	LC18 (Curve Arm - 18")			
	LC24 (Curve Arm - 24")			
	LC30 (Curve Arm - 30")			
	LM18 (Miter Arm - 18")			
	LM24 (Miter Arm - 24")			
	LM30 (Miter Arm - 30")			
	SA18 (Sign Arm - 18")			
	SA23 (Sign Arm - 23")			
	LSA23 (Large Loop Sign Arm - 23")			
	LSA30 (Large Loop Sign Arm - 30")			
	A6 (Straight Arm - 6")			
	A12 (Straight Arm - 12")			
	A18 (Straight Arm - 18")			
	A24 (Straight Arm - 24")			
	A30 (Straight Arm - 30")			
	MA18 (Modern Arm - 18")			
	MA24 (Modern Arm - 24")			
	MA30 (Modern Arm - 30")			

KNUCKLE ACCESSORY ORDER MATRIX (EXAMPLE: 2KNLSS)

Pipe Size	Knuckle	Finish	Coastal Coating
2 (1/2" IP)	KNL (Adjustable 180° Knuckle for Arm Mounts)	Available Finish	(blank) (No Coating)
3 (3/4" IP)		(Use finish code on right)	-C (Coating)

POST / WALL MOUNT ORDER MATRIX (EXAMPLE: 2W1SS)

Pipe Size	Mount Type	Finish	Input Voltage
2 (1/2" IP)	P1 (Single Post Mount)	Available Finish	(blank) (120V)
	P2 (Double Post Mount)	(Use finish code on right)	-27 ⁴ (277V)
	W1 (Traditional Wall Mount)		

4. Post mount only

POST TYPE ORDER MATRIX (EXAMPLE: P8683-96SS)

Post Type	Finish
PM4946 (Cast Aluminum Post)	Available Finish
P8683-96 (Cast Aluminum Base w/ 96" Aluminum Post)	(Use finish code on right)
P8683-120 (Cast Aluminum Base w/ 120" Aluminum Post)	
P8684-96 (96" Straight Aluminum Post)	
P8684-120 (120" Straight Aluminum Post)	
PM8685 (Cast Aluminum Pier Mount - must be used with straight aluminum post, P8684)	

STEM MOUNT ORDER MATRIX (EXAMPLE: 2HS18SS)

Pipe Size	Stem Length	Finish	Coastal Coating
2 (1/2" IP)	HS12 (12")	Available Finish	(blank) (No Coating)
	HS18 (18")	(Use finish code on right)	-C (Coating)
	HS24 (24")		
	HS36 (36")		
	HS48 (48")		
	HS__ (Custom length from 2" up to 60")		

STANDARD FINISHES

- ABL** (Aegean Blue)
- BB** (Burnished Bronze)
- BK** (Gloss Black)
- BLU** (Blue)
- DVG** (Dove Gray)
- FLG** (Flannel Gray)
- LG** (Lime Green)
- MB** (Matte Black)
- MBL** (Midnight Blue)
- PNA** (Painted Natural Aluminum)
- PNC** (Painted Natural Copper)
- RD** (Red)
- SGR** (Sage Green)
- SGW** (Semi Gloss White)
- SND** (Sand)
- SS** (Satin Silver)
- TBZ** (Textured Bronze)
- TGP** (Textured Graphite)
- TNG** (Tangerine)
- TTL** (Tahitian Teal)
- WT** (Gloss White)
- YEL** (Yellow)

SPECIALTY FINISH

- GA** (Galvanized)

Post mount cannot be painted with specialty finish (GA)



BIRD CAGE | MODERN VISIONS

Aluminum Shade with Outer Wire Cage with Glass and Guard Options

ELECTRICAL

- 120V input (277V available in arm and post option only)
- Integrated power supply allows the fixture to be connected directly into line voltage
- Pre-wired and ready for install
- LED is dimmable with Incandescent/Triac dimmers

MOUNTING

- ½" or ¾" IP for arms. Flush mount, stems and post available only in ½"
- 9' Pendant cord available in black or white cord (includes 5" canopy with the same finish as the shade)

FINISHES


- Two-toned shade and outer wire cage
- Available in 22 standard and 1 specialty finishes with optional coastal coating to protect finish in coastal environments (add "-C" to the finish)
- Inner shade is painted gloss white
- Consult factory for custom finish options

OPTIONAL ACCESSORIES

Glass, Cast Guard, or Wire Cage options available

LISTING

UL listed to US and Canadian standards for wet locations



BIRD CAGE ORDER MATRIX (EXAMPLE: BC14MTBZBLU-CGG-2 / 2LL23BLU)

Diameter	Lamp / LED	Shade Finish	Outer Cage	Coastal Coating	Accessories	Mounting Type
BC14 (14")	M (Medium Base, 100W max.)	ABL (Aegean Blue)	ABL	(blank) (No Coating)	(blank) (No Accessories)	-2 (½" IP)
BC16 (16")	LED1227 ^{1,2,3} (12W LED, 2700K, 90 CRI, 844lm)	BB (Burnished Bronze)	BB	-C (Coating)	-CG (Clear Glass)	-3 (¾" IP)
BC18 (18")	LED1230 ^{1,2,3} (12W LED, 3000K, 90 CRI, 861lm)	BK (Gloss Black)	BK		-FG (Frosted Glass)	-B (Black Cord Pendant)
		BLU (Blue)	BLU		-CGG (Clear Glass w/ Cast Guard)	-W (White Cord Pendant)
		DVG (Dove Gray)	DVG		-FGG (Frosted Glass w/ Cast Guard)	-F (Flush Mount)
		FLG (Flannel Gray)	FLG		-CGWC (Clear Glass w/ Wire Cage)	
		GA (Galvanized)	GA		-FGWC (Frosted Glass w/ Wire Cage)	
		LG (Lime Green)	LG			
		MB (Matte Black)	MB			
		MBL (Midnight Blue)	MBL			
		PNA (Painted Natural Aluminum)	PNA			
		PNC (Painted Natural Copper)	PNC			
		RD (Red)	RD			
		SGR (Sage Green)	SGR			
SGW (Semi Gloss White)	SGW					
SND (Sand)	SND					
SS (Satin Silver)	SS					
TBZ (Textured Bronze)	TBZ					
TGP (Textured Graphite)	TGP					
TNG (Tangerine)	TNG					
TTL (Tahitian Teal)	TTL					
WT (Gloss White)	WT					
YEL (Yellow)	YEL					

1. Lamps must be specified, and are not included in shade cost
 2. Glass enclosure must be specified
 3. Lumen are raw LED value

COMPATIBLE MOUNTS | BIRD CAGE

Standard Mounts (Page 54~57)

ARM MOUNT ORDER MATRIX (EXAMPLE: 3SL23BLU)

Pipe Size	Arm Type	Finish	Coastal Coating	Input Voltage
2 (½" IP)	SL23 (Small Loop - 23")	Available Finish (Use finish code on right)	(blank) (No Coating)	(blank) (120V)
3 (¾" IP)	SL30 (Small Loop - 30")		-C (Coating)	-27 (277V)
	LL23 (Large Loop - 23")			
	LL30 (Large Loop - 30")			
	LC18 (Curve Arm - 18")			
	LC24 (Curve Arm - 24")			
	LC30 (Curve Arm - 30")			
	LM18 (Miter Arm - 18")			
	LM24 (Miter Arm - 24")			
	LM30 (Miter Arm - 30")			
	SA18 (Sign Arm - 18")			
	SA23 (Sign Arm - 23")			
	LSA23 (Large Loop Sign Arm - 23")			
	LSA30 (Large Loop Sign Arm - 30")			
	A6 (Straight Arm - 6")			
	A12 (Straight Arm - 12")			
	A18 (Straight Arm - 18")			
	A24 (Straight Arm - 24")			
	A30 (Straight Arm - 30")			
	MA18 (Modern Arm - 18")			
	MA24 (Modern Arm - 24")			
	MA30 (Modern Arm - 30")			

KNUCKLE ACCESSORY ORDER MATRIX (EXAMPLE: 2KNLBU)

Pipe Size	Knuckle	Finish	Coastal Coating
2 (½" IP)	KNL (Adjustable 180° Knuckle for Arm Mounts)	Available Finish (Use finish code on right)	(blank) (No Coating)
3 (¾" IP)			-C (Coating)

POST / WALL MOUNT ORDER MATRIX (EXAMPLE: 2W1BLU)

Pipe Size	Mount Type	Finish	Input Voltage
2 (½" IP)	P1 (Single Post Mount)	Available Finish (Use finish code on right)	(blank) (120V)
	P2 (Double Post Mount)		-27 ⁴ (277V)
	W1 (Traditional Wall Mount)		

4. Post mount only

POST TYPE ORDER MATRIX (EXAMPLE: P8683-96BLU)

Post Type	Finish
PM4946 (Cast Aluminum Post)	Available Finish (Use finish code on right)
P8683-96 (Cast Aluminum Base w/ 96" Aluminum Post)	
P8683-120 (Cast Aluminum Base w/ 120" Aluminum Post)	
P8684-96 (96" Straight Aluminum Post)	
P8684-120 (120" Straight Aluminum Post)	
PM8685 (Cast Aluminum Pier Mount - must be used with straight aluminum post, P8684)	

STEM MOUNT ORDER MATRIX (EXAMPLE: 2HS18BLU)

Pipe Size	Stem Length	Finish	Coastal Coating
2 (½" IP)	HS12 (12")	Available Finish (Use finish code on right)	(blank) (No Coating)
	HS18 (18")		-C (Coating)
	HS24 (24")		
	HS36 (36")		
	HS48 (48")		
	HS__ (Custom length from 2" up to 60")		

STANDARD FINISHES

- ABL (Aegean Blue)
- BB (Burnished Bronze)
- BK (Gloss Black)
- BLU (Blue)
- DVG (Dove Gray)
- FLG (Flannel Gray)
- LG (Lime Green)
- MB (Matte Black)
- MBL (Midnight Blue)
- PNA (Painted Natural Aluminum)
- PNC (Painted Natural Copper)
- RD (Red)
- SGR (Sage Green)
- SGW (Semi Gloss White)
- SND (Sand)
- SS (Satin Silver)
- TBZ (Textured Bronze)
- TGP (Textured Graphite)
- TNG (Tangerine)
- TTL (Tahitian Teal)
- WT (Gloss White)
- YEL (Yellow)

SPECIALTY FINISH

- GA (Galvanized)

Post mount cannot be painted with specialty finish (GA)



White Acrylic Globe
with Machined Top Cover

Standard Mounts
(Page 54~57)

ELECTRICAL

- 120V input (277V available in arm and post option only)
- Integrated power supply allows the fixture to be connected directly into line voltage
- Pre-wired and ready for install
- LED is dimmable with Incandescent/Triac dimmers

MOUNTING


- 1/2" or 3/4" IP for arms. Flush mount, stems and post available only in 1/2"
- 9' Pendant cord available in black or white cord (includes 5" canopy with the same finish as the shade)

FINISHES

- Top cover and mounting finish options
- Available in 22 standard and 1 specialty finishes with optional coastal coating to protect finish in coastal environments (add "-C" to the finish)
- Consult factory for custom finish options

LISTING

UL listed to US and Canadian standards for wet locations



GL14LED1827TBZ-2 / 2HS36TBZ

GL12LED1827LG-2 / 2HS36LG

GLOBE ORDER MATRIX (EXAMPLE: GL14LED1827TBZ-2)

Diameter	Lamp / LED	Top Cover Finish	Coastal Coating	Mounting Type
GL12 (12")	M (Medium Base, 100W max.)	ABL (Aegean Blue)	(blank) (No Coating)	-2 (1/2" IP)
GL14 (14")	LED1227^{1,2} (12W LED, 2700K, 90 CRI, 844lm)	BB (Burnished Bronze)	-C (Coating)	-3 (3/4" IP)
GL16 (16")	LED1230^{1,2} (12W LED, 3000K, 90 CRI, 861lm)	BK (Gloss Black)		-B (Black Cord Pendant)
GL18 (18")	LED1235^{1,2} (12W LED, 3500K, 90 CRI, 872lm)	BLU (Blue)		-W (White Cord Pendant)
	LED1240^{1,2} (12W LED, 4000K, 90 CRI, 889lm)	DVG (Dove Gray)		-F (Flush Mount)
	LED1827^{1,2} (18W LED, 2700K, 90 CRI, 1265lm)	FLG (Flannel Gray)		
	LED1830^{1,2} (18W LED, 3000K, 90 CRI, 1288lm)	GA (Galvanized)		
	LED1835^{1,2} (18W LED, 3500K, 90 CRI, 1311lm)	LG (Lime Green)		
	LED1840^{1,2} (18W LED, 4000K, 90 CRI, 1334lm)	MB (Matte Black)		
		MBL (Midnight Blue)		
		PNA (Painted Natural Aluminum)		
		PNC (Painted Natural Copper)		
		RD (Red)		
		SGR (Sage Green)		
		SGW (Semi Gloss White)		
		SND (Sand)		
		SS (Satin Silver)		
		TBZ (Textured Bronze)		
		TGP (Textured Graphite)		
		TNG (Tangerine)		
		TTL (Tahitian Teal)		
		WT (Gloss White)		
		YEL (Yellow)		

1. Lamps must be specified, and are not included in shade cost
2. Lumen are raw LED value

ARM MOUNT ORDER MATRIX (EXAMPLE: 2SL23TBZ)

Pipe Size	Arm Type	Finish	Coastal Coating	Input Voltage
2 (1/2" IP)	SL23 (Small Loop - 23")	Available Finish	(blank) (No Coating)	(blank) (120V)
3 (3/4" IP)	SL30 (Small Loop - 30")	(Use finish code on right)	-C (Coating)	-27 (277V)
	LL23 (Large Loop - 23")			
	LL30 (Large Loop - 30")			
	LC18 (Curve Arm - 18")			
	LC24 (Curve Arm - 24")			
	LC30 (Curve Arm - 30")			
	LM18 (Miter Arm - 18")			
	LM24 (Miter Arm - 24")			
	LM30 (Miter Arm - 30")			
	SA18 (Sign Arm - 18")			
	SA23 (Sign Arm - 23")			
	LSA23 (Large Loop Sign Arm - 23")			
	LSA30 (Large Loop Sign Arm - 30")			
	A6 (Straight Arm - 6")			
	A12 (Straight Arm - 12")			
	A18 (Straight Arm - 18")			
	A24 (Straight Arm - 24")			
	A30 (Straight Arm - 30")			
	MA18 (Modern Arm - 18")			
	MA24 (Modern Arm - 24")			
	MA30 (Modern Arm - 30")			

KNUCKLE ACCESSORY ORDER MATRIX (EXAMPLE: 2KNLTBZ)

Pipe Size	Knuckle	Finish	Coastal Coating
2 (1/2" IP)	KNL (Adjustable 180° Knuckle for Arm Mounts)	Available Finish	(blank) (No Coating)
3 (3/4" IP)		(Use finish code on right)	-C (Coating)

POST / WALL MOUNT ORDER MATRIX (EXAMPLE: 2W1TBZ)

Pipe Size	Mount Type	Finish	Input Voltage
2 (1/2" IP)	P1 (Single Post Mount)	Available Finish	(blank) (120V)
	P2 (Double Post Mount)	(Use finish code on right)	-27 ³ (277V)
	W1 (Traditional Wall Mount)		

3. Post mount only

POST TYPE ORDER MATRIX (EXAMPLE: P8683-96TBZ)

Post Type	Finish
PM4946 (Cast Aluminum Post)	Available Finish
P8683-96 (Cast Aluminum Base w/ 96" Aluminum Post)	(Use finish code on right)
P8683-120 (Cast Aluminum Base w/ 120" Aluminum Post)	
P8684-96 (96" Straight Aluminum Post)	
P8684-120 (120" Straight Aluminum Post)	
PM8685 (Cast Aluminum Pier Mount - must be used with straight aluminum post, P8684)	

STEM MOUNT ORDER MATRIX (EXAMPLE: 2HS18TBZ)

Pipe Size	Stem Length	Finish	Coastal Coating
2 (1/2" IP)	HS12 (12")	Available Finish	(blank) (No Coating)
	HS18 (18")	(Use finish code on right)	-C (Coating)
	HS24 (24")		
	HS36 (36")		
	HS48 (48")		
	HS__ (Custom length from 2" up to 60")		

STANDARD FINISHES

- ABL** (Aegean Blue)
- BB** (Burnished Bronze)
- BK** (Gloss Black)
- BLU** (Blue)
- DVG** (Dove Gray)
- FLG** (Flannel Gray)
- LG** (Lime Green)
- MB** (Matte Black)
- MBL** (Midnight Blue)
- PNA** (Painted Natural Aluminum)
- PNC** (Painted Natural Copper)
- RD** (Red)
- SGR** (Sage Green)
- SGW** (Semi Gloss White)
- SND** (Sand)
- SS** (Satin Silver)
- TBZ** (Textured Bronze)
- TGP** (Textured Graphite)
- TNG** (Tangerine)
- TTL** (Tahitian Teal)
- WT** (Gloss White)
- YEL** (Yellow)

SPECIALTY FINISH

- GA** (Galvanized)

Post mount cannot be painted with specialty finish (GA)



Aluminum Shade
with White Inner Diffuser

ELECTRICAL

- 120V input (277V available in arm and post option only)
- Integrated power supply allows the fixture to be connected directly into line voltage
- Pre-wired and ready for install
- LED is dimmable with Incandescent/Triac dimmers

MOUNTING


- 1/2" or 3/4" IP for arms. Flush mount, stems and post available only in 1/2"
- 9' Pendant cord available in black or white cord (includes 5" canopy with the same finish as the shade)

FINISHES

- Shade and mounting finish options
- Available in 22 standard and 1 specialty finishes with optional coastal coating to protect finish in coastal environments (add "-C" to the finish)
- Inner shade is painted semi gloss white
- Consult factory for custom finish options

LISTING

UL listed to US and Canadian standards for wet locations



TR14LED1835LG-2 / 2HS36SS

TR18LED1835ABL-2 / 2HS36SS

TEAR ORDER MATRIX (EXAMPLE: TR18LED1835ABL-2)

Diameter	Lamp / LED	Finish	Coastal Coating	Mounting Type
TR12 (12")	M (Medium Base, 100W max.)	ABL (Aegean Blue)	(blank) (No Coating)	-2 (1/2" IP)
TR14 (14")	LED1227^{1,2} (12W LED, 2700K, 90 CRI, 844lm)	BB (Burnished Bronze)	-C (Coating)	-3 (3/4" IP)
TR16 (16")	LED1230^{1,2} (12W LED, 3000K, 90 CRI, 861lm)	BK (Gloss Black)		-B (Black Cord Pendant)
TR18 (18")	LED1235^{1,2} (12W LED, 3500K, 90 CRI, 872lm)	BLU (Blue)		-W (White Cord Pendant)
	LED1240^{1,2} (12W LED, 4000K, 90 CRI, 889lm)	DVG (Dove Gray)		-F (Flush Mount)
	LED1827^{1,2} (18W LED, 2700K, 90 CRI, 1265lm)	FLG (Flannel Gray)		
	LED1830^{1,2} (18W LED, 3000K, 90 CRI, 1288lm)	GA (Galvanized)		
	LED1835^{1,2} (18W LED, 3500K, 90 CRI, 1311lm)	LG (Lime Green)		
	LED1840^{1,2} (18W LED, 4000K, 90 CRI, 1334lm)	MB (Matte Black)		
		MBL (Midnight Blue)		
		PNA (Painted Natural Aluminum)		
		PNC (Painted Natural Copper)		
		RD (Red)		
		SGR (Sage Green)		
		SGW (Semi Gloss White)		
		SND (Sand)		
		SS (Satin Silver)		
		TBZ (Textured Bronze)		
		TGP (Textured Graphite)		
		TNG (Tangerine)		
		TTL (Tahitian Teal)		
		WT (Gloss White)		
		YEL (Yellow)		

1. Lamps must be specified, and are not included in shade cost
2. Lumen are raw LED value

Standard Mounts
(Page 54~57)

ARM MOUNT ORDER MATRIX (EXAMPLE: 3SL23SS)

Pipe Size	Arm Type	Finish	Coastal Coating	Input Voltage
2 (1/2" IP)	SL23 (Small Loop - 23")	Available Finish	(blank) (No Coating)	(blank) (120V)
3 (3/4" IP)	SL30 (Small Loop - 30")	(Use finish code on right)	-C (Coating)	-27 (277V)
	LL23 (Large Loop - 23")			
	LL30 (Large Loop - 30")			
	LC18 (Curve Arm - 18")			
	LC24 (Curve Arm - 24")			
	LC30 (Curve Arm - 30")			
	LM18 (Miter Arm - 18")			
	LM24 (Miter Arm - 24")			
	LM30 (Miter Arm - 30")			
	SA18 (Sign Arm - 18")			
	SA23 (Sign Arm - 23")			
	LSA23 (Large Loop Sign Arm - 23")			
	LSA30 (Large Loop Sign Arm - 30")			
	A6 (Straight Arm - 6")			
	A12 (Straight Arm - 12")			
	A18 (Straight Arm - 18")			
	A24 (Straight Arm - 24")			
	A30 (Straight Arm - 30")			
	MA18 (Modern Arm - 18")			
	MA24 (Modern Arm - 24")			
	MA30 (Modern Arm - 30")			

KNUCKLE ACCESSORY ORDER MATRIX (EXAMPLE: 2KNLSS)

Pipe Size	Knuckle	Finish	Coastal Coating
2 (1/2" IP)	KNL (Adjustable 180° Knuckle for Arm Mounts)	Available Finish	(blank) (No Coating)
3 (3/4" IP)		(Use finish code on right)	-C (Coating)

POST / WALL MOUNT ORDER MATRIX (EXAMPLE: 2P1SS)

Pipe Size	Mount Type	Finish	Input Voltage
2 (1/2" IP)	P1 (Single Post Mount)	Available Finish	(blank) (120V)
	P2 (Double Post Mount)	(Use finish code on right)	-27 ³ (277V)
	W1 (Traditional Wall Mount)		

3. Post mount only

POST TYPE ORDER MATRIX (EXAMPLE: P8683-96SS)

Post Type	Finish
PM4946 (Cast Aluminum Post)	Available Finish
P8683-96 (Cast Aluminum Base w/ 96" Aluminum Post)	(Use finish code on right)
P8683-120 (Cast Aluminum Base w/ 120" Aluminum Post)	
P8684-96 (96" Straight Aluminum Post)	
P8684-120 (120" Straight Aluminum Post)	
PM8685 (Cast Aluminum Pier Mount - must be used with straight aluminum post, P8684)	

STEM MOUNT ORDER MATRIX (EXAMPLE: 2HS36SS)

Pipe Size	Stem Length	Finish	Coastal Coating
2 (1/2" IP)	HS12 (12")	Available Finish	(blank) (No Coating)
	HS18 (18")	(Use finish code on right)	-C (Coating)
	HS24 (24")		
	HS36 (36")		
	HS48 (48")		
	HS__ (Custom length from 2" up to 60")		

STANDARD FINISHES

- ABL** (Aegean Blue)
- BB** (Burnished Bronze)
- BK** (Gloss Black)
- BLU** (Blue)
- DVG** (Dove Gray)
- FLG** (Flannel Gray)
- LG** (Lime Green)
- MB** (Matte Black)
- MBL** (Midnight Blue)
- PNA** (Painted Natural Aluminum)
- PNC** (Painted Natural Copper)
- RD** (Red)
- SGR** (Sage Green)
- SGW** (Semi Gloss White)
- SND** (Sand)
- SS** (Satin Silver)
- TBZ** (Textured Bronze)
- TGP** (Textured Graphite)
- TNG** (Tangerine)
- TTL** (Tahitian Teal)
- WT** (Gloss White)
- YEL** (Yellow)

SPECIALTY FINISH

- GA** (Galvanized)

Post mount cannot be painted with specialty finish (GA)



Aluminum Shade with Machined Aluminum Center Adapter

ELECTRICAL

- 120V input (277V available, must specify on arm mount)
- Integrated power supply allows the fixture to be connected directly into line voltage
- Pre-wired and ready for install
- LED is dimmable with Incandescent/Triac dimmers

MOUNTING

- 1/2" IP or 3/4" IP straight arms available

FINISHES

- Two-toned shade and center adapter finish options
- Available in 22 standard and 1 specialty finishes with optional coastal coating to protect finish in coastal environments (add "-C" to the finish)
- Consult factory for custom finish options

LISTING

UL listed to US and Canadian standards for wet locations




MC10LED1227MBMB-3 / 3MCA24MB

MC12LED1227DVGFLG-3 / 3MCA24FLG

Center Adapter Finish

Shade Finish



MID CENTURY ORDER MATRIX (EXAMPLE: MC12LED1227DVGFLG-3)


Diameter	Lamp / LED	Shade Finish	Center Adapter Finish	Coastal Coating	Mounting Type
MC8 (8")	M (Medium Base, 100W max.)	ABL (Aegean Blue)	ABL (Aegean Blue)	(blank) (No Coating)	-2 (1/2" IP)
MC10 (10")	LED1227 ^{1,2} (12W LED, 2700K, 90 CRI, 844lm)	BB (Burnished Bronze)	BB (Burnished Bronze)	-C (Coating)	-3 (3/4" IP)
MC12 (12")	LED1230 ^{1,2} (12W LED, 3000K, 90 CRI, 861lm)	BK (Gloss Black)	BK (Gloss Black)		-B (Black Cord Pendant)
	LED1235 ^{1,2} (12W LED, 3500K, 90 CRI, 872lm)	BLU (Blue)	BLU (Blue)		-W (White Cord Pendant)
	LED1240 ^{1,2} (12W LED, 4000K, 90 CRI, 889lm)	DVG (Dove Gray)	DVG (Dove Gray)		
	LED1827 ^{1,2} (18W LED, 2700K, 90 CRI, 1265lm)	FLG (Flannel Gray)	FLG (Flannel Gray)		
	LED1830 ^{1,2} (18W LED, 3000K, 90 CRI, 1288lm)	GA (Galvanized)	GA (Galvanized)		
	LED1835 ^{1,2} (18W LED, 3500K, 90 CRI, 1311lm)	LG (Lime Green)	LG (Lime Green)		
	LED1840 ^{1,2} (18W LED, 4000K, 90 CRI, 1334lm)	MB (Matte Black)	MB (Matte Black)		
		MBL (Midnight Blue)	MBL (Midnight Blue)		
		PNA (Painted Natural Aluminum)	PNA (Painted Natural Aluminum)		
		PNC (Painted Natural Copper)	PNC (Painted Natural Copper)		
		RD (Red)	RD (Red)		
		SGR (Sage Green)	SGR (Sage Green)		
		SGW (Semi Gloss White)	SGW (Semi Gloss White)		
		SND (Sand)	SND (Sand)		
		SS (Satin Silver)	SS (Satin Silver)		
		TBZ (Textured Bronze)	TBZ (Textured Bronze)		
		TGP (Textured Graphite)	TGP (Textured Graphite)		
		TNG (Tangerine)	TNG (Tangerine)		
		TTL (Tahitian Teal)	TTL (Tahitian Teal)		
		WT (Gloss White)	WT (Gloss White)		
		YEL (Yellow)	YEL (Yellow)		

1. Lamps must be specified, and are not included in shade cost
2. Lumen are raw LED value

Specialty Mounts

ARM MOUNT ORDER MATRIX (EXAMPLE: 3MCA24FLG)

Pipe Size	Arm Type	Finish	Coastal Coating	Input Voltage
2 (1/2" IP)	MCA18 (Mid Century Straight Arm - 18")	Available Finish (Use finish code on right)	(blank) (No Coating)	(blank) (120V)
3 (3/4" IP)	MCA24 (Mid Century Straight Arm - 24")		-C (Coating)	-27 (277V)
	MCA30 (Mid Century Straight Arm - 30")			
	MCA (Mid Century Straight Arm - Custom length)			




Note: All arm mounts include canopy

KNUCKLE ACCESSORY ORDER MATRIX (EXAMPLE: 3KNLFLG)

Pipe Size	Knuckle	Finish	Coastal Coating
2 (1/2" IP)	KNL (Adjustable 180° Knuckle for Arm Mounts)	Available Finish (Use finish code on right)	(blank) (No Coating)
3 (3/4" IP)			-C (Coating)

KNUCKLE ACCESSORY



STANDARD FINISHES

- **ABL** (Aegean Blue)
- **BB** (Burnished Bronze)
- **BK** (Gloss Black)
- **BLU** (Blue)
- **DVG** (Dove Gray)
- **FLG** (Flannel Gray)
- **LG** (Lime Green)
- **MB** (Matte Black)
- **MBL** (Midnight Blue)
- **PNA** (Painted Natural Aluminum)
- **PNC** (Painted Natural Copper)
- **RD** (Red)
- **SGR** (Sage Green)
- **SGW** (Semi Gloss White)
- **SND** (Sand)
- **SS** (Satin Silver)
- **TBZ** (Textured Bronze)
- **TGP** (Textured Graphite)
- **TNG** (Tangerine)
- **TTL** (Tahitian Teal)
- **WT** (Gloss White)
- **YEL** (Yellow)

SPECIALTY FINISH

- **GA** (Galvanized)

Post mount cannot be painted with specialty finish (GA)

Aluminum Shade with Solite Lens,
Two-Toned Shade and Lens Ring Option

ELECTRICAL

- 120/277V input
- Integrated power supply allows the fixture to be connected directly into line voltage
- Pre-wired and ready for install
- Dimmable with 120V Incandescent/Triac/0-10V dimmers

MOUNTING

- 1/2" IP or 3/4" IP for arms. Stems available only in 1/2"

FINISHES

- Two-toned shade and lens ring finish options
- Available in 22 standard and 1 specialty finishes with optional coastal coating to protect finish in coastal environments (add "-C" to the finish)
- Consult factory for custom finish options

LISTING

UL listed to US and Canadian standards for wet locations



FR12LED20PNAPNA-3 / 3LMB18PNA



FR16LED44SGWSGW-3 / 3LMB30SGW

Shade Finish
Lens Ring Finish



FRESH ORDER MATRIX (EXAMPLE: FR16LED44SGWSGW-3)


Diameter	LED	Shade Finish	Lens Ring Finish	Coastal Coating	Mounting Type
FR12 (12")	LED20 ^{1,2} (20W LED, 2800K, 80 CRI, 1200lm)	ABL (Aegean Blue)	ABL (Aegean Blue)	(blank) (No Coating)	-2 (1/2" IP)
		BB (Burnished Bronze)	BB (Burnished Bronze)	-C (Coating)	-3 (3/4" IP)
FR16 (16")	LED44 ^{1,2} (44W LED, 2800K, 80 CRI, 2800lm) FR16 ONLY	BK (Gloss Black)	BK (Gloss Black)		
		BLU (Blue)	BLU (Blue)		
		DVG (Dove Gray)	DVG (Dove Gray)		
		FLG (Flannel Gray)	FLG (Flannel Gray)		
		GA (Galvanized)	GA (Galvanized)		
		LG (Lime Green)	LG (Lime Green)		
		MB (Matte Black)	MB (Matte Black)		
		MBL (Midnight Blue)	MBL (Midnight Blue)		
		PNA (Painted Natural Aluminum)	PNA (Painted Natural Aluminum)		
		PNC (Painted Natural Copper)	PNC (Painted Natural Copper)		
		RD (Red)	RD (Red)		
		SGR (Sage Green)	SGR (Sage Green)		
		SGW (Semi Gloss White)	SGW (Semi Gloss White)		
		SND (Sand)	SND (Sand)		
		SS (Satin Silver)	SS (Satin Silver)		
		TBZ (Textured Bronze)	TBZ (Textured Bronze)		
		TGP (Textured Graphite)	TGP (Textured Graphite)		
		TNG (Tangerine)	TNG (Tangerine)		
		TTL (Tahitian Teal)	TTL (Tahitian Teal)		
		WT (Gloss White)	WT (Gloss White)		
		YEL (Yellow)	YEL (Yellow)		

1. Lamps must be specified, and are not included in shade cost
2. Lumen are raw LED value

Specialty Mounts


ARM MOUNT ORDER MATRIX (EXAMPLE: 3LMB18SGW)

Pipe Size	Arm Type	Finish	Coastal Coating
2 (1/2" IP)	SLB23 (Small Loop - 23")	Available Finish (Use finish code on right)	(blank) (No Coating)
3 (3/4" IP)	SLB30 (Small Loop - 30")		-C (Coating)
	LLB23 (Large Loop - 23")		
	LLB30 (Large Loop - 30")		
	LCB18 (Curve Arm - 18")		
	LCB24 (Curve Arm - 24")		
	LCB30 (Curve Arm - 30")		
	LMB18 (Miter Arm - 18")		
	LMB24 (Miter Arm - 24")		
	LMB30 (Miter Arm - 30")		
	SAB18 (Sign Arm - 18")		
	SAB23 (Sign Arm - 23")		
	LSAB23 (Large Loop Sign Arm - 23")		
	LSAB30 (Large Loop Sign Arm - 30")		
	MAB18 (Modern Arm - 18")		
	MAB24 (Modern Arm - 24")		
	MAB30 (Modern Arm - 30")		



STEM MOUNT ORDER MATRIX (EXAMPLE: 2HSB18SGW)

Pipe Size	Stem Length	Finish	Coastal Coating
2 (1/2" IP)	HSB12 (12")	Available Finish (Use finish code on right)	(blank) (No Coating)
	HSB18 (18")		-C (Coating)
	HSB24 (24")		
	HSB36 (36")		
	HSB48 (48")		
	HSB__ (Custom length from 2" up to 60")		



HSB12 / HSB18 / HSB24 / HSB36 / HSB48 / HSB__
Stem mounts can be used for sloped ceiling up to 30°

STANDARD FINISHES

- ABL (Aegean Blue)
- BB (Burnished Bronze)
- BK (Gloss Black)
- BLU (Blue)
- DVG (Dove Gray)
- FLG (Flannel Gray)
- LG (Lime Green)
- MB (Matte Black)
- MBL (Midnight Blue)
- PNA (Painted Natural Aluminum)
- PNC (Painted Natural Copper)
- RD (Red)
- SGR (Sage Green)
- SGW (Semi Gloss White)
- SND (Sand)
- SS (Satin Silver)
- TBZ (Textured Bronze)
- TGP (Textured Graphite)
- TNG (Tangerine)
- TTL (Tahitian Teal)
- WT (Gloss White)
- YEL (Yellow)

SPECIALTY FINISH

- GA (Galvanized)

Post mount cannot be painted with specialty finish (GA)



Aluminum Shade with Solite Lens
Two-Toned Shade and Lens Ring Option

ELECTRICAL

- 120/277V input
- Integrated power supply allows the fixture to be connected directly into line voltage
- Pre-wired and ready for install
- Dimmable with 120V Incandescent/Triac/0-10V dimmers

MOUNTING

- 1/2" IP or 3/4" IP for arms. Stems available only in 1/2"

FINISHES

- Two-toned shade and lens ring finish options
- Available in 22 standard and 1 specialty finishes with optional coastal coating to protect finish in coastal environments (add "-C" to the finish)
- Consult factory for custom finish options

LISTING

UL listed to US and Canadian standards for wet locations




Shade Finish
Lens Ring Finish

PD14LED20ABL-3 / 3LMB18ABL



PD18LED44PNAPNA-3 / 3LMB30PNA



PARADIGM ORDER MATRIX (EXAMPLE: PD18LED44PNAPNA-3)


Diameter	LED	Shade Finish	Lens Ring Finish	Coastal Coating	Mounting Type
PD14 (14")	LED20 ^{1,2} (20W LED, 2800K, 80 CRI, 1200lm)	ABL (Aegean Blue)	ABL (Aegean Blue)	(blank) (No Coating)	-2 (1/2" IP)
		BB (Burnished Bronze)	BB (Burnished Bronze)	-C (Coating)	-3 (3/4" IP)
		BK (Gloss Black)	BK (Gloss Black)		
		BLU (Blue)	BLU (Blue)		
		DVG (Dove Gray)	DVG (Dove Gray)		
		FLG (Flannel Gray)	FLG (Flannel Gray)		
		GA (Galvanized)	GA (Galvanized)		
		LG (Lime Green)	LG (Lime Green)		
		MB (Matte Black)	MB (Matte Black)		
		MBL (Midnight Blue)	MBL (Midnight Blue)		
		PNA (Painted Natural Aluminum)	PNA (Painted Natural Aluminum)		
		PNC (Painted Natural Copper)	PNC (Painted Natural Copper)		
PD18 (18")	LED44 ^{1,2} (44W LED, 2800K, 80 CRI, 2800lm) PD18 ONLY	RD (Red)	RD (Red)		
		SGR (Sage Green)	SGR (Sage Green)		
		SGW (Semi Gloss White)	SGW (Semi Gloss White)		
		SND (Sand)	SND (Sand)		
		SS (Satin Silver)	SS (Satin Silver)		
		TBZ (Textured Bronze)	TBZ (Textured Bronze)		
		TGP (Textured Graphite)	TGP (Textured Graphite)		
		TNG (Tangerine)	TNG (Tangerine)		
		TTL (Tahitian Teal)	TTL (Tahitian Teal)		
		WT (Gloss White)	WT (Gloss White)		
		YEL (Yellow)	YEL (Yellow)		

1. Lamps must be specified, and are not included in shade cost
2. Lumen are raw LED value

Specialty Mounts


ARM MOUNT ORDER MATRIX (EXAMPLE: 3LMB18PNA)

Pipe Size	Arm Type	Finish	Coastal Coating
2 (1/2" IP)	SLB23 (Small Loop - 23")	Available Finish (Use finish code on right)	(blank) (No Coating)
3 (3/4" IP)	SLB30 (Small Loop - 30")		-C (Coating)
	LLB23 (Large Loop - 23")		
	LLB30 (Large Loop - 30")		
	LCB18 (Curve Arm - 18")		
	LCB24 (Curve Arm - 24")		
	LCB30 (Curve Arm - 30")		
	LMB18 (Miter Arm - 18")		
	LMB24 (Miter Arm - 24")		
	LMB30 (Miter Arm - 30")		
	SAB18 (Sign Arm - 18")		
	SAB23 (Sign Arm - 23")		
	LSAB23 (Large Loop Sign Arm - 23")		
	LSAB30 (Large Loop Sign Arm - 30")		
	MAB18 (Modern Arm - 18")		
	MAB24 (Modern Arm - 24")		
	MAB30 (Modern Arm - 30")		



STEM MOUNT ORDER MATRIX (EXAMPLE: 2HSB18PNA)

Pipe Size	Stem Length	Finish	Coastal Coating
2 (1/2" IP)	HSB12 (12")	Available Finish (Use finish code on right)	(blank) (No Coating)
	HSB18 (18")		-C (Coating)
	HSB24 (24")		
	HSB36 (36")		
	HSB48 (48")		
	HSB__ (Custom length from 2" up to 60")		



HSB12 / HSB18 / HSB24 / HSB36 / HSB48 / HSB__
Stem mounts can be used for sloped ceiling up to 30°

STANDARD FINISHES

- ABL (Aegean Blue)
- BB (Burnished Bronze)
- BK (Gloss Black)
- BLU (Blue)
- DVG (Dove Gray)
- FLG (Flannel Gray)
- LG (Lime Green)
- MB (Matte Black)
- MBL (Midnight Blue)
- PNA (Painted Natural Aluminum)
- PNC (Painted Natural Copper)
- RD (Red)
- SGR (Sage Green)
- SGW (Semi Gloss White)
- SND (Sand)
- SS (Satin Silver)
- TBZ (Textured Bronze)
- TGP (Textured Graphite)
- TNG (Tangerine)
- TTL (Tahitian Teal)
- WT (Gloss White)
- YEL (Yellow)

SPECIALTY FINISH

- GA (Galvanized)
- Post mount cannot be painted with specialty finish (GA)



Aluminum Shade with Solite Lens,
Two-Toned Shade and Lens Ring Option

Standard Mounts
(Page 54~57)

ELECTRICAL

- 120V input (277V available in arm and post option only)
- Integrated power supply allows the fixture to be connected directly into line voltage
- Pre-wired and ready for install
- LED is dimmable with Incandescent/Triac dimmers

MOUNTING


- 1/2" or 3/4" IP for arms. Flush mount, stems and post available only in 1/2"
- 9' Pendant cord available in black or white cord (includes 5" canopy with the same finish as the shade)

FINISHES

- Two-toned shade and lens ring finish options
- Available in 22 standard and 1 specialty finishes with optional coastal coating to protect finish in coastal environments (add "-C" to the finish)
- Consult factory for custom finish options

LISTING


UL listed to US and Canadian standards for wet locations



DM16LED1227SNDWT-B

Shade Finish
Lens Ring Finish

DM16LED1227TTLWT-3 / 3LC18TTL



DOME ORDER MATRIX (EXAMPLE: DM16LED1227TTLWT-3)

Diameter	Lamp / LED	Shade Finish	Lens Ring Finish ³	Coastal Coating	Mounting Type
DM12 (12")	M (Medium Base, 100W max.)	ABL (Aegean Blue)	ABL (Aegean Blue)	(blank) (No Coating)	-2 (1/2" IP)
DM14 (14")	LED1227 ^{1,2} (12W LED, 2700K, 90 CRI, 844lm)	BB (Burnished Bronze)	BB (Burnished Bronze)	-C (Coating)	-3 (3/4" IP)
DM16 (16")	LED1230 ^{1,2} (12W LED, 3000K, 90 CRI, 861lm)	BK (Gloss Black)	BK (Gloss Black)		-B (Black Cord Pendant)
DM24 (24")	LED1235 ^{1,2} (12W LED, 3500K, 90 CRI, 872lm)	BLU (Blue)	BLU (Blue)		-W (White Cord Pendant)
DM28 (28")	LED1240 ^{1,2} (12W LED, 4000K, 90 CRI, 889lm)	DVG (Dove Gray)	DVG (Dove Gray)		-F (Flush Mount)
DM36 (36")	LED1827 ^{1,2} (18W LED, 2700K, 90 CRI, 1265lm)	FLG (Flannel Gray)	FLG (Flannel Gray)		
	LED1830 ^{1,2} (18W LED, 3000K, 90 CRI, 1288lm)	GA (Galvanized)	GA (Galvanized)		
	LED1835 ^{1,2} (18W LED, 3500K, 90 CRI, 1311lm)	LG (Lime Green)	LG (Lime Green)		
	LED1840 ^{1,2} (18W LED, 4000K, 90 CRI, 1334lm)	MB (Matte Black)	MB (Matte Black)		
		MBL (Midnight Blue)	MBL (Midnight Blue)		
		PNA (Painted Natural Aluminum)	PNA (Painted Natural Aluminum)		
		PNC (Painted Natural Copper)	PNC (Painted Natural Copper)		
		RD (Red)	RD (Red)		
		SGR (Sage Green)	SGR (Sage Green)		
		SGW (Semi Gloss White)	SGW (Semi Gloss White)		
		SND (Sand)	SND (Sand)		
		SS (Satin Silver)	SS (Satin Silver)		
		TBZ (Textured Bronze)	TBZ (Textured Bronze)		
		TGP (Textured Graphite)	TGP (Textured Graphite)		
		TNG (Tangerine)	TNG (Tangerine)		
		TTL (Tahitian Teal)	TTL (Tahitian Teal)		
		WT (Gloss White)	WT (Gloss White)		
		YEL (Yellow)	YEL (Yellow)		

1. Lamps must be specified, and are not included in shade cost
2. Lumen are raw LED value

3. DM12, DM14, DM16 Only

ARM MOUNT ORDER MATRIX (EXAMPLE: 3LM18TTL)

Pipe Size	Arm Type	Finish	Coastal Coating	Input Voltage
2 (1/2" IP)	SL23 (Small Loop - 23")	Available Finish	(blank) (No Coating)	(blank) (120V)
3 (3/4" IP)	SL30 (Small Loop - 30")	(Use finish code on right)	-C (Coating)	-27 (277V)
	LL23 (Large Loop - 23")			
	LL30 (Large Loop - 30")			
	LC18 (Curve Arm - 18")			
	LC24 (Curve Arm - 24")			
	LC30 (Curve Arm - 30")			
	LM18 (Miter Arm - 18")			
	LM24 (Miter Arm - 24")			
	LM30 (Miter Arm - 30")			
	SA18 (Sign Arm - 18")			
	SA23 (Sign Arm - 23")			
	LSA23 (Large Loop Sign Arm - 23")			
	LSA30 (Large Loop Sign Arm - 30")			
	A6 (Straight Arm - 6")			
	A12 (Straight Arm - 12")			
	A18 (Straight Arm - 18")			
	A24 (Straight Arm - 24")			
	A30 (Straight Arm - 30")			
	MA18 (Modern Arm - 18")			
	MA24 (Modern Arm - 24")			
	MA30 (Modern Arm - 30")			

KNUCKLE ACCESSORY ORDER MATRIX (EXAMPLE: 2KNLTTL)

Pipe Size	Knuckle	Finish	Coastal Coating
2 (1/2" IP)	KNL (Adjustable 180° Knuckle for Arm Mounts)	Available Finish	(blank) (No Coating)
3 (3/4" IP)		(Use finish code on right)	-C (Coating)

POST / WALL MOUNT ORDER MATRIX (EXAMPLE: 2P1TTL)

Pipe Size	Mount Type	Finish	Input Voltage
2 (1/2" IP)	P1 (Single Post Mount)	Available Finish	(blank) (120V)
	P2 (Double Post Mount)	(Use finish code on right)	-27 ³ (277V)
	W1 (Traditional Wall Mount)		

3. Post mount only

POST TYPE ORDER MATRIX (EXAMPLE: P8683-96TTL)

Post Type	Finish
PM4946 (Cast Aluminum Post)	Available Finish
P8683-96 (Cast Aluminum Base w/ 96" Aluminum Post)	(Use finish code on right)
P8683-120 (Cast Aluminum Base w/ 120" Aluminum Post)	
P8684-96 (96" Straight Aluminum Post)	
P8684-120 (120" Straight Aluminum Post)	
PM8685 (Cast Aluminum Pier Mount - must be used with straight aluminum post, P8684)	

STEM MOUNT ORDER MATRIX (EXAMPLE: 2HS36TTL)

Pipe Size	Stem Length	Finish	Coastal Coating
2 (1/2" IP)	HS12 (12")	Available Finish	(blank) (No Coating)
	HS18 (18")	(Use finish code on right)	-C (Coating)
	HS24 (24")		
	HS36 (36")		
	HS48 (48")		
	HS__ (Custom length from 2" up to 60")		

STANDARD FINISHES

- ABL (Aegean Blue)
- BB (Burnished Bronze)
- BK (Gloss Black)
- BLU (Blue)
- DVG (Dove Gray)
- FLG (Flannel Gray)
- LG (Lime Green)
- MB (Matte Black)
- MBL (Midnight Blue)
- PNA (Painted Natural Aluminum)
- PNC (Painted Natural Copper)
- RD (Red)
- SGR (Sage Green)
- SGW (Semi Gloss White)
- SND (Sand)
- SS (Satin Silver)
- TBZ (Textured Bronze)
- TGP (Textured Graphite)
- TNG (Tangerine)
- TTL (Tahitian Teal)
- WT (Gloss White)
- YEL (Yellow)

SPECIALTY FINISH

- GA (Galvanized)

Post mount cannot be painted with specialty finish (GA)



Aluminum Shade with Solite Lens
Two-Toned Shade and Lens Ring Option

Standard Mounts
(Page 54~57)

ELECTRICAL

- 120V input (277V available in arm and post option only)
- Integrated power supply allows the fixture to be connected directly into line voltage
- Pre-wired and ready for install
- LED is dimmable with Incandescent/Triac dimmers

MOUNTING


- 1/2" or 3/4" IP for arms. Flush mount, stems and post available only in 1/2"
- 9' Pendant cord available in black or white cord (includes 5" canopy with the same finish as the shade)

FINISHES

- Two-toned shade and lens ring finish options
- Available in 22 standard and 1 specialty finishes with optional coastal coating to protect finish in coastal environments (add "-C" to the finish)
- Consult factory for custom finish options

LISTING


UL listed to US and Canadian standards for wet locations



BL12MSGRSWG-B

Shade Finish
Lens Ring Finish

BL12MSGWTNG-3 / 3LC18SGW



BELL ORDER MATRIX (EXAMPLE: BL12MSGWTNG-3)

Diameter	Lamp / LED	Shade Finish	Lens Ring Finish	Coastal Coating	Mounting Type
BL8 (8")	M (Medium Base, 100W max.)	ABL (Aegean Blue)	ABL (Aegean Blue)	(blank) (No Coating)	-2 (1/2" IP)
BL10 (10")	LED1227 ^{1,2} (12W LED, 2700K, 90 CRI, 844lm)	BB (Burnished Bronze)	BB (Burnished Bronze)	-C (Coating)	-3 (3/4" IP)
BL12 (12")	LED1230 ^{1,2} (12W LED, 3000K, 90 CRI, 861lm)	BK (Gloss Black)	BK (Gloss Black)		-B (Black Cord Pendant)
	LED1235 ^{1,2} (12W LED, 3500K, 90 CRI, 872lm)	BLU (Blue)	BLU (Blue)		-W (White Cord Pendant)
	LED1240 ^{1,2} (12W LED, 4000K, 90 CRI, 889lm)	DVG (Dove Gray)	DVG (Dove Gray)		-F (Flush Mount)
	LED1827 ^{1,2} (18W LED, 2700K, 90 CRI, 1265lm)	FLG (Flannel Gray)	FLG (Flannel Gray)		
	LED1830 ^{1,2} (18W LED, 3000K, 90 CRI, 1288lm)	GA (Galvanized)	GA (Galvanized)		
	LED1835 ^{1,2} (18W LED, 3500K, 90 CRI, 1311lm)	LG (Lime Green)	LG (Lime Green)		
	LED1840 ^{1,2} (18W LED, 4000K, 90 CRI, 1334lm)	MB (Matte Black)	MB (Matte Black)		
		MBL (Midnight Blue)	MBL (Midnight Blue)		
		PNA (Painted Natural Aluminum)	PNA (Painted Natural Aluminum)		
		PNC (Painted Natural Copper)	PNC (Painted Natural Copper)		
		RD (Red)	RD (Red)		
		SGR (Sage Green)	SGR (Sage Green)		
		SGW (Semi Gloss White)	SGW (Semi Gloss White)		
		SND (Sand)	SND (Sand)		
		SS (Satin Silver)	SS (Satin Silver)		
		TBZ (Textured Bronze)	TBZ (Textured Bronze)		
		TGP (Textured Graphite)	TGP (Textured Graphite)		
		TNG (Tangerine)	TNG (Tangerine)		
		TTL (Tahitian Teal)	TTL (Tahitian Teal)		
		WT (Gloss White)	WT (Gloss White)		
		YEL (Yellow)	YEL (Yellow)		

1. Lamps must be specified, and are not included in shade cost
2. Lumen are raw LED value

ARM MOUNT ORDER MATRIX (EXAMPLE: 3LC18SGW)

Pipe Size	Arm Type	Finish	Coastal Coating	Input Voltage
2 (1/2" IP)	SL23 (Small Loop - 23")	Available Finish (Use finish code on right)	(blank) (No Coating)	(blank) (120V)
3 (3/4" IP)	SL30 (Small Loop - 30")		-C (Coating)	-27 (277V)
	LL23 (Large Loop - 23")			
	LL30 (Large Loop - 30")			
	LC18 (Curve Arm - 18")			
	LC24 (Curve Arm - 24")			
	LC30 (Curve Arm - 30")			
	LM18 (Miter Arm - 18")			
	LM24 (Miter Arm - 24")			
	LM30 (Miter Arm - 30")			
	SA18 (Sign Arm - 18")			
	SA23 (Sign Arm - 23")			
	LSA23 (Large Loop Sign Arm - 23")			
	LSA30 (Large Loop Sign Arm - 30")			
	A6 (Straight Arm - 6")			
	A12 (Straight Arm - 12")			
	A18 (Straight Arm - 18")			
	A24 (Straight Arm - 24")			
	A30 (Straight Arm - 30")			
	MA18 (Modern Arm - 18")			
	MA24 (Modern Arm - 24")			
	MA30 (Modern Arm - 30")			

KNUCKLE ACCESSORY ORDER MATRIX (EXAMPLE: 2KNLSGW)

Pipe Size	Knuckle	Finish	Coastal Coating
2 (1/2" IP)	KNL (Adjustable 180° Knuckle for Arm Mounts)	Available Finish (Use finish code on right)	(blank) (No Coating)
3 (3/4" IP)		-C (Coating)	

POST / WALL MOUNT ORDER MATRIX (EXAMPLE: 2W1SGW)

Pipe Size	Mount Type	Finish	Input Voltage
2 (1/2" IP)	P1 (Single Post Mount)	Available Finish (Use finish code on right)	(blank) (120V)
	P2 (Double Post Mount)		-27³ (277V)
	W1 (Traditional Wall Mount)		

3. Post mount only

POST TYPE ORDER MATRIX (EXAMPLE: P8683-96SGW)

Post Type	Finish
PM4946 (Cast Aluminum Post)	Available Finish (Use finish code on right)
P8683-96 (Cast Aluminum Base w/ 96" Aluminum Post)	
P8683-120 (Cast Aluminum Base w/ 120" Aluminum Post)	
P8684-96 (96" Straight Aluminum Post)	
P8684-120 (120" Straight Aluminum Post)	
PM8685 (Cast Aluminum Pier Mount - must be used with straight aluminum post, P8684)	

STEM MOUNT ORDER MATRIX (EXAMPLE: 2HS18SGW)

Pipe Size	Stem Length	Finish	Coastal Coating
2 (1/2" IP)	HS12 (12")	Available Finish (Use finish code on right)	(blank) (No Coating)
	HS18 (18")		-C (Coating)
	HS24 (24")		
	HS36 (36")		
	HS48 (48")		
	HS__ (Custom length from 2" up to 60")		

STANDARD FINISHES

- ABL** (Aegean Blue)
- BB** (Burnished Bronze)
- BK** (Gloss Black)
- BLU** (Blue)
- DVG** (Dove Gray)
- FLG** (Flannel Gray)
- LG** (Lime Green)
- MB** (Matte Black)
- MBL** (Midnight Blue)
- PNA** (Painted Natural Aluminum)
- PNC** (Painted Natural Copper)
- RD** (Red)
- SGR** (Sage Green)
- SGW** (Semi Gloss White)
- SND** (Sand)
- SS** (Satin Silver)
- TBZ** (Textured Bronze)
- TGP** (Textured Graphite)
- TNG** (Tangerine)
- TTL** (Tahitian Teal)
- WT** (Gloss White)
- YEL** (Yellow)

SPECIALTY FINISH

- GA** (Galvanized)

Post mount cannot be painted with specialty finish (GA)





RLM
CLASSICS

Aluminum Shade
with Glass and Guard Options

ELECTRICAL

- 120V input (277V available in arm and post option only)
- Integrated power supply allows the fixture to be connected directly into line voltage
- Pre-wired and ready for install
- LED is dimmable with Incandescent/Triac dimmers

MOUNTING

- 1/2" or 3/4" IP for arms. Flush mount, stems and post available only in 1/2"
- 9' Pendant cord available in black or white cord (includes 5" canopy with the same finish as the shade)

FINISHES


- Shade and mounting finish options
- Available in 22 standard and 1 specialty finishes with optional coastal coating to protect finish in coastal environments (add "-C" to the finish)
- Inner shade is painted gloss white
- Consult factory for custom finish options

OPTIONAL ACCESSORIES

Glass, Cast Guard or Wire Cage options available

LISTING

UL listed to US and Canadian standards for wet locations



NC16MTGP-FGWC-3 / 3LL23TGP

NOSTALGIA ORDER MATRIX (EXAMPLE: NC16MTGP-FGWC-3)

Diameter	Lamp / LED	Finish	Coastal Coating	Accessories	Mounting Type
NC14 (14")	M (Medium Base, 100W max.)	ABL (Aegean Blue)	(blank) (No Coating)	(blank) (No Accessories)	-2 (1/2" IP)
NC16 (16")	LED1227 ^{1,2,3} (12W LED, 2700K, 90 CRI, 844lm)	BB (Burnished Bronze)	-C (Coating)	-CG (Clear Glass)	-3 (3/4" IP)
	LED1230 ^{1,2,3} (12W LED, 3000K, 90 CRI, 861lm)	BK (Gloss Black)		-FG (Frosted Glass)	-B (Black Cord Pendant)
	LED1235 ^{1,2,3} (12W LED, 3500K, 90 CRI, 872lm)	BLU (Blue)		-CGG (Clear Glass w/ Cast Guard)	-W (White Cord Pendant)
	LED1240 ^{1,2,3} (12W LED, 4000K, 90 CRI, 889lm)	DVG (Dove Gray)		-FGG (Frosted Glass w/ Cast Guard)	-F (Flush Mount)
	LED1827 ^{1,2,3} (18W LED, 2700K, 90 CRI, 1265lm)	FLG (Flannel Gray)			
	LED1830 ^{1,2,3} (18W LED, 3000K, 90 CRI, 1288lm)	GA (Galvanized)			
	LED1835 ^{1,2,3} (18W LED, 3500K, 90 CRI, 1311lm)	LG (Lime Green)			
	LED1840 ^{1,2,3} (18W LED, 4000K, 90 CRI, 1334lm)	MB (Matte Black)			
		MBL (Midnight Blue)			
		MBL (Midnight Blue)			
		PNA (Painted Natural Aluminum)		-CGWC (Clear Glass w/ Wire Cage)	
		PNC (Painted Natural Copper)		-FGWC (Frosted Glass w/ Wire Cage)	
		RD (Red)			
		SGR (Sage Green)			
		SGW (Semi Gloss White)			
		SND (Sand)			
		SS (Satin Silver)			
		TBZ (Textured Bronze)			
		TGP (Textured Graphite)			
		TNG (Tangerine)			
		TTL (Tahitian Teal)			
		WT (Gloss White)			
		YEL (Yellow)			

1. Lamps must be specified, and are not included in shade cost
2. Glass enclosure must be specified
3. Lumen are raw LED value

Standard Mounts
(Page 54~57)

ARM MOUNT ORDER MATRIX (EXAMPLE: 3LL23TGP)

Pipe Size	Arm Type	Finish	Coastal Coating	Input Voltage
2 (1/2" IP)	SL23 (Small Loop - 23")	Available Finish	(blank) (No Coating)	(blank) (120V)
3 (3/4" IP)	SL30 (Small Loop - 30")	(Use finish code on right)	-C (Coating)	-27 (277V)
	LL23 (Large Loop - 23")			
	LL30 (Large Loop - 30")			
	LC18 (Curve Arm - 18")			
	LC24 (Curve Arm - 24")			
	LC30 (Curve Arm - 30")			
	LM18 (Miter Arm - 18")			
	LM24 (Miter Arm - 24")			
	LM30 (Miter Arm - 30")			
	SA18 (Sign Arm - 18")			
	SA23 (Sign Arm - 23")			
	LSA23 (Large Loop Sign Arm - 23")			
	LSA30 (Large Loop Sign Arm - 30")			
	A6 (Straight Arm - 6")			
	A12 (Straight Arm - 12")			
	A18 (Straight Arm - 18")			
	A24 (Straight Arm - 24")			
	A30 (Straight Arm - 30")			
	MA18 (Modern Arm - 18")			
	MA24 (Modern Arm - 24")			
	MA30 (Modern Arm - 30")			

KNUCKLE ACCESSORY ORDER MATRIX (EXAMPLE: 2KNLTGP)

Pipe Size	Knuckle	Finish	Coastal Coating
2 (1/2" IP)	KNL (Adjustable 180° Knuckle for Arm Mounts)	Available Finish	(blank) (No Coating)
3 (3/4" IP)		(Use finish code on right)	-C (Coating)

POST / WALL MOUNT ORDER MATRIX (EXAMPLE: 2W1TGP)

Pipe Size	Mount Type	Finish	Input Voltage
2 (1/2" IP)	P1 (Single Post Mount)	Available Finish	(blank) (120V)
	P2 (Double Post Mount)	(Use finish code on right)	-27 ⁴ (277V)
	W1 (Traditional Wall Mount)		

4. Post mount only

POST TYPE ORDER MATRIX (EXAMPLE: P8683-96TGP)

Post Type	Finish
PM4946 (Cast Aluminum Post)	Available Finish
P8683-96 (Cast Aluminum Base w/ 96" Aluminum Post)	(Use finish code on right)
P8683-120 (Cast Aluminum Base w/ 120" Aluminum Post)	
P8684-96 (96" Straight Aluminum Post)	
P8684-120 (120" Straight Aluminum Post)	
PM8685 (Cast Aluminum Pier Mount - must be used with straight aluminum post, P8684)	

STEM MOUNT ORDER MATRIX (EXAMPLE: 2HS18TGP)

Pipe Size	Stem Length	Finish	Coastal Coating
2 (1/2" IP)	HS12 (12")	Available Finish	(blank) (No Coating)
	HS18 (18")	(Use finish code on right)	-C (Coating)
	HS24 (24")		
	HS36 (36")		
	HS48 (48")		
	HS__ (Custom length from 2" up to 60")		

STANDARD FINISHES

- ABL (Aegean Blue)
- BB (Burnished Bronze)
- BK (Gloss Black)
- BLU (Blue)
- DVG (Dove Gray)
- FLG (Flannel Gray)
- LG (Lime Green)
- MB (Matte Black)
- MBL (Midnight Blue)
- PNA (Painted Natural Aluminum)
- PNC (Painted Natural Copper)
- RD (Red)
- SGR (Sage Green)
- SGW (Semi Gloss White)
- SND (Sand)
- SS (Satin Silver)
- TBZ (Textured Bronze)
- TGP (Textured Graphite)
- TNG (Tangerine)
- TTL (Tahitian Teal)
- WT (Gloss White)
- YEL (Yellow)

SPECIALTY FINISH

- GA (Galvanized)

Post mount cannot be painted with specialty finish (GA)



Aluminum Shade
with Glass and Guard Options

ELECTRICAL

- 120V input (277V available in arm and post option only)
- Integrated power supply allows the fixture to be connected directly into line voltage
- Pre-wired and ready for install
- LED is dimmable with Incandescent/Triac dimmers

MOUNTING

- 1/2" or 3/4" IP for arms. Flush mount and post available only in 1/2"

FINISHES


- Shade and mounting finish options
- Available in 22 standard and 1 specialty finishes with optional coastal coating to protect finish in coastal environments (add "-C" to the finish)
- Inner shade is painted gloss white
- Consult factory for custom finish options

OPTIONAL ACCESSORIES

Glass, Cast Guard, Wire Cage or Wire Guard options available

LISTING

UL listed to US and Canadian standards for wet locations



RE10LED1227MB-3 / 3A24MB

RE12LED1227TBZ-3 / 3SA23TBZ

EMBLEM ORDER MATRIX (EXAMPLE: RE10LED1227MB-3)

Diameter	Lamp / LED	Finish	Coastal Coating	Accessories	Mounting Type
RE8 (8")	M (Medium Base, 100W max.)	ABL (Aegean Blue)	(blank) (No Coating)	(blank) (No Accessories)	-2 (1/2" IP)
RE10 (10")	LED1227 ^{1,2,3} (12W LED, 2700K, 90 CRI, 844lm)	BB (Burnished Bronze)	-C (Coating)	-CG (Clear Glass)	-3 (3/4" IP)
RE12 (12")	LED1230 ^{1,2,3} (12W LED, 3000K, 90 CRI, 861lm)	BK (Gloss Black)		-FG (Frosted Glass)	-F (Flush Mount)
	LED1235 ^{1,2,3} (12W LED, 3500K, 90 CRI, 872lm)	BLU (Blue)		-CGG (Clear Glass w/ Cast Guard)	
	LED1240 ^{1,2,3} (12W LED, 4000K, 90 CRI, 889lm)	DVG (Dove Gray)		-FGG (Frosted Glass w/ Cast Guard)	
	LED1827 ^{1,2,3} (18W LED, 2700K, 90 CRI, 1265lm)	FLG (Flannel Gray)		-CGWC (Clear Glass w/ Wire Cage)	
	LED1830 ^{1,2,3} (18W LED, 3000K, 90 CRI, 1288lm)	GA (Galvanized)		-FGWC (Frosted Glass w/ Wire Cage)	
	LED1835 ^{1,2,3} (18W LED, 3500K, 90 CRI, 1311lm)	LG (Lime Green)		-WG (Wire Guard)	
	LED1840 ^{1,2,3} (18W LED, 4000K, 90 CRI, 1334lm)	MB (Matte Black)			
		MBL (Midnight Blue)			
		PNA (Painted Natural Aluminum)			
		PNC (Painted Natural Copper)			
		RD (Red)			
		SGR (Sage Green)			
		SGW (Semi Gloss White)			
		SND (Sand)			
		SS (Satin Silver)			
		TBZ (Textured Bronze)			
		TGP (Textured Graphite)			
		TNG (Tangerine)			
		TTL (Tahitian Teal)			
		WT (Gloss White)			
		YEL (Yellow)			

1. Lamps must be specified, and are not included in shade cost
2. Glass enclosure must be specified
3. Lumen are raw LED value

Standard Mounts
(Page 54~57)

ARM MOUNT ORDER MATRIX (EXAMPLE: 3A24MB)

Pipe Size	Arm Type	Finish	Coastal Coating	Input Voltage
2 (1/2" IP)	SL23 (Small Loop - 23")	Available Finish	(blank) (No Coating)	(blank) (120V)
3 (3/4" IP)	SL30 (Small Loop - 30")	(Use finish code on right)	-C (Coating)	-27 (277V)
	LL23 (Large Loop - 23")			
	LL30 (Large Loop - 30")			
	LC18 (Curve Arm - 18")			
	LC24 (Curve Arm - 24")			
	LC30 (Curve Arm - 30")			
	LM18 (Miter Arm - 18")			
	LM24 (Miter Arm - 24")			
	LM30 (Miter Arm - 30")			
	SA18 (Sign Arm - 18")			
	SA23 (Sign Arm - 23")			
	LSA23 (Large Loop Sign Arm - 23")			
	LSA30 (Large Loop Sign Arm - 30")			
	A6 (Straight Arm - 6")			
	A12 (Straight Arm - 12")			
	A18 (Straight Arm - 18")			
	A24 (Straight Arm - 24")			
	A30 (Straight Arm - 30")			
	MA18 (Modern Arm - 18")			
	MA24 (Modern Arm - 24")			
	MA30 (Modern Arm - 30")			

KNUCKLE ACCESSORY ORDER MATRIX (EXAMPLE: 2KNLMB)

Pipe Size	Knuckle	Finish	Coastal Coating
2 (1/2" IP)	KNL (Adjustable 180° Knuckle for Arm Mounts)	Available Finish	(blank) (No Coating)
3 (3/4" IP)		(Use finish code on right)	-C (Coating)

POST / WALL MOUNT ORDER MATRIX (EXAMPLE: 2W1MB)

Pipe Size	Mount Type	Finish	Input Voltage
2 (1/2" IP)	P1 (Single Post Mount)	Available Finish	(blank) (120V)
	P2 (Double Post Mount)	(Use finish code on right)	-27 ⁴ (277V)
	W1 (Traditional Wall Mount)		

4. Post mount only

POST TYPE ORDER MATRIX (EXAMPLE: P8683-96MB)

Post Type	Finish
PM4946 (Cast Aluminum Post)	Available Finish
P8683-96 (Cast Aluminum Base w/ 96" Aluminum Post)	(Use finish code on right)
P8683-120 (Cast Aluminum Base w/ 120" Aluminum Post)	
P8684-96 (96" Straight Aluminum Post)	
P8684-120 (120" Straight Aluminum Post)	
PM8685 (Cast Aluminum Pier Mount - must be used with straight aluminum post, P8684)	

STANDARD FINISHES

- ABL** (Aegean Blue)
- BB** (Burnished Bronze)
- BK** (Gloss Black)
- BLU** (Blue)
- DVG** (Dove Gray)
- FLG** (Flannel Gray)
- LG** (Lime Green)
- MB** (Matte Black)
- MBL** (Midnight Blue)
- PNA** (Painted Natural Aluminum)
- PNC** (Painted Natural Copper)
- RD** (Red)
- SGR** (Sage Green)
- SGW** (Semi Gloss White)
- SND** (Sand)
- SS** (Satin Silver)
- TBZ** (Textured Bronze)
- TGP** (Textured Graphite)
- TNG** (Tangerine)
- TTL** (Tahitian Teal)
- WT** (Gloss White)
- YEL** (Yellow)

SPECIALTY FINISH

- GA** (Galvanized)

Post mount cannot be painted with specialty finish (GA)



ANGLE REFLECTOR | RLM CLASSICS

Aluminum Shade
with Glass and Guard Options

ELECTRICAL

- 120V input (277V available in arm and post option only)
- Integrated power supply allows the fixture to be connected directly into line voltage
- Pre-wired and ready for install
- LED is dimmable with Incandescent/Triac dimmers

MOUNTING

- ½" or ¾" IP for arms. Flush mount and post available only in ½"

FINISHES

- Shade and mounting finish options
- Available in 22 standard and 1 specialty finishes with optional coastal coating to protect finish in coastal environments (add "-C" to the finish)
- Inner shade is painted gloss white
- Consult factory for custom finish options

OPTIONAL ACCESSORIES

Glass, Cast Guard, Wire Cage or Wire Guard options available


LISTING

UL listed to US and Canadian standards for wet locations



RA8LED1227RD-2 / 2A24RD

RA10LED1227BK-2 / 2SL23BK



ANGLE REFLECTOR ORDER MATRIX (EXAMPLE: RA10LED1227BK-2)

Diameter	Lamp / LED	Finish	Coastal Coating	Accessories	Mounting Type
RA8 (8")	M (Medium Base, 100W max.)	ABL (Aegean Blue)	(blank) (No Coating)	(blank) (No Accessories)	-2 (½" IP)
RA10 (10")	LED1227 ^{1,2,3} (12W LED, 2700K, 90 CRI, 844lm)	BB (Burnished Bronze)	-C (Coating)	-CG (Clear Glass)	-3 (¾" IP)
RA12 (12")	LED1230 ^{1,2,3} (12W LED, 3000K, 90 CRI, 861lm)	BK (Gloss Black)		-FG (Frosted Glass)	-F (Flush Mount)
	LED1235 ^{1,2,3} (12W LED, 3500K, 90 CRI, 872lm)	BLU (Blue)		-CGG (Clear Glass w/ Cast Guard)	
	LED1240 ^{1,2,3} (12W LED, 4000K, 90 CRI, 889lm)	DVG (Dove Gray)		-FGG (Frosted Glass w/ Cast Guard)	
	LED1827 ^{1,2,3} (18W LED, 2700K, 90 CRI, 1265lm)	FLG (Flannel Gray)		-CGWC (Clear Glass w/ Wire Cage)	
	LED1830 ^{1,2,3} (18W LED, 3000K, 90 CRI, 1288lm)	GA (Galvanized)		-FGWC (Frosted Glass w/ Wire Cage)	
	LED1835 ^{1,2,3} (18W LED, 3500K, 90 CRI, 1311lm)	LG (Lime Green)		-WG (Wire Guard)	
	LED1840 ^{1,2,3} (18W LED, 4000K, 90 CRI, 1334lm)	MB (Matte Black)			
		MBL (Midnight Blue)			
		PNA (Painted Natural Aluminum)			
		PNC (Painted Natural Copper)			
		RD (Red)			
		SGR (Sage Green)			
		SGW (Semi Gloss White)			
		SND (Sand)			
		SS (Satin Silver)			
		TBZ (Textured Bronze)			
		TGP (Textured Graphite)			
		TNG (Tangerine)			
		TTL (Tahitian Teal)			
		WT (Gloss White)			
		YEL (Yellow)			

1. Lamps must be specified, and are not included in shade cost
2. Glass enclosure must be specified
3. Lumen are raw LED value

COMPATIBLE MOUNTS | ANGLE REFLECTOR

Standard Mounts
(Page 54~57)

ARM MOUNT ORDER MATRIX (EXAMPLE: 2SL30BK)

Pipe Size	Arm Type	Finish	Coastal Coating	Input Voltage
2 (½" IP)	SL23 (Small Loop - 23")	Available Finish	(blank) (No Coating)	(blank) (120V)
3 (¾" IP)	SL30 (Small Loop - 30")	(Use finish code on right)	-C (Coating)	-27 (277V)
	LL23 (Large Loop - 23")			
	LL30 (Large Loop - 30")			
	LC18 (Curve Arm - 18")			
	LC24 (Curve Arm - 24")			
	LC30 (Curve Arm - 30")			
	LM18 (Miter Arm - 18")			
	LM24 (Miter Arm - 24")			
	LM30 (Miter Arm - 30")			
	SA18 (Sign Arm - 18")			
	SA23 (Sign Arm - 23")			
	LSA23 (Large Loop Sign Arm - 23")			
	LSA30 (Large Loop Sign Arm - 30")			
	A6 (Straight Arm - 6")			
	A12 (Straight Arm - 12")			
	A18 (Straight Arm - 18")			
	A24 (Straight Arm - 24")			
	A30 (Straight Arm - 30")			
	MA18 (Modern Arm - 18")			
	MA24 (Modern Arm - 24")			
	MA30 (Modern Arm - 30")			

KNUCKLE ACCESSORY ORDER MATRIX (EXAMPLE: 2KNLBK)

Pipe Size	Knuckle	Finish	Coastal Coating
2 (½" IP)	KNL (Adjustable 180° Knuckle for Arm Mounts)	Available Finish	(blank) (No Coating)
3 (¾" IP)		(Use finish code on right)	-C (Coating)

POST / WALL MOUNT ORDER MATRIX (EXAMPLE: 2W1BK)

Pipe Size	Mount Type	Finish	Input Voltage
2 (½" IP)	P1 (Single Post Mount)	Available Finish	(blank) (120V)
	P2 (Double Post Mount)	(Use finish code on right)	-27 ⁴ (277V)
	W1 (Traditional Wall Mount)		

4. Post mount only

POST TYPE ORDER MATRIX (EXAMPLE: P8683-96BK)

Post Type	Finish
PM4946 (Cast Aluminum Post)	Available Finish
P8683-96 (Cast Aluminum Base w/ 96" Aluminum Post)	(Use finish code on right)
P8683-120 (Cast Aluminum Base w/ 120" Aluminum Post)	
P8684-96 (96" Straight Aluminum Post)	
P8684-120 (120" Straight Aluminum Post)	
PM8685 (Cast Aluminum Pier Mount - must be used with straight aluminum post, P8684)	

STANDARD FINISHES

- **ABL** (Aegean Blue)
- **BB** (Burnished Bronze)
- **BK** (Gloss Black)
- **BLU** (Blue)
- **DVG** (Dove Gray)
- **FLG** (Flannel Gray)
- **LG** (Lime Green)
- **MB** (Matte Black)
- **MBL** (Midnight Blue)
- **PNA** (Painted Natural Aluminum)
- **PNC** (Painted Natural Copper)
- **RD** (Red)
- **SGR** (Sage Green)
- SGW** (Semi Gloss White)
- **SND** (Sand)
- **SS** (Satin Silver)
- **TBZ** (Textured Bronze)
- **TGP** (Textured Graphite)
- **TNG** (Tangerine)
- **TTL** (Tahitian Teal)
- WT** (Gloss White)
- **YEL** (Yellow)

SPECIALTY FINISH

- **GA** (Galvanized)

Post mount cannot be painted with specialty finish (GA)



Aluminum Shade
with Glass and Guard Options

ELECTRICAL

- 120V input (277V available in arm and post option only)
- Integrated power supply allows the fixture to be connected directly into line voltage
- Pre-wired and ready for install
- LED is dimmable with Incandescent/Triac dimmers

MOUNTING

- ½" or ¾" IP for arms. Flush mount, stems and post available only in ½"
- 9' Pendant cord available in black or white cord (includes 5" canopy with the same finish as the shade)

FINISHES


- Shade and mounting finish options
- Available in 22 standard and 1 specialty finishes with optional coastal coating to protect finish in coastal environments (add "-C" to the finish)
- Inner shade is painted gloss white
- Consult factory for custom finish options

OPTIONAL ACCESSORIES

Glass, Cast Guard, Wire Cage or Wire Guard options available

LISTING

UL listed to US and Canadian standards for wet locations



HEAVY DUTY ORDER MATRIX (EXAMPLE: RH18LED1227PNA-3)

Diameter	Lamp / LED	Finish	Coastal Coating	Accessories	Mounting Type
RH12 (12")	M (Medium Base, 100W max.)	ABL (Aegean Blue)	(blank) (No Coating)	(blank) (No Accessories)	-2 (½" IP)
RH14 (14")	LED1227^{1,2,3} (12W LED, 2700K, 90 CRI, 844lm)	BB (Burnished Bronze)	-C (Coating)	-CG (Clear Glass)	-3 (¾" IP)
RH16 (16")	LED1230^{1,2,3} (12W LED, 3000K, 90 CRI, 861lm)	BK (Gloss Black)		-FG (Frosted Glass)	-B (Black Cord Pendant)
RH18 (18")	LED1235^{1,2,3} (12W LED, 3500K, 90 CRI, 872lm)	BLU (Blue)		-CGG (Clear Glass w/ Cast Guard)	-W (White Cord Pendant)
RH20 (20")	LED1240^{1,2,3} (12W LED, 4000K, 90 CRI, 889lm)	DVG (Dove Gray)		-FGG (Frosted Glass w/ Cast Guard)	-F (Flush Mount)
	LED1827^{1,2,3} (18W LED, 2700K, 90 CRI, 1265lm)	FLG (Flannel Gray)		-CGWC (Clear Glass w/ Wire Cage)	
	LED1830^{1,2,3} (18W LED, 3000K, 90 CRI, 1288lm)	GA (Galvanized)		-FGWC (Frosted Glass w/ Wire Cage)	
	LED1835^{1,2,3} (18W LED, 3500K, 90 CRI, 1311lm)	LG (Lime Green)		-WG (Wire Guard)	
	LED1840^{1,2,3} (18W LED, 4000K, 90 CRI, 1334lm)	MB (Matte Black)			
		MBL (Midnight Blue)			
		PNA (Painted Natural Aluminum)			
		PNC (Painted Natural Copper)			
		RD (Red)			
		SGR (Sage Green)			
		SGW (Semi Gloss White)			
		SND (Sand)			
		SS (Satin Silver)			
		TBZ (Textured Bronze)			
		TGP (Textured Graphite)			
		TNG (Tangerine)			
		TTL (Tahitian Teal)			
		WT (Gloss White)			
		YEL (Yellow)			

1. Lamps must be specified, and are not included in shade cost
2. Glass enclosure must be specified
3. Lumen are raw LED value

Standard Mounts
(Page 54~57)

ARM MOUNT ORDER MATRIX (EXAMPLE: 3LL23PNA)

Pipe Size	Arm Type	Finish	Coastal Coating	Input Voltage
2 (½" IP)	SL23 (Small Loop - 23")	Available Finish (Use finish code on right)	(blank) (No Coating)	(blank) (120V)
3 (¾" IP)	SL30 (Small Loop - 30")		-C (Coating)	-27 (277V)
	LL23 (Large Loop - 23")			
	LL30 (Large Loop - 30")			
	LC18 (Curve Arm - 18")			
	LC24 (Curve Arm - 24")			
	LC30 (Curve Arm - 30")			
	LM18 (Miter Arm - 18")			
	LM24 (Miter Arm - 24")			
	LM30 (Miter Arm - 30")			
	SA18 (Sign Arm - 18")			
	SA23 (Sign Arm - 23")			
	LSA23 (Large Loop Sign Arm - 23")			
	LSA30 (Large Loop Sign Arm - 30")			
	A6 (Straight Arm - 6")			
	A12 (Straight Arm - 12")			
	A18 (Straight Arm - 18")			
	A24 (Straight Arm - 24")			
	A30 (Straight Arm - 30")			
	MA18 (Modern Arm - 18")			
	MA24 (Modern Arm - 24")			
	MA30 (Modern Arm - 30")			

KNUCKLE ACCESSORY ORDER MATRIX (EXAMPLE: 2KNLPNA)

Pipe Size	Knuckle	Finish	Coastal Coating
2 (½" IP)	KNL (Adjustable 180° Knuckle for Arm Mounts)	Available Finish (Use finish code on right)	(blank) (No Coating)
3 (¾" IP)			-C (Coating)

POST / WALL MOUNT ORDER MATRIX (EXAMPLE: 2W1PNA)

Pipe Size	Mount Type	Finish	Input Voltage
2 (½" IP)	P1 (Single Post Mount)	Available Finish (Use finish code on right)	(blank) (120V)
	P2 (Double Post Mount)		-27 ⁴ (277V)
	W1 (Traditional Wall Mount)		

4. Post mount only

POST TYPE ORDER MATRIX (EXAMPLE: P8683-96PNA)

Post Type	Finish
PM4946 (Cast Aluminum Post)	Available Finish (Use finish code on right)
P8683-96 (Cast Aluminum Base w/ 96" Aluminum Post)	
P8683-120 (Cast Aluminum Base w/ 120" Aluminum Post)	
P8684-96 (96" Straight Aluminum Post)	
P8684-120 (120" Straight Aluminum Post)	
PM8685 (Cast Aluminum Pier Mount - must be used with straight aluminum post, P8684)	

STEM MOUNT ORDER MATRIX (EXAMPLE: 2HS18PNA)

Pipe Size	Stem Length	Finish	Coastal Coating
2 (½" IP)	HS12 (12")	Available Finish (Use finish code on right)	(blank) (No Coating)
	HS18 (18")		-C (Coating)
	HS24 (24")		
	HS36 (36")		
	HS48 (48")		
	HS__ (Custom length from 2" up to 60")		

STANDARD FINISHES

- **ABL** (Aegean Blue)
- **BB** (Burnished Bronze)
- **BK** (Gloss Black)
- **BLU** (Blue)
- **DVG** (Dove Gray)
- **FLG** (Flannel Gray)
- **LG** (Lime Green)
- **MB** (Matte Black)
- **MBL** (Midnight Blue)
- **PNA** (Painted Natural Aluminum)
- **PNC** (Painted Natural Copper)
- **RD** (Red)
- **SGR** (Sage Green)
- **SGW** (Semi Gloss White)
- **SND** (Sand)
- **SS** (Satin Silver)
- **TBZ** (Textured Bronze)
- **TGP** (Textured Graphite)
- **TNG** (Tangerine)
- **TTL** (Tahitian Teal)
- **WT** (Gloss White)
- **YEL** (Yellow)

SPECIALTY FINISH

- **GA** (Galvanized)

Post mount cannot be painted with specialty finish (GA)



SHALLOW HEAVY DUTY | RLM CLASSICS

Aluminum Shade
with Glass and Guard Options

ELECTRICAL

- 120V input (277V available in arm and post option only)
- Integrated power supply allows the fixture to be connected directly into line voltage
- Pre-wired and ready for install
- LED is dimmable with Incandescent/Triac dimmers

MOUNTING

- ½" or ¾" IP for arms. Flush mount, stems and post available only in ½"
- 9' Pendant cord available in black or white cord (includes 5" canopy with the same finish as the shade)

FINISHES


- Shade and mounting finish options
- Available in 22 standard and 1 specialty finishes with optional coastal coating to protect finish in coastal environments (add "-C" to the finish)
- Inner shade is painted gloss white
- Consult factory for custom finish options

OPTIONAL ACCESSORIES

Glass, Cast Guard, Wire Cage or Wire Guard options available

LISTING

UL listed to US and Canadian standards for wet locations



SHALLOW HEAVY DUTY ORDER MATRIX (EXAMPLE: RHS16LED1227RD-FGG-3)

Diameter	Lamp / LED	Finish	Coastal Coating	Accessories	Mounting Type
RHS14 (14")	M (Medium Base, 100W max.)	ABL (Aegean Blue)	(blank) (No Coating)	(blank) (No Accessories)	-2 (½" IP)
RHS16 (16")	LED1227 ^{1,2,3} (12W LED, 2700K, 90 CRI, 844lm)	BB (Burnished Bronze)	-C (Coating)	-CG (Clear Glass)	-3 (¾" IP)
	LED1230 ^{1,2,3} (12W LED, 3000K, 90 CRI, 861lm)	BK (Gloss Black)		-FG (Frosted Glass)	-B (Black Cord Pendant)
	LED1235 ^{1,2,3} (12W LED, 3500K, 90 CRI, 872lm)	BLU (Blue)		-CGG (Clear Glass w/ Cast Guard)	-W (White Cord Pendant)
	LED1240 ^{1,2,3} (12W LED, 4000K, 90 CRI, 889lm)	DVG (Dove Gray)		-FGG (Frosted Glass w/ Cast Guard)	-F (Flush Mount)
	LED1827 ^{1,2,3} (18W LED, 2700K, 90 CRI, 1265lm)	FLG (Flannel Gray)		-CGWC (Clear Glass w/ Wire Cage)	
	LED1830 ^{1,2,3} (18W LED, 3000K, 90 CRI, 1288lm)	GA (Galvanized)		-FGWC (Frosted Glass w/ Wire Cage)	
	LED1835 ^{1,2,3} (18W LED, 3500K, 90 CRI, 1311lm)	LG (Lime Green)		-WG (Wire Guard)	
	LED1840 ^{1,2,3} (18W LED, 4000K, 90 CRI, 1334lm)	MB (Matte Black)			
		MBL (Midnight Blue)			
		PNA (Painted Natural Aluminum)			
		PNC (Painted Natural Copper)			
		RD (Red)			
		SGR (Sage Green)			
		SGW (Semi Gloss White)			
		SND (Sand)			
		SS (Satin Silver)			
	TBZ (Textured Bronze)				
	TGP (Textured Graphite)				
	TNG (Tangerine)				
	TTL (Tahitian Teal)				
	WT (Gloss White)				
	YEL (Yellow)				

1. Lamps must be specified, and are not included in shade cost
2. Glass enclosure must be specified
3. Lumen are raw LED value

COMPATIBLE MOUNTS | SHALLOW HEAVY DUTY

Standard Mounts
(Page 54~57)

ARM MOUNT ORDER MATRIX (EXAMPLE: 3LL23RD)

Pipe Size	Arm Type	Finish	Coastal Coating	Input Voltage
2 (½" IP)	SL23 (Small Loop - 23")	Available Finish	(blank) (No Coating)	(blank) (120V)
3 (¾" IP)	SL30 (Small Loop - 30")	Use finish code on right	-C (Coating)	-27 (277V)
	LL23 (Large Loop - 23")			
LL30 (Large Loop - 30")				
LC18 (Curve Arm - 18")				
LC24 (Curve Arm - 24")				
LC30 (Curve Arm - 30")				
LM18 (Miter Arm - 18")				
LM24 (Miter Arm - 24")				
LM30 (Miter Arm - 30")				
SA18 (Sign Arm - 18")				
SA23 (Sign Arm - 23")				
LSA23 (Large Loop Sign Arm - 23")				
LSA30 (Large Loop Sign Arm - 30")				
A6 (Straight Arm - 6")				
A12 (Straight Arm - 12")				
A18 (Straight Arm - 18")				
A24 (Straight Arm - 24")				
A30 (Straight Arm - 30")				
MA18 (Modern Arm - 18")				
MA24 (Modern Arm - 24")				
MA30 (Modern Arm - 30")				

KNUCKLE ACCESSORY ORDER MATRIX (EXAMPLE: 2KNLRD)

Pipe Size	Knuckle	Finish	Coastal Coating
2 (½" IP)	KNL (Adjustable 180° Knuckle for Arm Mounts)	Available Finish	(blank) (No Coating)
3 (¾" IP)			-C (Coating)

POST / WALL MOUNT ORDER MATRIX (EXAMPLE: 2W1RD)

Pipe Size	Mount Type	Finish	Input Voltage
2 (½" IP)	P1 (Single Post Mount)	Available Finish	(blank) (120V)
	P2 (Double Post Mount)		-27 ⁴ (277V)
	W1 (Traditional Wall Mount)		

4. Post mount only

POST TYPE ORDER MATRIX (EXAMPLE: P8683-96RD)

Post Type	Finish
PM4946 (Cast Aluminum Post)	Available Finish
P8683-96 (Cast Aluminum Base w/ 96" Aluminum Post)	
P8683-120 (Cast Aluminum Base w/ 120" Aluminum Post)	
P8684-96 (96" Straight Aluminum Post)	
P8684-120 (120" Straight Aluminum Post)	
PM8685 (Cast Aluminum Pier Mount - must be used with straight aluminum post, P8684)	

STEM MOUNT ORDER MATRIX (EXAMPLE: 2HS18RD)

Pipe Size	Stem Length	Finish	Coastal Coating
2 (½" IP)	HS12 (12")	Available Finish	(blank) (No Coating)
	HS18 (18")		-C (Coating)
	HS24 (24")		
	HS36 (36")		
	HS48 (48")		
	HS__ (Custom length from 2" up to 60")		

STANDARD FINISHES

- ABL (Aegean Blue)
- BB (Burnished Bronze)
- BK (Gloss Black)
- BLU (Blue)
- DVG (Dove Gray)
- FLG (Flannel Gray)
- LG (Lime Green)
- MB (Matte Black)
- MBL (Midnight Blue)
- PNA (Painted Natural Aluminum)
- PNC (Painted Natural Copper)
- RD (Red)
- SGR (Sage Green)
- SGW (Semi Gloss White)
- SND (Sand)
- SS (Satin Silver)
- TBZ (Textured Bronze)
- TGP (Textured Graphite)
- TNG (Tangerine)
- TTL (Tahitian Teal)
- WT (Gloss White)
- YEL (Yellow)

SPECIALTY FINISH

- GA (Galvanized)

Post mount cannot be painted with specialty finish (GA)



DEEP REFLECTOR | RLM CLASSIC

Aluminum Shade
with Glass and Guard Options

ELECTRICAL

- 120V input (277V available in arm and post option only)
- Integrated power supply allows the fixture to be connected directly into line voltage
- Pre-wired and ready for install
- LED is dimmable with Incandescent/Triac dimmers

MOUNTING

- ½" or ¾" IP for arms. Flush mount, stems and post available only in ½"
- 9' Pendant cord available in black or white cord (includes 5" canopy with the same finish as the shade)

FINISHES


- Shade and mounting finish options
- Available in 22 standard and 1 specialty finishes with optional coastal coating to protect finish in coastal environments (add "-C" to the finish)
- Inner shade is painted gloss white
- Consult factory for custom finish options

OPTIONAL ACCESSORIES

Glass, Cast Guard, Wire Cage or Wire Guard options available

LISTING

UL listed to US and Canadian standards for wet locations



DEEP REFLECTOR ORDER MATRIX (EXAMPLE: RD14LED1227MBL-WG-2)

Diameter	Lamp / LED	Finish	Coastal Coating	Accessories	Mounting Type
RD10 (10")	M (Medium Base, 100W max.)	ABL (Aegean Blue)	(blank) (No Coating)	(blank) (No Accessories)	-2 (½" IP)
RD12 (12")	LED1227^{1,2,3} (12W LED, 2700K, 90 CRI, 844lm)	BB (Burnished Bronze)	-C (Coating)	-CG (Clear Glass)	-3 (¾" IP)
RD14 (14")	LED1230^{1,2,3} (12W LED, 3000K, 90 CRI, 861lm)	BK (Gloss Black)		-FG (Frosted Glass)	-B (Black Cord Pendant)
RD16 (16")	LED1235^{1,2,3} (12W LED, 3500K, 90 CRI, 872lm)	BLU (Blue)		-CGG (Clear Glass w/ Cast Guard)	-W (White Cord Pendant)
	LED1240^{1,2,3} (12W LED, 4000K, 90 CRI, 889lm)	DVG (Dove Gray)		-FGG (Frosted Glass w/ Cast Guard)	-F (Flush Mount)
	LED1827^{1,2,3} (18W LED, 2700K, 90 CRI, 1265lm)	FLG (Flannel Gray)		-CGWC (Clear Glass w/ Wire Cage)	
	LED1830^{1,2,3} (18W LED, 3000K, 90 CRI, 1288lm)	GA (Galvanized)		-FGWC (Frosted Glass w/ Wire Cage)	
	LED1835^{1,2,3} (18W LED, 3500K, 90 CRI, 1311lm)	LG (Lime Green)		-WG (Wire Guard)	
	LED1840^{1,2,3} (18W LED, 4000K, 90 CRI, 1334lm)	MB (Matte Black)			
		MBL (Midnight Blue)			
		PNA (Painted Natural Aluminum)			
		PNC (Painted Natural Copper)			
		RD (Red)			
		SGR (Sage Green)			
		SGW (Semi Gloss White)			
		SND (Sand)			
		SS (Satin Silver)			
		TBZ (Textured Bronze)			
		TGP (Textured Graphite)			
		TNG (Tangerine)			
		TTL (Tahitian Teal)			
		WT (Gloss White)			
		YEL (Yellow)			

1. Lamps must be specified, and are not included in shade cost
2. Glass enclosure must be specified
3. Lumen are raw LED value

COMPATIBLE MOUNTS | DEEP REFLECTOR

Standard Mounts
(Page 54~57)

ARM MOUNT ORDER MATRIX (EXAMPLE: 2LL30MBL)

Pipe Size	Arm Type	Finish	Coastal Coating	Input Voltage
2 (½" IP)	SL23 (Small Loop - 23")	Available Finish (Use finish code on right)	(blank) (No Coating)	(blank) (120V)
3 (¾" IP)	SL30 (Small Loop - 30")		-C (Coating)	-27 (277V)
	LL23 (Large Loop - 23")			
	LL30 (Large Loop - 30")			
	LC18 (Curve Arm - 18")			
	LC24 (Curve Arm - 24")			
	LC30 (Curve Arm - 30")			
	LM18 (Miter Arm - 18")			
	LM24 (Miter Arm - 24")			
	LM30 (Miter Arm - 30")			
	SA18 (Sign Arm - 18")			
	SA23 (Sign Arm - 23")			
	LSA23 (Large Loop Sign Arm - 23")			
	LSA30 (Large Loop Sign Arm - 30")			
	A6 (Straight Arm - 6")			
	A12 (Straight Arm - 12")			
	A18 (Straight Arm - 18")			
	A24 (Straight Arm - 24")			
	A30 (Straight Arm - 30")			
	MA18 (Modern Arm - 18")			
	MA24 (Modern Arm - 24")			
	MA30 (Modern Arm - 30")			

KNUCKLE ACCESSORY ORDER MATRIX (EXAMPLE: 2KNLMBL)

Pipe Size	Knuckle	Finish	Coastal Coating
2 (½" IP)	KNL (Adjustable 180° Knuckle for Arm Mounts)	Available Finish (Use finish code on right)	(blank) (No Coating)
3 (¾" IP)			-C (Coating)

POST / WALL MOUNT ORDER MATRIX (EXAMPLE: 2W1MBL)

Pipe Size	Mount Type	Finish	Input Voltage
2 (½" IP)	P1 (Single Post Mount)	Available Finish (Use finish code on right)	(blank) (120V)
	P2 (Double Post Mount)		-27 ⁴ (277V)
	W1 (Traditional Wall Mount)		

4. Post mount only

POST TYPE ORDER MATRIX (EXAMPLE: P8683-96MBL)

Post Type	Finish
PM4946 (Cast Aluminum Post)	Available Finish (Use finish code on right)
P8683-96 (Cast Aluminum Base w/ 96" Aluminum Post)	
P8683-120 (Cast Aluminum Base w/ 120" Aluminum Post)	
P8684-96 (96" Straight Aluminum Post)	
P8684-120 (120" Straight Aluminum Post)	
PM8685 (Cast Aluminum Pier Mount - must be used with straight aluminum post, P8684)	

STEM MOUNT ORDER MATRIX (EXAMPLE: 2HS18MBL)

Pipe Size	Stem Length	Finish	Coastal Coating
2 (½" IP)	HS12 (12")	Available Finish (Use finish code on right)	(blank) (No Coating)
	HS18 (18")		-C (Coating)
	HS24 (24")		
	HS36 (36")		
	HS48 (48")		
	HS__ (Custom length from 2" up to 60")		

STANDARD FINISHES

- **ABL** (Aegean Blue)
- **BB** (Burnished Bronze)
- **BK** (Gloss Black)
- **BLU** (Blue)
- **DVG** (Dove Gray)
- **FLG** (Flannel Gray)
- **LG** (Lime Green)
- **MB** (Matte Black)
- **MBL** (Midnight Blue)
- **PNA** (Painted Natural Aluminum)
- **PNC** (Painted Natural Copper)
- **RD** (Red)
- **SGR** (Sage Green)
- **SGW** (Semi Gloss White)
- **SND** (Sand)
- **SS** (Satin Silver)
- **TBZ** (Textured Bronze)
- **TGP** (Textured Graphite)
- **TNG** (Tangerine)
- **TTL** (Tahitian Teal)
- **WT** (Gloss White)
- **YEL** (Yellow)

SPECIALTY FINISH

- **GA** (Galvanized)

Post mount cannot be painted with specialty finish (GA)



Aluminum Shade
with Glass and Guard Options

ELECTRICAL

- 120V input (277V available in arm and post option only)
- Integrated power supply allows the fixture to be connected directly into line voltage
- Pre-wired and ready for install
- LED is dimmable with Incandescent/Triac dimmers

MOUNTING

- ½" or ¾" IP for arms. Flush mount, stems and post available only in ½"
- 9' Pendant cord available in black or white cord (includes 5" canopy with the same finish as the shade)

FINISHES


- Shade and mounting finish options
- Available in 22 standard and 1 specialty finishes with optional coastal coating to protect finish in coastal environments (add "-C" to the finish)
- Inner shade is painted the same finish as shade
- Consult factory for custom finish options

OPTIONAL ACCESSORIES

Glass, Cast Guard or Wire Cage options available

LISTING

UL listed to US and Canadian standards for wet locations



RADIAL WAVE ORDER MATRIX (EXAMPLE: RW18MBK-CGG-2)

Diameter	Lamp / LED	Finish	Coastal Coating	Accessories	Mounting Type
RW16 (16")	M (Medium Base, 100W max.)	ABL (Aegean Blue)	(blank) (No Coating)	(blank) (No Accessories)	-2 (½" IP)
RW18 (18")	LED1227 ^{1,2,3} (12W LED, 2700K, 90 CRI, 844lm)	BB (Burnished Bronze)	-C (Coating)	-CG (Clear Glass)	-3 (¾" IP)
	LED1230 ^{1,2,3} (12W LED, 3000K, 90 CRI, 861lm)	BK (Gloss Black)		-FG (Frosted Glass)	-B (Black Cord Pendant)
	LED1235 ^{1,2,3} (12W LED, 3500K, 90 CRI, 872lm)	BLU (Blue)		-CGG (Clear Glass w/ Cast Guard)	-W (White Cord Pendant)
	LED1240 ^{1,2,3} (12W LED, 4000K, 90 CRI, 889lm)	DVG (Dove Gray)		-FGG (Frosted Glass w/ Cast Guard)	-F (Flush Mount)
	LED1827 ^{1,2,3} (18W LED, 2700K, 90 CRI, 1265lm)	FLG (Flannel Gray)		-CGWC (Clear Glass w/ Wire Cage)	
	LED1830 ^{1,2,3} (18W LED, 3000K, 90 CRI, 1288lm)	GA (Galvanized)		-FGWC (Frosted Glass w/ Wire Cage)	
	LED1835 ^{1,2,3} (18W LED, 3500K, 90 CRI, 1311lm)	LG (Lime Green)			
	LED1840 ^{1,2,3} (18W LED, 4000K, 90 CRI, 1334lm)	MB (Matte Black)			
		MBL (Midnight Blue)			
		PNA (Painted Natural Aluminum)			
		PNC (Painted Natural Copper)			
		RD (Red)			
		SGR (Sage Green)			
		SGW (Semi Gloss White)			
		SND (Sand)			
		SS (Satin Silver)			
		TBZ (Textured Bronze)			
		TGP (Textured Graphite)			
		TNG (Tangerine)			
		TTL (Tahitian Teal)			
		WT (Gloss White)			
		YEL (Yellow)			

1. Lamps must be specified, and are not included in shade cost
2. Glass enclosure must be specified
3. Lumen are raw LED value

Standard Mounts
(Page 54~57)

ARM MOUNT ORDER MATRIX (EXAMPLE: 2SL23BK)

Pipe Size	Arm Type	Finish	Coastal Coating	Input Voltage
2 (½" IP)	SL23 (Small Loop - 23")	Available Finish (Use finish code on right)	(blank) (No Coating)	(blank) (120V)
3 (¾" IP)	SL30 (Small Loop - 30")		-C (Coating)	-27 (277V)
	LL23 (Large Loop - 23")			
	LL30 (Large Loop - 30")			
	LC18 (Curve Arm - 18")			
	LC24 (Curve Arm - 24")			
	LC30 (Curve Arm - 30")			
	LM18 (Miter Arm - 18")			
	LM24 (Miter Arm - 24")			
	LM30 (Miter Arm - 30")			
	SA18 (Sign Arm - 18")			
	SA23 (Sign Arm - 23")			
	LSA23 (Large Loop Sign Arm - 23")			
	LSA30 (Large Loop Sign Arm - 30")			
	A6 (Straight Arm - 6")			
	A12 (Straight Arm - 12")			
	A18 (Straight Arm - 18")			
	A24 (Straight Arm - 24")			
	A30 (Straight Arm - 30")			
	MA18 (Modern Arm - 18")			
	MA24 (Modern Arm - 24")			
	MA30 (Modern Arm - 30")			

KNUCKLE ACCESSORY ORDER MATRIX (EXAMPLE: 2KNLBK)

Pipe Size	Knuckle	Finish	Coastal Coating
2 (½" IP)	KNL (Adjustable 180° Knuckle for Arm Mounts)	Available Finish (Use finish code on right)	(blank) (No Coating)
3 (¾" IP)			-C (Coating)

POST / WALL MOUNT ORDER MATRIX (EXAMPLE: 2W1BK)

Pipe Size	Mount Type	Finish	Input Voltage
2 (½" IP)	P1 (Single Post Mount)	Available Finish (Use finish code on right)	(blank) (120V)
	P2 (Double Post Mount)		-27 ⁴ (277V)
	W1 (Traditional Wall Mount)		

4. Post mount only

POST TYPE ORDER MATRIX (EXAMPLE: P8683-96BK)

Post Type	Finish
PM4946 (Cast Aluminum Post)	Available Finish (Use finish code on right)
P8683-96 (Cast Aluminum Base w/ 96" Aluminum Post)	
P8683-120 (Cast Aluminum Base w/ 120" Aluminum Post)	
P8684-96 (96" Straight Aluminum Post)	
P8684-120 (120" Straight Aluminum Post)	
PM8685 (Cast Aluminum Pier Mount - must be used with straight aluminum post, P8684)	

STEM MOUNT ORDER MATRIX (EXAMPLE: 2HS18BK)

Pipe Size	Stem Length	Finish	Coastal Coating
2 (½" IP)	HS12 (12")	Available Finish (Use finish code on right)	(blank) (No Coating)
	HS18 (18")		-C (Coating)
	HS24 (24")		
	HS36 (36")		
	HS48 (48")		
	HS__ (Custom length from 2" up to 60")		

STANDARD FINISHES

- **ABL** (Aegean Blue)
- **BB** (Burnished Bronze)
- **BK** (Gloss Black)
- **BLU** (Blue)
- **DVG** (Dove Gray)
- **FLG** (Flannel Gray)
- **LG** (Lime Green)
- **MB** (Matte Black)
- **MBL** (Midnight Blue)
- **PNA** (Painted Natural Aluminum)
- **PNC** (Painted Natural Copper)
- **RD** (Red)
- **SGR** (Sage Green)
- **SGW** (Semi Gloss White)
- **SND** (Sand)
- **SS** (Satin Silver)
- **TBZ** (Textured Bronze)
- **TGP** (Textured Graphite)
- **TNG** (Tangerine)
- **TTL** (Tahitian Teal)
- **WT** (Gloss White)
- **YEL** (Yellow)

SPECIALTY FINISH

- **GA** (Galvanized)

Post mount cannot be painted with specialty finish (GA)



Aluminum Shade with Glass Options

ELECTRICAL

- 120V input (277V available in arm and post option only)
- Integrated power supply allows the fixture to be connected directly into line voltage
- Pre-wired and ready for install
- LED is dimmable with Incandescent/Triac dimmers

MOUNTING

- ½" IP for arm, ceiling flush mount, stem or post mount options 9' Pendant cord available in black or white cord (includes 5" canopy with the same finish as the shade)

FINISHES


- Shade and mounting finish options
- Available in 22 standard and 1 specialty finishes with optional coastal coating to protect finish in coastal environments (add "-C" to the finish)
- Consult factory for custom finish options

GLASS TYPE

Each luminaire includes a glass enclosure, must specify glass type. Glass is available in clear (-CG) or frosted (-FG)

LISTING

UL listed to US and Canadian standards for wet locations



RID13MRD-CG-2 / 2A24RD

RRS10MPNA-CG-2 / 2SL23PNA

RETRO INDUSTRIAL ORDER MATRIX (EXAMPLE: RID13MRD-CG-2)

Diameter	Lamp / LED	Finish	Coastal Coating	Accessories	Mounting Type
RID13 (Dome Shade)	M (Medium Base, 100W max.)	ABL (Aegean Blue)	(blank) (No Coating)	-CG (Clear Glass)	-2 (½" IP)
RI5 (No Shade)	LED1227 ^{1,2} (12W LED, 2700K, 90 CRI, 844lm)	BB (Burnished Bronze)	-C (Coating)	-FG (Frosted Glass)	-B (Black Cord Pendant)
RIC6* (Flush / No Shade)	LED1230 ^{1,2} (12W LED, 3000K, 90 CRI, 861lm)	BK (Gloss Black)			-W (White Cord Pendant)
RRS10 (Ring Guard / Flat Shade)	LED1235 ^{1,2} (12W LED, 3500K, 90 CRI, 872lm) LED1240 ^{1,2} (12W LED, 4000K, 90 CRI, 889lm)	BLU (Blue)			-F (Flush Mount)
		DVG (Dove Gray)			
		FLG (Flannel Gray)			
		GA (Galvanized)			
		LG (Lime Green)			
		MB (Matte Black)			
		MBL (Midnight Blue)			
		PNA (Painted Natural Aluminum)			
		PNC (Painted Natural Copper)			
		RD (Red)			
SGR (Sage Green)					
SGW (Semi Gloss White)					
SND (Sand)					
SS (Satin Silver)					
TBZ (Textured Bronze)					
TGP (Textured Graphite)					
TNG (Tangerine)					
TTL (Tahitian Teal)					
WT (Gloss White)					
YEL (Yellow)					

* Flush mount only

1. Lamps must be specified, and are not included in shade cost
2. Lumen are raw LED value

Standard Mounts (Page 54~57)

ARM MOUNT ORDER MATRIX (EXAMPLE: 2A24RD)

Pipe Size	Arm Type	Finish	Coastal Coating	Input Voltage	
2 (½" IP)	SL23 (Small Loop - 23")	Available Finish (Use finish code on right)	(blank) (No Coating)	(blank) (120V)	
	SL30 (Small Loop - 30")		-C (Coating)	-27 (277V)	
	LL23 (Large Loop - 23")				
	LL30 (Large Loop - 30")				
	LC18 (Curve Arm - 18")				
	LC24 (Curve Arm - 24")				
	LC30 (Curve Arm - 30")				
	LM18 (Miter Arm - 18")				
	LM24 (Miter Arm - 24")				
	LM30 (Miter Arm - 30")				
	SA18 (Sign Arm - 18")				
	SA23 (Sign Arm - 23")				
	LSA23 (Large Loop Sign Arm - 23")				
	LSA30 (Large Loop Sign Arm - 30")				
	A6 (Straight Arm - 6")				
	A12 (Straight Arm - 12")				
	A18 (Straight Arm - 18")				
	A24 (Straight Arm - 24")				
	A30 (Straight Arm - 30")				
	MA18 (Modern Arm - 18")				
MA24 (Modern Arm - 24")					
MA30 (Modern Arm - 30")					

KNUCKLE ACCESSORY ORDER MATRIX (EXAMPLE: 2KNLRD)

Pipe Size	Knuckle	Finish	Coastal Coating
2 (½" IP)	KNL (Adjustable 180° Knuckle for Arm Mounts)	Available Finish (Use finish code on right)	(blank) (No Coating) -C (Coating)

POST / WALL MOUNT ORDER MATRIX (EXAMPLE: 2P1RD)

Pipe Size	Mount Type	Finish	Input Voltage
2 (½" IP)	P1 (Single Post Mount)	Available Finish (Use finish code on right)	(blank) (120V)
	P2 (Double Post Mount)		-27³ (277V)
	W1 (Traditional Wall Mount)		

3. Post mount only

POST TYPE ORDER MATRIX (EXAMPLE: P8683-96RD)

Post Type	Finish
PM4946 (Cast Aluminum Post)	Available Finish (Use finish code on right)
P8683-96 (Cast Aluminum Base w/ 96" Aluminum Post)	
P8683-120 (Cast Aluminum Base w/ 120" Aluminum Post)	
P8684-96 (96" Straight Aluminum Post)	
P8684-120 (120" Straight Aluminum Post)	
PM8685 (Cast Aluminum Pier Mount - must be used with straight aluminum post, P8684)	

STEM MOUNT ORDER MATRIX (EXAMPLE: 2HS18RD)

Pipe Size	Stem Length	Finish	Coastal Coating
2 (½" IP)	HS12 (12")	Available Finish (Use finish code on right)	(blank) (No Coating)
	HS18 (18")		-C (Coating)
	HS24 (24")		
	HS36 (36")		
	HS48 (48")		
	HS__ (Custom length from 2" up to 60")		

STANDARD FINISHES

- **ABL** (Aegean Blue)
- **BB** (Burnished Bronze)
- **BK** (Gloss Black)
- **BLU** (Blue)
- **DVG** (Dove Gray)
- **FLG** (Flannel Gray)
- **LG** (Lime Green)
- **MB** (Matte Black)
- **MBL** (Midnight Blue)
- **PNA** (Painted Natural Aluminum)
- **PNC** (Painted Natural Copper)
- **RD** (Red)
- **SGR** (Sage Green)
- **SGW** (Semi Gloss White)
- **SND** (Sand)
- **SS** (Satin Silver)
- **TBZ** (Textured Bronze)
- **TGP** (Textured Graphite)
- **TNG** (Tangerine)
- **TTL** (Tahitian Teal)
- **WT** (Gloss White)
- **YEL** (Yellow)

SPECIALTY FINISH

- **GA** (Galvanized)

Post mount cannot be painted with specialty finish (GA)

Aluminum Shade
with Glass and Guard Options

ELECTRICAL

- 120V input (277V available in arm and post option only)
- Integrated power supply allows the fixture to be connected directly into line voltage
- Pre-wired and ready for install
- LED is dimmable with Incandescent/Triac dimmers

MOUNTING

- 1/2" or 3/4" IP for arms. Flush mount, stems and post available only in 1/2"
- 9' Pendant cord available in black or white cord (includes 5" canopy with the same finish as the shade)

FINISHES


- Shade and mounting finish options
- Available in 22 standard and 1 specialty finishes with optional coastal coating to protect finish in coastal environments (add "-C" to the finish)
- Inner shade is painted gloss white
- Consult factory for custom finish options

OPTIONAL ACCESSORIES

Glass or Wire Cage options available

LISTING

UL listed to US and Canadian standards for wet locations



NEO ORDER MATRIX (EXAMPLE: RNSM12LED1230BK-FG-2)

Diameter	Lamp / LED	Finish	Coastal Coating	Accessories	Mounting Type
RNDA12 (12" Dome w/ Acrylic Rings)	M (Medium Base, 100W max.)	ABL (Aegean Blue)	(blank) (No Coating)	(blank) (No Accessories)	-2 (1/2" IP)
	LED1227 ^{1,2,3} (12W LED, 2700K, 90 CRI, 844lm)	BB (Burnished Bronze)	-C (Coating)	-CG (Clear Glass)	-3 (3/4" IP)
RNDM12 (12" Dome w/ Metal Rings)	LED1230 ^{1,2,3} (12W LED, 3000K, 90 CRI, 861lm)	BK (Gloss Black)		-FG (Frosted Glass)	-B (Black Cord Pendant)
	LED1235 ^{1,2,3} (12W LED, 3500K, 90 CRI, 872lm)	BLU (Blue)		-CGWC (Clear Glass w/ Wire Cage)	-W (White Cord Pendant)
RNCA12 (12" Cone w/ Acrylic Rings)	LED1240 ^{1,2,3} (12W LED, 4000K, 90 CRI, 889lm)	DVG (Dove Gray)		-FGWC (Frosted Glass w/ Wire Cage)	-F (Flush Mount)
	LED1827 ^{1,2,3} (18W LED, 2700K, 90 CRI, 1265lm)	FLG (Flannel Gray)			
RNCM12 (12" Cone w/ Metal Rings)	LED1830 ^{1,2,3} (18W LED, 3000K, 90 CRI, 1288lm)	GA (Galvanized)			
	LED1835 ^{1,2,3} (18W LED, 3500K, 90 CRI, 1311lm)	LG (Lime Green)			
RNSA12 (12" Shade w/ Acrylic Rings)	LED1840 ^{1,2,3} (18W LED, 4000K, 90 CRI, 1334lm)	MB (Matte Black)			
		MBL (Midnight Blue)			
RNSM12 (12" Shade w/ Metal Rings)		PNA (Painted Natural Aluminum)			
		PNC (Painted Natural Copper)			
RNSA16 (16" Shade w/ Acrylic Rings)		RD (Red)			
		SGR (Sage Green)			
RNSM16 (16" Shade w/ Metal Rings)		SGW (Semi Gloss White)			
		SND (Sand)			
		SS (Satin Silver)			
		TBZ (Textured Bronze)			
		TGP (Textured Graphite)			
		TNG (Tangerine)			
		TTL (Tahitian Teal)			
		WT (Gloss White)			
		YEL (Yellow)			

1. Lamps must be specified, and are not included in shade cost
2. Glass enclosure must be specified
3. Lumen are raw LED value

Standard Mounts
(Page 54~57)

ARM MOUNT ORDER MATRIX (EXAMPLE: 3LL23BK)

Pipe Size	Arm Type	Finish	Coastal Coating	Input Voltage
2 (1/2" IP)	SL23 (Small Loop - 23")	Available Finish (Use finish code on right)	(blank) (No Coating)	(blank) (120V)
3 (3/4" IP)	SL30 (Small Loop - 30")		-C (Coating)	-27 (277V)
	LL23 (Large Loop - 23")			
	LL30 (Large Loop - 30")			
	LC18 (Curve Arm - 18")			
	LC24 (Curve Arm - 24")			
	LC30 (Curve Arm - 30")			
	LM18 (Miter Arm - 18")			
	LM24 (Miter Arm - 24")			
	LM30 (Miter Arm - 30")			
	SA18 (Sign Arm - 18")			
	SA23 (Sign Arm - 23")			
	LSA23 (Large Loop Sign Arm - 23")			
	LSA30 (Large Loop Sign Arm - 30")			
	A6 (Straight Arm - 6")			
	A12 (Straight Arm - 12")			
	A18 (Straight Arm - 18")			
	A24 (Straight Arm - 24")			
	A30 (Straight Arm - 30")			
	MA18 (Modern Arm - 18")			
	MA24 (Modern Arm - 24")			
	MA30 (Modern Arm - 30")			

KNUCKLE ACCESSORY ORDER MATRIX (EXAMPLE: 2KNLBK)

Pipe Size	Knuckle	Finish	Coastal Coating
2 (1/2" IP)	KNL (Adjustable 180° Knuckle for Arm Mounts)	Available Finish (Use finish code on right)	(blank) (No Coating)
3 (3/4" IP)			-C (Coating)

POST / WALL MOUNT ORDER MATRIX (EXAMPLE: 2P1BK)

Pipe Size	Mount Type	Finish	Input Voltage
2 (1/2" IP)	P1 (Single Post Mount)	Available Finish (Use finish code on right)	(blank) (120V)
	P2 (Double Post Mount)		-27 ⁴ (277V)
	W1 (Traditional Wall Mount)		

4. Post mount only

POST TYPE ORDER MATRIX (EXAMPLE: P8683-96BK)

Post Type	Finish
PM4946 (Cast Aluminum Post)	Available Finish (Use finish code on right)
P8683-96 (Cast Aluminum Base w/ 96" Aluminum Post)	
P8683-120 (Cast Aluminum Base w/ 120" Aluminum Post)	
P8684-96 (96" Straight Aluminum Post)	
P8684-120 (120" Straight Aluminum Post)	
PM8685 (Cast Aluminum Pier Mount - must be used with straight aluminum post, P8684)	

STEM MOUNT ORDER MATRIX (EXAMPLE: 2HS18BK)

Pipe Size	Stem Length	Finish	Coastal Coating
2 (1/2" IP)	HS12 (12")	Available Finish (Use finish code on right)	(blank) (No Coating)
	HS18 (18")		-C (Coating)
	HS24 (24")		
	HS36 (36")		
	HS48 (48")		
	HS__ (Custom length from 2" up to 60")		

STANDARD FINISHES

- **ABL** (Aegean Blue)
- **BB** (Burnished Bronze)
- **BK** (Gloss Black)
- **BLU** (Blue)
- **DVG** (Dove Gray)
- **FLG** (Flannel Gray)
- **LG** (Lime Green)
- **MB** (Matte Black)
- **MBL** (Midnight Blue)
- **PNA** (Painted Natural Aluminum)
- **PNC** (Painted Natural Copper)
- **RD** (Red)
- **SGR** (Sage Green)
- **SGW** (Semi Gloss White)
- **SND** (Sand)
- **SS** (Satin Silver)
- **TBZ** (Textured Bronze)
- **TGP** (Textured Graphite)
- **TNG** (Tangerine)
- **TTL** (Tahitian Teal)
- **WT** (Gloss White)
- **YEL** (Yellow)

SPECIALTY FINISH

- **GA** (Galvanized)

Post mount cannot be painted with specialty finish (GA)



Aluminum Shade with Glass and Guard Options

Standard Mounts
(Page 54~57)

ELECTRICAL

- 120V input (277V available in arm and post option only)
- Integrated power supply allows the fixture to be connected directly into line voltage
- Pre-wired and ready for install
- LED is dimmable with Incandescent/Triac dimmers

MOUNTING

- 1/2" or 3/4" IP for arms. Flush mount, stems and post available only in 1/2"
- 9' Pendant cord available in black or white cord (includes 5" canopy with the same finish as the shade)

FINISHES



- Shade and mounting finish options
- Available in 22 standard and 1 specialty finishes with optional coastal coating to protect finish in coastal environments (add "-C" to the finish)
- Inner shade is painted gloss white
- Consult factory for custom finish options

OPTIONAL ACCESSORIES

Glass, Cast Guard, Wire Cage or Wire Guard options available

LISTING

UL listed to US and Canadian standards for wet locations



RS16MTBZ-B

RS16MBK-2 / 2SL23BK

STANDARD ORDER MATRIX (EXAMPLE: RS16MBK-2)

Diameter	Lamp / LED	Finish	Coastal Coating	Accessories	Mounting Type	
RS16 (16")	M (Medium Base, 100W max.)	ABL (Aegean Blue)	(blank) (No Coating)	(blank) (No Accessories)	-2 (1/2" IP)	
		LED1227 ^{1,2,3} (12W LED, 2700K, 90 CRI, 844lm)	BB (Burnished Bronze)	-C (Coating)	-CG (Clear Glass)	-3 (3/4" IP)
		LED1230 ^{1,2,3} (12W LED, 3000K, 90 CRI, 861lm)	BK (Gloss Black)		-FG (Frosted Glass)	-B (Black Cord Pendant)
		LED1235 ^{1,2,3} (12W LED, 3500K, 90 CRI, 872lm)	BLU (Blue)		-CGG (Clear Glass w/ Cast Guard)	-W (White Cord Pendant)
		LED1240 ^{1,2,3} (12W LED, 4000K, 90 CRI, 889lm)	DVG (Dove Gray)		-FGG (Frosted Glass w/ Cast Guard)	-F (Flush Mount)
		LED1827 ^{1,2,3} (18W LED, 2700K, 90 CRI, 1265lm)	FLG (Flannel Gray)		-CGWC (Clear Glass w/ Wire Cage)	
		LED1830 ^{1,2,3} (18W LED, 3000K, 90 CRI, 1288lm)	GA (Galvanized)		-FGWC (Frosted Glass w/ Wire Cage)	
		LED1835 ^{1,2,3} (18W LED, 3500K, 90 CRI, 1311lm)	LG (Lime Green)		-WG (Wire Guard)	
		LED1840 ^{1,2,3} (18W LED, 4000K, 90 CRI, 1334lm)	MB (Matte Black)			
			MBL (Midnight Blue)			
			PNA (Painted Natural Aluminum)			
			PNC (Painted Natural Copper)			
			RD (Red)			
			SGR (Sage Green)			
			SGW (Semi Gloss White)			
	SND (Sand)					
	SS (Satin Silver)					
	TBZ (Textured Bronze)					
	TGP (Textured Graphite)					
	TNG (Tangerine)					
	TTL (Tahitian Teal)					
	WT (Gloss White)					
	YEL (Yellow)					

1. Lamps must be specified, and are not included in shade cost
2. Glass enclosure must be specified
3. Lumen are raw LED value

ARM MOUNT ORDER MATRIX (EXAMPLE: 3LL23BK)

Pipe Size	Arm Type	Finish	Coastal Coating	Input Voltage
2 (1/2" IP)	SL23 (Small Loop - 23")	Available Finish (Use finish code on right)	(blank) (No Coating)	(blank) (120V)
3 (3/4" IP)	SL30 (Small Loop - 30")		-C (Coating)	-27 (277V)
	LL23 (Large Loop - 23")			
	LL30 (Large Loop - 30")			
	LC18 (Curve Arm - 18")			
	LC24 (Curve Arm - 24")			
	LC30 (Curve Arm - 30")			
	LM18 (Miter Arm - 18")			
	LM24 (Miter Arm - 24")			
	LM30 (Miter Arm - 30")			
	SA18 (Sign Arm - 18")			
	SA23 (Sign Arm - 23")			
	LSA23 (Large Loop Sign Arm - 23")			
	LSA30 (Large Loop Sign Arm - 30")			
	A6 (Straight Arm - 6")			
	A12 (Straight Arm - 12")			
	A18 (Straight Arm - 18")			
	A24 (Straight Arm - 24")			
	A30 (Straight Arm - 30")			
	MA18 (Modern Arm - 18")			
	MA24 (Modern Arm - 24")			
	MA30 (Modern Arm - 30")			

KNUCKLE ACCESSORY ORDER MATRIX (EXAMPLE: 2KNLBK)

Pipe Size	Knuckle	Finish	Coastal Coating
2 (1/2" IP)	KNL (Adjustable 180° Knuckle for Arm Mounts)	Available Finish (Use finish code on right)	(blank) (No Coating)
3 (3/4" IP)			-C (Coating)

POST / WALL MOUNT ORDER MATRIX (EXAMPLE: 2W1BK)

Pipe Size	Mount Type	Finish	Input Voltage
2 (1/2" IP)	P1 (Single Post Mount)	Available Finish (Use finish code on right)	(blank) (120V)
	P2 (Double Post Mount)		-27 ⁴ (277V)
	W1 (Traditional Wall Mount)		

4. Post mount only

POST TYPE ORDER MATRIX (EXAMPLE: P8683-96BK)

Post Type	Finish
PM4946 (Cast Aluminum Post)	Available Finish (Use finish code on right)
P8683-96 (Cast Aluminum Base w/ 96" Aluminum Post)	
P8683-120 (Cast Aluminum Base w/ 120" Aluminum Post)	
P8684-96 (96" Straight Aluminum Post)	
P8684-120 (120" Straight Aluminum Post)	
PM8685 (Cast Aluminum Pier Mount - must be used with straight aluminum post, P8684)	

STEM MOUNT ORDER MATRIX (EXAMPLE: 2HS18BK)

Pipe Size	Stem Length	Finish	Coastal Coating
2 (1/2" IP)	HS12 (12")	Available Finish (Use finish code on right)	(blank) (No Coating)
	HS18 (18")		-C (Coating)
	HS24 (24")		
	HS36 (36")		
	HS48 (48")		
	HS__ (Custom length from 2" up to 60")		

STANDARD FINISHES

- **ABL** (Aegean Blue)
- **BB** (Burnished Bronze)
- **BK** (Gloss Black)
- **BLU** (Blue)
- **DVG** (Dove Gray)
- **FLG** (Flannel Gray)
- **LG** (Lime Green)
- **MB** (Matte Black)
- **MBL** (Midnight Blue)
- **PNA** (Painted Natural Aluminum)
- **PNC** (Painted Natural Copper)
- **RD** (Red)
- **SGR** (Sage Green)
- **SGW** (Semi Gloss White)
- **SND** (Sand)
- **SS** (Satin Silver)
- **TBZ** (Textured Bronze)
- **TGP** (Textured Graphite)
- **TNG** (Tangerine)
- **TTL** (Tahitian Teal)
- **WT** (Gloss White)
- **YEL** (Yellow)

SPECIALTY FINISH

- **GA** (Galvanized)

Post mount cannot be painted with specialty finish (GA)





LS
SERIES

LS SERIES | BULLET HEAD

Aluminum Fixture Head
with 360° Horizontal & 180° Vertical Rotation

ELECTRICAL

- 120/277V input
- Integrated power supply allows the fixture to be connected directly into line voltage
- Pre-wired and ready for install
- Dimmable with 120V Incandescent/Triac/ 0-10V dimmers

MOUNTING

- ¾" IP for arm, stem or monopoint options

FINISHES


- Available in 22 standard and 1 specialty finishes with optional coastal coating to protect finish in coastal environments (add "-C" to the finish)
- Consult factory for custom finish options Adjustability
- 360° horizontal and 180° vertical rotation

OPTICS

25°, 45° and 65° optics included

LISTING

UL listed to US and Canadian standards for wet locations



MONOPOINT
LBLED14WT-3 / 3LBMNPWT

DUAL ARM
(2) LBLED14MB-3 / 3LBD30MB



STEM
LBLED14TBZ-3 / 3LBS24TBZ



U ARM
LBLED14BK-3 / 3LBU24BK



MITER ARM
LBLED14TBZ-3 / 3LBM24TBZ



LS SERIES - BULLET HEAD ORDER MATRIX (EXAMPLE: LBLED14TBZ-3)

Diameter	LED	Finish	Coastal Coating	Mounting Type	
LB Bullet Head	LED14 ^{1,2} (14W LED, 2700K, 90 CRI, 980lm)	ABL (Aegean Blue) BB (Burnished Bronze) BK (Gloss Black) BLU (Blue) DVG (Dove Gray) FLG (Flannel Gray) GA (Galvanized) LG (Lime Green) MB (Matte Black) MBL (Midnight Blue) PNA (Painted Natural Aluminum) PNC (Painted Natural Copper)	RD (Red) SGR (Sage Green) SGW (Semi Gloss White) SND (Sand) SS (Satin Silver) TBZ (Textured Bronze) TGP (Textured Graphite) TNG (Tangerine) TTL (Tahitian Teal) WT (Gloss White) YEL (Yellow)	(blank) (No Coating) -C (Coating)	-3 (¾" IP)

1. Lamps/LED included
2. Lumen are raw LED value


COMPATIBLE MOUNTS | LS SERIES

Specialty Mounts

ARM MOUNT ORDER MATRIX (EXAMPLE: 3LBM24TBZ)

Pipe Size	Arm Type	Finish	Coastal Coating
3 (¾" IP)	LBM18 (Miter Arm - 18") LBM24 (Miter Arm - 24") LBM30 (Miter Arm - 30") LBU18 ("U" Arm - 18") LBU24 ("U" Arm - 24") LBU30 ("U" Arm - 30") LBD18³ (Dual Arm - 18") LBD24³ (Dual Arm - 24") LBD30³ (Dual Arm - 30")	Available Finish (Use finish code on right)	(blank) (No Coating) -C (Coating)

3. Dual arm requires (2) fixture heads




STEM MOUNT ORDER MATRIX (EXAMPLE: 3LBS24TBZ)

Pipe Size	Stem Length	Finish	Coastal Coating
3 (¾" IP)	LBS6 (6") LBS12 (12") LBS24 (24") LBS36 (36")	Available Finish (Use finish code on right)	(blank) (No Coating) -C (Coating)

MONOPOINT ORDER MATRIX (EXAMPLE: 3LBMNPBTBZ)

Pipe Size	Stem Length	Finish	Coastal Coating
3 (¾" IP)	LBMNP	Available Finish (Use finish code on right)	(blank) (No Coating) -C (Coating)



STANDARD FINISHES

- **ABL** (Aegean Blue)
- **BB** (Burnished Bronze)
- **BK** (Gloss Black)
- **BLU** (Blue)
- **DVG** (Dove Gray)
- **FLG** (Flannel Gray)
- **LG** (Lime Green)
- **MB** (Matte Black)
- **MBL** (Midnight Blue)
- **PNA** (Painted Natural Aluminum)
- **PNC** (Painted Natural Copper)
- **RD** (Red)
- **SGR** (Sage Green)
- **SGW** (Semi Gloss White)
- **SND** (Sand)
- **SS** (Satin Silver)
- **TBZ** (Textured Bronze)
- **TGP** (Textured Graphite)
- **TNG** (Tangerine)
- **TTL** (Tahitian Teal)
- **WT** (Gloss White)
- **YEL** (Yellow)

SPECIALTY FINISH

- **GA** (Galvanized)

Post mount cannot be painted with specialty finish (GA)




STANDARD MOUNTS

Arm Mounts


ARM MOUNT ORDER MATRIX (EXAMPLE: 2LL30RD)

Pipe Size	Arm Type	Finish	Coastal Coating	Input Voltage
2 (½" IP)	SL23 (Small Loop - 23")	ABL (Aegean Blue)	(blank) (No Coating)	(blank) (120V)
3 (¾" IP)	SL30 (Small Loop - 30")	BB (Burnished Bronze)	-C (Coating)	-27 (277V)
	LL23 (Large Loop - 23")	BK (Gloss Black)		
	LL30 (Large Loop - 30")	BLU (Blue)		
	LC18 (Curve Arm - 18")	DVG (Dove Gray)		
	LC24 (Curve Arm - 24")	FLG (Flannel Gray)		
	LC30 (Curve Arm - 30")	GA (Galvanized)		
	LM18 (Miter Arm - 18")	LG (Lime Green)		
	LM24 (Miter Arm - 24")	MB (Matte Black)		
	LM30 (Miter Arm - 30")	MBL (Midnight Blue)		
	SA18 (Sign Arm - 18")	PNA (Painted Natural Aluminum)		
	SA23 (Sign Arm - 23")	PNC (Painted Natural Copper)		
	LSA23 (Large Loop Sign Arm - 23")	RD (Red)		
	LSA30 (Large Loop Sign Arm - 30")	SGR (Sage Green)		
	A6 (Straight Arm - 6")	SGW (Semi Gloss White)		
	A12 (Straight Arm - 12")	SND (Sand)		
	A18 (Straight Arm - 18")	SS (Satin Silver)		
	A24 (Straight Arm - 24")	TBZ (Textured Bronze)		
	A30 (Straight Arm - 30")	TGP (Textured Graphite)		
	MA18 (Modern Arm - 18")	TNG (Tangerine)		
	MA24 (Modern Arm - 24")	TTL (Tahitian Teal)		
	MA30 (Modern Arm - 30")	WT (Gloss White)		
		YEL (Yellow)		


SMALL LOOP ARM




LARGE LOOP ARM



SIGN ARM



LARGE LOOP SIGN ARM





STANDARD MOUNTS

Arm Mounts


KNUCKLE ACCESSORY ORDER MATRIX (EXAMPLE: 2KNLSS)

Pipe Size	Knuckle	Finish	Coastal Coating
2 (½" IP)	KNL (Adjustable 180° Knuckle for Arm Mounts)	(Specify same finish as arm mount)	(blank) (No Coating)
3 (¾" IP)			-C (Coating)


Note: All arm mounts include canopy




CURVE ARM




MITER ARM



STRAIGHT ARM



MODERN ARM






STANDARD MOUNTS

Pendant & Flush Mount Canopies


STEM MOUNT ORDER MATRIX (EXAMPLE: 2HS18TBZ)

Pipe Size	Stem Length	Finish	Coastal Coating
2 (½" IP)	HS12 (12")	ABL (Aegean Blue)	(blank) (No Coating)
	HS18 (18")	BB (Burnished Bronze)	-C (Coating)
	HS24 (24")	BK (Gloss Black)	
	HS36 (36")	BLU (Blue)	
	HS48 (48")	DVG (Dove Gray)	
	HS__ (Custom length from 2" up to 60")	FLG (Flannel Gray)	
		GA (Galvanized)	
		LG (Lime Green)	
		MB (Matte Black)	
		MBL (Midnight Blue)	
		PNA (Painted Natural Aluminum)	
		PNC (Painted Natural Copper)	
		RD (Red)	
	SGR (Sage Green)		
	SGW (Semi Gloss White)		
	SND (Sand)		
	SS (Satin Silver)		
	TBZ (Textured Bronze)		
	TGP (Textured Graphite)		
	TNG (Tangerine)		
	TTL (Tahitian Teal)		
	WT (Gloss White)		
	YEL (Yellow)		


Stem mounts can be used for sloped ceiling up to 30°




Note: All stems include 2 3/8" canopy and ball swivels



PENDANT CANOPY



CEILING FLUSH MOUNT CANOPY




Note: Ceiling flush mount canopy includes 2" stem



GLASS ENCLOSURE

- Glass is available in clear (-CG), frosted (-FG) or opal (-OG) ¹
- See fixture pages for availability

- CG (Clear Glass Enclosure)
- FG (Frosted Glass Enclosure)
- OG (Opal Glass Enclosure) ¹




1. Heavy Metal and RDX only
2. Heavy Metal and RDX glasses are 7 1/2" in height
3. Heavy Metal and RDX glasses are 4" in diameter

CAST GUARD WITH GLASS ENCLOSURE

- Cast guard can be specified in all standard and specialized finishes, and will match shade finish unless otherwise specified (Note: For galvanized shade finishes, cast guard is unfinished Raw Aluminum)
- Glass is available in clear (-CGG), frosted (-FGG) or opal (-OGG) ¹
- See fixture pages for availability

- CGG (Clear Glass w/ Cast Guard)
- FGG (Frosted Glass w/ Cast Guard)
- OGG (Opal Glass w/ Cast Guard) ¹




1. Heavy Metal and RDX only
2. Heavy Metal and RDX cast guards are 8" in height
3. Heavy Metal and RDX cast guards are 5 1/2" in diameter

WIRE CAGE WITH GLASS ENCLOSURE

- Wire cage can be specified in all standard and specialized finishes, and will match shade finish unless otherwise specified (Note: For galvanized shade finishes, wire cage is finished in Painted Natural Aluminum)
- Glass is available in clear (-CGWC) or frosted (-FGWC)
- See fixture pages for availability


- CGWC (Clear Glass w/ Wire Cage)
- FGWC (Frosted Glass w/ Wire Cage)



WIRE GUARD

- Wire guard can be specified in all standard and specialized finishes, and will match shade finish unless otherwise specified (Note: For galvanized shade finishes, wire guard is finished in Painted Natural Aluminum)
- See fixture pages for availability

- WG (Wire Guard)



FINISHES

STANDARD FINISHES



ABL
Aegean Blue



BB
Burnished Bronze



BK
Gloss Black



BLU
Blue



DVG
Dove Gray



FLG
Flannel Gray



LG
Lime Green



MB
Matte Black



MBL
Midnight Blue



PNA
Painted Natural Aluminum



PNC
Painted Natural Copper



RD
Red



SGR
Sage Green Gray



SGW
Semi Gloss White



SND
Sand



SS
Satin Silver

FINISHES

STANDARD FINISHES



TBZ
Textured Bronze



TGP
Textured Graphite



TNG
Tangerine



TTL
Tahitian Teal



WT
Gloss White



YEL
Yellow

SPECIALTY FINISH



GA
Galvanized

COASTAL FINISH OPTION

- The coastal finish is a coating available to protect finishes on fixtures installed in coastal environments.
- To specify, add "-C" to end of order number

FIXTURES / SHADES

- Specialty finishes can be specified for all fixtures/shades, unless otherwise noted
- The insides of all shades are painted gloss white (WT), unless otherwise noted
- Fixtures/shades in galvanized (GA) finish are not painted white inside. Shades will be galvanized finish inside

MOUNTS

- Arms, stems and wall mounts can be specified in all standard and specialty finishes
- Post mounts can be specified only in standard finishes
- Pendant and flush mount canopy's finish will match shade finish

ACCESSORIES

- Cast guards, wire cages and wire guards can be specified in all standard and specialty finishes, and will match shade finish unless otherwise specified
- For galvanized (GA) fixtures/shades cast guards are unfinished raw aluminum; wire cages and wire guards are finished in painted natural aluminum



INDEX

A12 -----	55	HS24 -----	57	LMB18 -----	19, 21	RE8 -----	32
A18 -----	55	HS36 -----	57	LMB24 -----	19, 21	RH12 -----	36
A24 -----	55	HS48 -----	57	LMB30 -----	19, 21	RH14 -----	36
A30 -----	55	HSB12 -----	19, 21	LSA23 -----	54	RH16 -----	36
A6 -----	55	HSB18 -----	19, 21	LSA30 -----	54	RH18 -----	36
AE14 -----	4	HSB24 -----	19, 21	LSAB23 -----	19, 21	RH20 -----	36
AE16 -----	4	HSB36 -----	19, 21	LSAB30 -----	19, 21	RHS14 -----	38
AR14 -----	30	HSB48 -----	19, 21	MA18 -----	55	RHS16 -----	38
AR16 -----	30	KNL -----	54	MA24 -----	55	RI5 -----	44
BC14 -----	10	LB -----	52	MA30 -----	55	RIC6 -----	44
BC16 -----	10	LBD18 -----	53	MAB18 -----	19, 21	RID13 -----	44
BC18 -----	10	LBD24 -----	53	MAB24 -----	19, 21	RNCA12 -----	46
BL10 -----	24	LBD30 -----	53	MAB30 -----	19, 21	RNCM12 -----	46
BL12 -----	24	LBM18 -----	53	MC10 -----	16	RNDA12 -----	46
BL8 -----	24	LBM24 -----	53	MC12 -----	16	RNDM12 -----	46
CG -----	59	LBM30 -----	53	MC8 -----	16	RNSA12 -----	46
CGG -----	59	LBMNP -----	53	MCA18 -----	17	RNSA16 -----	46
CGWC -----	59	LBS12 -----	53	MCA24 -----	17	RNSM12 -----	46
DM12 -----	22	LBS24 -----	53	MCA30 -----	17	RNSM16 -----	46
DM14 -----	22	LBS36 -----	53	NC14 -----	28	RRS10 -----	44
DM16 -----	22	LBS6 -----	53	NC16 -----	28	RS16 -----	48
DM24 -----	22	LBU18 -----	53	OG -----	59	RW16 -----	42
DM28 -----	22	LBU24 -----	53	OGG -----	59	RW18 -----	42
DM36 -----	22	LBU30 -----	53	OGWC -----	59	SA18 -----	54
FG -----	59	LC18 -----	55	PD14 -----	20	SA23 -----	54
FGG -----	59	LC24 -----	55	PD18 -----	20	SAB18 -----	19, 21
FGWC -----	59	LC30 -----	55	RA10 -----	34	SAB23 -----	19, 21
FR12 -----	18	LCB18 -----	19, 21	RA12 -----	34	SL23 -----	54
FR16 -----	18	LCB24 -----	19, 21	RA8 -----	34	SL30 -----	54
GL12 -----	12	LCB30 -----	19, 21	RD10 -----	40	SLB23 -----	19, 21
GL14 -----	12	LL23 -----	54	RD12 -----	40	SLB30 -----	19, 21
GL16 -----	12	LL30 -----	54	RD14 -----	40	TR12 -----	14
GL18 -----	12	LLB23 -----	19, 21	RD16 -----	40	TR14 -----	14
HM18 -----	6	LLB30 -----	19, 21	RDX18 -----	8	TR16 -----	14
HM20 -----	6	LM18 -----	55	RDX20 -----	8	TR18 -----	14
HS12 -----	57	LM24 -----	55	RE10 -----	32	WG -----	59
HS18 -----	57	LM30 -----	55	RE12 -----	32		




TROY RLM LIGHTING
A DIVISION OF TROY-CSL LIGHTING, INC.
14508 NELSON AVENUE
CITY OF INDUSTRY, CA 91744
WWW.TROYRLM.COM
T: 626.336.4511 F: 626.330.4266
COPYRIGHT © 2022 TROY-CSL LIGHTING, INC.

TROYRLM.COM



C-TRLM1-21



7 82042 56929 0